

*Pure Freude  
an Wasser*

**GROHE**  
WAVES

# GROHE PRICE LIST

2020-2021 



EFFECTIVE APRIL 1, 2020 - SUPERSEDES ALL PREVIOUS SCHEDULES

# QUICK REFERENCE BY DESIGN

## GROHE SPA® Collections



Allure Brilliant  
Pages 53–60



GROHE Allure  
Pages 61–71



Atrio  
Pages 72–83



Grandera  
Pages 140–149



Kensington  
Pages 150–157

## Cosmopolitan



BauLoop  
Pages 84–88



Concetto  
Pages 89–96



Eurocube  
Pages 104–112



Eurocube Joy  
Pages 104–112



Essence  
Pages 97–103



Eurosmart Cosmopolitan  
Pages 122–127



Eurostyle Cosmopolitan  
Pages 134–139



Lineare  
Pages 158–163

## Contemporary



Europlus  
Pages 113–116



Eurosmart  
Pages 117–121



Eurostyle  
Pages 128–133



Plus  
Pages 164–169

## Authentic



Seabury  
Pages 170–176

# TABLE OF CONTENTS

Warranty Information	Inside Back Cover
GROHE Icons and Colour Codes	2
Moments of Truth	3
About GROHE	4–5
Product Number/Page Number Index	6–14

## **GROHE SENSE™ AND GROHE SENSE GUARD™** 15–20

### **KITCHEN**

SmartControl® Kitchen	22–23
GROHE Blue®	24–29
Foot Control Faucets / Retro-Fit Set	30–31
Touch Faucets	32–34
Semi-Pro Faucets	35–37
Pull-down Faucets	38–42
Pull-out Faucets	43–45
Prep Sink Faucets	46–47
Bar Faucets	48–49
Pot Fillers	50
Escutcheons / Foot Control / Quick Connect	51
Soap/Lotion Dispensers	52

### **BATH**

Allure Brilliant™	53–60
Allure™	61–71
Atrio®	72–83
BauLoop™	84–88
Concetto™	89–96
Essence™	97–103
Eurocube® / Eurocube® Joy	104–112
Europlus®	113–116
Eurosmart®	117–121
Eurosmart® Cosmopolitan	122–127
Eurostyle™	128–133
Eurostyle™ Cosmopolitan	134–139
Grandera®	140–149
Kensington®	150–157
Lineare™	158–163
GROHE Plus	164–169
Seabury®	170–176

### **ACCESSORIES**

Selection Cube™	178–179
Selection	180–181
Essentials™	183–186
Essentials™ Cube	187–188
Essentials™ Authentic	189–190

### **SHOWER**

Safety Valve Comparison Chart	192
Custom Shower Positioning Guide	193
Grohtherm® SmartControl	194–202
Grohtherm® 2-Handle Thermostats	203–206
GrohFlex® Advanced Universal Rough-In Valve System	207–214
Grohsafe® 3.0 Pressure Balance Valve and Trims	215–222
Grohsafe® Pressure Balance Diverter Valve and Trims	223
Grohtherm® Thermostatic Temp. Control Valves and Trims	224
Grohtherm® Exposed Thermostats	225
Diverter Valves and Trims	226–229
Volume Control Valves and Trims	230–231
Shower Systems	232–245
SmartControl	232–237
Euphoria®, Tempesta®	238–240
Retro-Fit	241–245
Shower Kits	246–251
Shower Heads	252–260
Shower Arms	261–263
Shower Sets	264–268
Hand Showers	269–273
Shower Bars	274–276
Hand Sprays	277
Body Sprays	278
Shower Hoses	279
Wall Unions	280
Hand Shower Holders	281
Shower Accessories	282
Diverter Tub Spouts	283–284
Tub Spouts	285–286

### **WALL CARRIERS**

Rapid SL Flushing System	288–289
Actuation Plates	290–292

### **COMMERCIAL**

Electronic Centresets	294–296
Grohtherm® XL	297
Shower Products and Accessories	298

### **SPARE PARTS** 299–303

### **HANDLES** 300

### **FLOW RATES** 304

# GROHE ICONS



## ADA/Handicap Symbol

All products displaying this symbol comply with the applicable ADA requirements as stated in the American with Disabilities Act of 2010.



## California Energy Commission

The California Energy Commission or CEC enacted California Title 20 Water Efficiency Standards in 2015 to address severely depleted water supplies throughout the state. The CEC's water efficiency standards are comparable or lower than the CALGreen code and WaterSense program standard.



Certified by  
IAPMO R&T

## WaterSense

All products displaying this symbol are recognized by the Environmental Protection Agency's partnership program, WaterSense and offer significant water savings while meeting strict performance standards including CALGreen building code standards.



## SPA Logo

All products displaying this symbol are part of the GROHE SPA® collections that offer an extensive range of premium fittings for all points of interaction in your bathroom. From the faucet to the bathtub and shower, each enticing collection offers a wide range of products that combine the latest technology with enticing and intuitive design.



## Work Smarter Logo

All products displaying this symbol are geared towards professionals who require products that are easy to use and offer a high level of comfort and reliability, award-winning design and innovation at outstanding value.

NOTE: Products listed with ★ (stars) are available while supplies last.

## PRODUCT COLOUR CODES:

000, 00M	Chrome or unfinished
A00	Hard Graphite
AL0	Brushed Hard Graphite
AR0	Satin Nickel/Polished Brass
AV0	Satin Nickel
BE0	Polished Nickel InfinityFinish™
BK0	Alu-XT
BR0	Titanium
BS0	Chrome Titanium
DA0	Warm Sunset
DC0	SuperSteel InfinityFinish™
DL0	Brushed Warm Sunset
EN0	Brushed Nickel InfinityFinish™
F00	Matte
G00	Gold
GL0	Cool Sunrise
GN0	Brushed Cool Sunrise
HP0	American Walnut
HR0	Macassar
HV0	Bamboo
HW0	Natural Oak
IE0	Chrome/Dark Gray
IG0	Chrome/Gold
IK0	Chrome/Black
IP0	Chrome/Matte Chrome
IR0	Chrome/Polished Brass
K00	Black
KD0	Stainless Steel/Soft Black
KH0	Soft Black
KS0	Velvet Black
KX0	Stainless Steel/Light Gray
L00	White
LR0	White/Polished Brass
LS0	Moon White
NC0	Chrome/Light Gray
ND0	SuperSteel/Light Gray
OA0	Mirror Glass
P00	Matte Chrome
R00	Polished Brass
RR0	Velour Chrome
SD0	Stainless Steel
SH0	Alpine White
UTO	Biscuit
W00	Bone
XG0	Black Print
XM0	Tannin Red Leather
XN0	Black Leather
XX0	Gray
ZB0	Oil Rubbed Bronze



# MOMENTS OF TRUTH AND FEATURES

Seven decades of research and development has resulted in a range of products that are renowned worldwide for their technical excellence and longevity. Throughout this price list you'll find references to our water technologies, all of them developed to make your experience with GROHE different, special and better.



## GROHE SILKMOVE®

Smoothest handling for effortless precision and ultimate comfort for a lifetime.



## GROHE STARLIGHT®

Made-to-last surfaces ranging from precious matte to shiny like a diamond.



## GROHE COOLTOUCH®

No scalding on hot surfaces thanks to 100% GROHE CoolTouch®.



## GROHE TURBOSTAT®

Always the right temperature, for the utmost convenience and safety.



## GROHE ECOJOY™

Save precious resources and enjoy 100% water comfort.



## GROHE DREAMSPRAY®

Innovative quality showers for luxurious revitalization and wellbeing.



## GROHE DIGITAL®

Intuitive digital technology at your fingertips.



## GROHE WHISPER®

Innovative water technology delivering whisper-quiet acoustics.



## GROHE FEATHERCONTROL

The joy of effortless fingertip control and long-lasting silky smooth operation.



## GROHE QUICKFIX®

Faster, easier and hassle-free, GROHE QuickFix® cuts installation time by up to 40%.



## SPEED CLEAN®

Remove limescale with a single wipe.



## FOOT CONTROL

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the faucet ON and OFF.



## TOUCH

Just touch the faucet spout with your wrist, elbow or fingertip to turn the faucet ON and OFF.



## GROHE SMARTCONTROL®

Choose your preferred water outlet and adjust the water flow as desired.



## XL EASYREACH TRAY

Easy cleaning and maintenance with removable shampoo and soap tray.

# ABOUT GROHE



## QUALITY

### **GERMAN PERFECTIONISM INSPIRES ULTIMATE CUSTOMER CONFIDENCE.**

We strive for an excellence that goes way beyond the surface of our products. In fact, from design to production and customer service we aim for nothing less than perfection at every stage. Our history of great German engineering, rigorous internal tests and numerous external certification processes are what gives our customers complete confidence in a name they can trust.



## TECHNOLOGY

### **MASTERING WATER THROUGH TECHNOLOGY.**

In our relentless search for technological innovation, we work to integrate the latest digital advances, creating smart solutions that enhance our customers' enjoyment of water. Our in-house experts harness the power of water to enhance the experience of our customers every day – the moment of truth, for our products and brand.



## DESIGN

### **SIGNATURE ELEMENTS STYLED TO PERFECTION.**

An empathetic and intuitive design language offers us the opportunity to create products that feel as if they were designed just for you. This unique GROHE DNA that is both ergonomic and visually distinctive has earned us numerous design awards: world-class references are testimony to our world-wide recognition.



## SUSTAINABILITY

### **ENSURING WATER ENJOYMENT FOR GENERATIONS TO COME.**

Water is as essential as the air that we breathe, one more reason why we are so passionate about it. To be able to offer "Pure Freude an Wasser", not just to today's consumer but for generations to come, we offer sustainable product solutions like GROHE Blue®, GROHE EcoJoy™ and GROHE SilkMove®, and we demonstrate through our Sustainability Report and Sustainability accolades that we have made a serious corporate commitment to protecting the planet.

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
115174	124	836.00	13 275 BE1	93, 283	271.00	14 471 000	58, 219	499.00
★ 117161	250	1,194.00	13 275 EN1	93, 283	247.00	14 472 000	101, 219	279.00
★ 117162	248	2,073.00	13 275 GN1	93, 283	271.00	14 472 A00	101, 219	379.00
★ 117163	247	3,067.00	13 284 002	136, 286	175.00	14 472 BE0	101, 219	379.00
117166	251	983.00	13 285 002	136, 283	206.00	14 472 EN0	101, 219	349.00
★ 117167	250	985.00	13 286 000	87, 285	132.00	14 472 GN0	101, 219	379.00
117982	108	839.00	13 287 000	87, 283	161.00	15 906 040	288	151.00
118050	248	1,268.00	13 301 000	56	2,646.00	18 026 003	75, 77, 300	119.00
122522	186	154.00	13 305 000	109, 285	211.00	18 026 EN3	75, 77, 300	154.00
122629	251	528.00	13 307 000	109, 283	229.00	18 027 003	75, 77, 300	119.00
★ 122700	249	1,967.00	13 342 000	144, 286	349.00	18 027 EN3	75, 77, 300	154.00
★ 125913	274	334.00	13 342 EN0	144, 286	454.00	18 033 003	78, 300	123.00
02 696 00M	303	20.00	13 354 002	120, 285	60.00	18 033 EN3	78, 300	160.00
02 697 R00	303	23.20	13 354 EN2	120, 285	79.00	18 034 003	78, 300	123.00
03 671 000	282	38.00	13 356 002	120, 283	75.00	18 034 EN3	78, 300	160.00
05 291 000	301	5.00	13 356 EN2	120, 283	97.00	★ 18 085 000	300	102.00
06 427 000	303	23.00	13 366 000	93, 283	84.00	★ 18 085 EN0	300	138.00
06 428 000	303	27.00	13 366 EN0	93, 283	110.00	18 086 VP0	152, 300	503.00
07 000 000	301	113.00	13 377 003	131, 286	97.00	★ 18 087 000	152, 300	222.00
07 025 000	301	31.00	13 377 EN3	131, 286	127.00	★ 18 087 EN0	152, 300	290.00
07 130 00M	303	58.00	13 379 003	131, 283	121.00	18 244 000	48, 300	135.00
07 146 000	301	27.00	13 379 EN3	131, 283	158.00	18 244 DC0	48, 300	178.00
07 147 000	301	27.00	13 381 001	161, 286	185.00	18 731 000	172, 300	110.00
07 150 000	301	48.00	13 381 EN1	161, 286	240.00	18 731 BE0	172, 300	143.00
07 151 000	301	54.00	13 382 001	161, 284	129.00	18 731 EN0	172, 300	143.00
07 156 000	301	46.00	13 382 EN1	161, 284	168.00	18 731 ZB0	172, 300	152.00
07 551 000	51, 119	32.00	13 405 003	167, 286	185.00	18 732 000	172, 300	110.00
07 551 EN0	51, 119	42.00	13 405 EN3	167, 286	241.00	18 732 BE0	172, 300	143.00
07 552 000	51	55.00	13 407 003	167, 284	145.00	18 732 EN0	172, 300	143.00
07 552 SD0	51	82.00	13 407 EN3	167, 284	189.00	18 732 ZB0	172, 300	152.00
★ 07 552 ZB0	51	77.00	★ 13 435 000	284	327.00	19 221 000	175, 226	256.00
07 555 000	51	64.00	13 603 000	176, 284	293.00	19 221 BE0	175, 226	332.00
07 911 000	282, 298	51.00	13 603 BE0	176, 284	381.00	19 221 EN0	175, 226	332.00
12 365 000	51	39.00	13 603 EN0	176, 284	381.00	19 221 ZB0	175, 226	350.00
12 400 000	238, 239, 240	59.00	13 603 ZB0	176, 284	406.00	19 222 000	175, 226	256.00
12 417 000	297	119.00	13 611 000	284	74.00	19 222 BE0	175, 226	332.00
12 424 000	297	129.00	13 611 EN0	284	95.00	19 222 EN0	175, 226	332.00
12 428 000	297	201.00	13 615 000	176, 286	250.00	19 222 ZB0	175, 226	350.00
12 436 000	297	195.00	13 615 BE0	176, 286	322.00	19 265 VP0	154, 224	598.00
12 444 000	297	250.00	13 615 EN0	176, 286	322.00	★ 19 266 000	155, 224	412.00
13 164 003	82, 285	298.00	13 615 ZB0	176, 286	350.00	★ 19 266 EN0	155, 224	540.00
13 164 EN3	82, 285	387.00	14 048 000	202	200.00	★ 19 267 000	154, 221	365.00
★ 13 193 000	157, 286	369.00	14 053 00M	81, 202, 204	55.00	★ 19 267 EN0	154, 221	492.00
★ 13 193 EN0	157, 286	482.00	14 060 000	81, 204, 205, 206	47.00	19 268 VP0	154, 221	588.00
★ 13 194 000	157, 284	425.00	14 127 000	222	11.00	19 269 VP0	156, 231	401.00
★ 13 194 EN0	157, 284	556.00	14 139 000	222	59.00	★ 19 270 000	156, 230	239.00
★ 13 194 VP0	157, 284	609.00	14 140 000	222	12.00	★ 19 270 EN0	156, 230	340.00
★ 13 218 000	66	2,646.00	14 462 000	120, 219	169.00	19 271 VP0	156, 226	551.00
13 265 000	66, 285	450.00	14 462 EN0	120, 219	209.00	★ 19 272 000	156, 226	358.00
13 272 000	125, 285	151.00	14 463 000	125, 220	189.00	★ 19 272 EN0	156, 226	498.00
13 273 000	125, 283	205.00	14 464 000	137, 220	259.00	19 300 00A	64	1,085.00
13 274 001	93, 285	154.00	14 467 000	79, 219	399.00	19 302 001	65	2,460.00
13 274 A01	93, 285	219.00	14 467 EN0	79, 219	499.00	19 305 000	66, 224	605.00
13 274 BE1	93, 285	219.00	14 468 000	93, 219	185.00	★ 19 347 001	208	243.00
13 274 EN1	93, 285	200.00	14 468 EN0	93, 219	239.00	★ 19 347 A01	208	345.00
13 274 GN1	93, 285	219.00	14 469 000	110, 219	349.00	★ 19 347 BE1	208	345.00
13 275 001	93, 283	190.00	14 470 000	145, 220	439.00	★ 19 347 EN1	208	316.00
13 275 A01	93, 283	271.00	14 470 EN0	145, 220	559.00	★ 19 347 GN1	208	345.00

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
19 375 000	67, 221	444.00	19 839 EN0	214	577.00	19 989 003	131, 221	126.00
19 376 000	68, 223	508.00	19 839 ZB0	214	620.00	19 989 EN3	131, 221	164.00
19 385 000	68, 230	370.00	★ 19 843 000	208	214.00	19 991 004	130	883.00
19 387 00A	64	1,163.00	★ 19 843 BE0	208	280.00	19 991 EN4	130	1,149.00
★ 19 457 001	94, 221	164.00	★ 19 843 EN0	208	280.00	19 993 003	133, 226	123.00
★ 19 457 EN1	94, 221	213.00	★ 19 843 ZB0	208	300.00	19 993 EN3	133, 226	160.00
19 494 001	102, 209	338.00	★ 19 844 000	209	287.00	19 995 003	133, 228	134.00
19 494 EN1	102, 209	439.00	★ 19 844 BE0	209	374.00	19 995 EN3	133, 228	175.00
19 576 002	92	1,375.00	★ 19 844 EN0	209	374.00	20 069 003	76	664.00
19 576 EN2	92	1,788.00	★ 19 844 ZB0	209	401.00	20 069 EN3	76	907.00
19 577 001	161	1,520.00	★ 19 866 003	79, 221	298.00	20 072 003	76	664.00
19 577 EN1	161	1,977.00	★ 19 866 EN3	79, 221	388.00	20 072 EN3	76	907.00
19 578 00A	101	1,290.00	19 867 003	80, 223	463.00	20 124 00A	152	783.00
19 578 A0A	101	1,841.00	19 867 EN3	80, 223	602.00	★ 20 124 ENA	152	1,018.00
19 578 BEA	101	1,841.00	19 869 000	116, 126, 138, 211	528.00	20 148 00A	63	1,194.00
19 578 ENA	101	1,677.00	19 869 EN0	116, 126, 138, 211	688.00	20 173 003	77	437.00
19 578 GNA	101	1,841.00	19 878 000	116, 127, 138, 213	588.00	20 173 EN3	77	603.00
19 591 000	69, 228	360.00	19 878 EN0	116, 127, 138, 213	764.00	20 179 001	48	188.00
19 592 000	86	852.00	19 879 000	116, 127, 139, 214	440.00	20 191 00A	63	1,194.00
19 595 000	87, 221	164.00	19 879 EN0	116, 127, 139, 214	578.00	20 199 00A	124	387.00
19 612 000	174, 224	303.00	19 880 000	115, 126, 138, 208	228.00	20 209 00A	136	433.00
19 612 BE0	174, 224	398.00	19 880 EN0	115, 126, 138, 208	296.00	20 217 00A	92	423.00
19 612 EN0	174, 224	398.00	19 881 000	115, 126, 138, 209	299.00	20 217 ENA	92	572.00
19 612 ZB0	174, 224	427.00	19 881 EN0	115, 126, 138, 209	389.00	20 225 000	86	376.00
19 614 000	174, 224	303.00	19 897 001	108	1,851.00	20 294 00A	119	391.00
19 614 BE0	174, 224	398.00	19 910 000	112, 230	95.00	20 294 ENA	119	508.00
19 614 EN0	174, 224	398.00	19 919 00A	144	1,851.00	20 297 00A	100	471.00
19 614 ZB0	174, 224	427.00	19 919 ENA	144	2,407.00	20 297 A0A	100	672.00
19 707 000	173, 221	208.00	★ 19 924 000	111, 208	387.00	20 297 BEA	100	672.00
19 707 BE0	173, 221	272.00	19 925 000	111, 209	450.00	20 297 ENA	100	613.00
19 707 EN0	173, 221	272.00	19 926 000	111, 210	718.00	20 297 GNA	100	672.00
19 707 ZB0	173, 221	289.00	19 927 000	111, 212	783.00	20 302 003	166	529.00
19 708 000	173, 221	208.00	19 928 000	111, 214	657.00	★ 20 302 00A	115	503.00
19 708 BE0	173, 221	272.00	★ 19 931 00A	143	566.00	20 302 EN3	166	688.00
19 708 EN0	173, 221	272.00	★ 19 931 ENA	143	740.00	★ 20 302 ENA	115	656.00
19 708 ZB0	173, 221	289.00	★ 19 933 000	208	382.00	20 343 00A	55	1,217.00
★ 19 784 00A	56	1,217.00	★ 19 933 EN0	208	496.00	20 370 00A	108	572.00
19 786 000	59, 209	551.00	19 935 000	146, 210	598.00	20 418 00A	142	625.00
19 787 001	57	2,513.00	19 935 EN0	146, 210	778.00	20 418 ENA	142	814.00
★ 19 790 000	59, 208	476.00	19 936 000	144	1,798.00	20 419 00A	142	709.00
19 793 000	59, 210	846.00	19 940 000	146, 214	657.00	20 419 ENA	142	922.00
19 794 000	59, 212	899.00	19 940 EN0	146, 214	852.00	20 431 00A	100	593.00
19 795 000	59, 214	793.00	19 942 000	147, 228	244.00	20 431 A0A	100	845.00
19 797 000	57, 230	317.00	19 942 EN0	147, 228	317.00	20 431 BEA	100	845.00
19 799 000	57, 228	434.00	19 944 000	147, 230	164.00	20 431 ENA	100	771.00
★ 19 822 000	210	511.00	19 944 EN0	147, 230	214.00	20 431 GNA	100	845.00
★ 19 822 EN0	210	673.00	19 946 000	146, 209	487.00	20 486 003	130	391.00
★ 19 825 000	212	582.00	19 946 EN0	146, 209	633.00	20 486 EN3	130	507.00
★ 19 825 EN0	212	751.00	19 947 000	146, 212	704.00	20 572 001	92	391.00
19 827 000	175, 231	161.00	19 947 EN0	146, 212	915.00	20 572 EN1	92	510.00
19 827 BE0	175, 231	212.00	19 970 002	121, 226	109.00	20 578 00A	160	535.00
19 827 EN0	175, 231	212.00	19 970 EN2	121, 226	142.00	20 578 ENA	160	696.00
19 827 ZB0	175, 231	230.00	19 972 002	121, 228	120.00	20 800 00A	172	367.00
19 828 000	175, 231	161.00	19 972 EN2	121, 228	156.00	20 800 BEA	172	477.00
19 828 BE0	175, 231	212.00	19 987 001	102, 211	477.00	20 800 ENA	172	477.00
19 828 EN0	175, 231	212.00	19 987 EN1	102, 211	621.00	20 800 ZBA	172	518.00
19 828 ZB0	175, 231	230.00	19 988 001	103, 213	555.00	21 027 003	75	818.00
19 839 000	214	441.00	19 988 EN1	103, 213	721.00	21 027 EN3	75	1,082.00



# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
21 031 003	74	801.00	23 592 A0A	99	537.00	25 154 EN0	144	1,342.00
21 031 EN3	74	1,115.00	23 592 BEA	99	537.00	25 168 002	119	597.00
21 046 003	75	967.00	23 592 ENA	99	488.00	25 168 EN2	119	778.00
21 046 EN3	75	1,257.00	23 592 GNA	99	537.00	25 170 00A	119	915.00
21 108 00A	143	768.00	23 655 000	106	466.00	25 170 ENA	119	1,190.00
21 108 ENA	143	1,001.00	23 659 000	107	503.00	★ 25 502 001	172	1,283.00
22 503 LN0	20	1,029.00	23 662 000	107	634.00	★ 25 502 BE1	172	1,670.00
22 506 LN0	19	72.00	23 667 001	109	2,009.00	★ 25 502 EN1	172	1,670.00
22 521 LN0	20	42.00	23 670 000	106	434.00	★ 25 502 ZB1	172	1,804.00
22 601 LN0	19	144.00	23 671 000	107	577.00	26 030 000	245	69.00
22 603 000	20	171.00	23 672 001	109	1,798.00	26 030 EN0	245	90.00
23 034 00A	55	951.00	23 737 002	91	349.00	★ 26 035 001	148, 258	147.00
23 036 00A	136	299.00	23 737 EN2	91	457.00	★ 26 035 EN1	148, 258	193.00
23 042 00A	136	272.00	23 792 001	161	1,749.00	★ 26 036 000	148, 262	67.00
23 048 003	136	1,481.00	23 792 EN1	161	2,343.00	★ 26 036 EN0	148, 262	87.00
23 077 00A	63	805.00	23 794 00A	160	411.00	26 037 001	148, 273	172.00
23 084 000	86	235.00	23 794 ENA	160	535.00	26 037 EN1	148, 273	225.00
23 085 000	86	212.00	23 824 00A	160	390.00	26 043 001	259	99.00
23 115 00A	55	1,455.00	23 824 ENA	160	510.00	26 043 A01	259	139.00
23 119 001	56	4,021.00	23 825 00A	160	504.00	26 043 BE1	259	139.00
23 129 00A	106	401.00	23 825 ENA	160	654.00	26 043 EN1	259	128.00
23 133 00A	106	365.00	23 828 003	74	545.00	26 043 GN1	259	139.00
23 184 00A	107	493.00	23 828 EN3	74	709.00	26 044 001	260	83.00
★ 23 254 000	56	309.00	23 831 003	74	462.00	26 044 EN1	260	109.00
23 311 00A	142	528.00	23 831 EN3	74	602.00	26 045 001	260	99.00
23 311 ENA	142	688.00	23 834 003	74	751.00	26 045 EN1	260	128.00
23 312 00A	142	482.00	23 834 EN3	74	976.00	26 046 002	271	47.00
23 312 ENA	142	630.00	23 846 003	167	1,749.00	26 046 EN2	271	66.00
23 314 00A	143	757.00	23 846 EN3	167	2,274.00	26 047 001	272	38.00
23 314 ENA	143	984.00	23 956 003	166	499.00	26 047 EN1	272	50.00
23 318 00A	144	2,646.00	29 956 EN3	166	649.00	26 048 001	272	47.00
23 318 ENA	144	3,439.00	24 107 000	205	512.00	26 048 EN1	272	66.00
★ 23 320 000	143	345.00	24 107 EN0	205	667.00	26 050 001	260	52.00
23 485 00A	99	376.00	24 110 000	206	539.00	26 051 001	259	64.00
23 485 A0A	99	537.00	24 110 EN0	206	699.00	26 076 002	267	126.00
23 485 BEA	99	537.00	24 111 000	206	599.00	26 123 001	244	720.00
23 485 ENA	99	488.00	24 111 EN0	206	779.00	26 123 EN1	244	936.00
23 485 GNA	99	537.00	24 133 000	206	570.00	26 128 001	239	1,046.00
23 486 00A	99	497.00	24 133 EN0	206	741.00	26 128 EN1	239	1,360.00
23 486 A0A	99	709.00	24 150 003	81, 204	579.00	26 177 001	239	1,258.00
23 486 BEA	99	709.00	24 150 EN3	81, 204	749.00	26 184 000	280	105.00
23 486 ENA	99	644.00	24 151 003	81, 204	639.00	26 362 LN0	238, 239, 240, 245, 275, 276	47.00
23 486 GNA	99	709.00	24 151 EN3	81, 204	829.00	26 366 001	259	64.00
23 491 00A	101	1,795.00	24 157 000	205	589.00	26 379 000	237	1,585.00
23 491 A0A	101	2,561.00	24 157 EN0	205	765.00	26 409 000	257	168.00
23 491 BEA	101	2,561.00	24 158 000	205	639.00	26 409 EN0	257	218.00
23 491 ENA	101	2,326.00	24 158 EN0	205	829.00	26 410 000	257	168.00
23 491 GNA	101	2,561.00	25 048 003	78	983.00	26 410 EN0	257	218.00
23 538 00A	100	609.00	25 048 EN3	78	1,317.00	26 419 000	238	804.00
23 538 A0A	100	869.00	25 049 003	78	1,679.00	26 419 EN0	238	1,046.00
23 538 BEA	100	869.00	25 049 EN3	78	2,183.00	26 420 000	238	1,109.00
23 538 ENA	100	768.00	★ 25 073 000	153	2,222.00	26 421 000	240	581.00
23 538 GNA	100	869.00	★ 25 073 EN0	153	2,888.00	26 456 000	235, 257	218.00
23 577 003	130	264.00	★ 25 074 000	153	1,798.00	26 456 EN0	235, 257	287.00
23 577 EN3	130	343.00	★ 25 074 EN0	153	2,338.00	26 457 000	235, 257	218.00
★ 23 579 003	130	369.00	25 083 001	65	2,645.00	26 457 EN0	235, 257	287.00
★ 23 579 EN3	130	482.00	25 097 001	65	2,645.00	26 464 000	245	129.00
23 592 00A	99	376.00	25 154 000	144	1,031.00			

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
26 464 EN0	245	168.00	26 603 EN0	274	343.00	27 239 EN0	271	127.00
26 465 000	273	193.00	26 603 GN0	274	383.00	27 242 001	266	179.00
26 465 A00	273	271.00	26 604 000	269	338.00	27 243 001	266	208.00
26 465 BE0	273	271.00	26 604 EN0	269	439.00	27 247 001	258	136.00
26 465 EN0	273	250.00	26 605 000	269	350.00	27 247 EN1	258	183.00
26 465 GN0	273	271.00	26 605 EN0	269	455.00	27 252 000	278	264.00
26 466 000	235, 273	80.00	26 632 000	261	200.00	27 254 000	254	388.00
26 466 EN0	273	115.00	26 632 EN0	261	260.00	27 265 00E	237, 271	58.00
26 467 000	273	143.00	26 633 000	262	59.00	27 266 00E	266	168.00
26 468 000	254	232.00	26 634 000	280	107.00	27 285 000	253	717.00
26 469 000	253	753.00	26 635 000	280	113.00	27 400 000	235, 273	80.00
26 470 000	253	940.00	26 635 A00	280	164.00	27 400 EN0	273	115.00
26 471 000	252	2,588.00	26 635 BE0	280	164.00	27 412 000	262, 298	97.00
26 472 000	255	834.00	26 635 EN0	280	147.00	27 412 A00	262	136.00
26 473 000	147, 256	698.00	26 635 GN0	280	164.00	27 412 BE0	262	136.00
26 473 EN0	147, 256	907.00	26 644 000	254	778.00	27 412 EN0	262, 298	127.00
26 474 000	256	589.00	26 645 000	252	778.00	27 412 GN0	262	136.00
26 474 BE0	256	767.00	26 646 000	252, 254	198.00	27 414 000	262, 298	45.00
26 474 EN0	256	767.00	27 011 000	174, 262	83.00	27 414 EN0	262, 298	60.00
26 474 ZB0	256	831.00	27 011 BE0	174, 262	109.00	27 468 000	253	969.00
26 485 000	242	644.00	27 011 EN0	174, 262	109.00	★ 27 471 000	237, 255	752.00
26 485 EN0	242	837.00	27 011 ZB0	174, 262	132.00	27 478 000	255	834.00
26 486 000	242	623.00	27 034 000	156, 262	153.00	27 480 000	253	753.00
★ 26 486 EN0	242	814.00	27 034 EN0	156, 262	200.00	27 486 000	263	126.00
26 487 000	243	602.00	27 070 000	278	206.00	27 487 000	263	126.00
26 487 EN0	243	782.00	27 070 EN0	278	269.00	27 489 000	261	134.00
26 488 000	243	559.00	27 074 000	281	68.00	27 492 000	237, 257	186.00
★ 26 488 EN0	243	729.00	27 074 A00	281	99.00	27 499 000	275	87.00
26 490 000	238	1,057.00	27 074 BE0	281	99.00	27 500 000	275	102.00
26 490 EN0	238	1,374.00	27 074 EN0	281	88.00	27 512 001	277	31.00
26 502 000	254	899.00	27 074 GN0	281	99.00	27 513 001	277	52.00
26 502 EN0	254	1,149.00	27 075 000	281	55.00	27 514 001	277	126.00
26 504 000	252	999.00	★ 27 085 000	270	297.00	27 519 000	276	82.00
26 511 000	234	999.00	★ 27 085 EN0	270	387.00	★ 27 519 EN0	276	108.00
26 512 000	234	1,199.00	27 125 000	270	221.00	27 520 000	276	105.00
26 513 000	235, 271	97.00	★ 27 125 BE0	270	287.00	27 521 000	275	82.00
26 545 000	269	191.00	27 125 EN0	270	287.00	27 521 EN0	275	108.00
26 545 A00	269	277.00	★ 27 125 ZB0	270	310.00	27 522 000	275	105.00
26 545 BE0	269	277.00	27 126 001	258	200.00	27 523 000	276	76.00
26 545 EN0	269	248.00	★ 27 126 BE1	258	261.00	27 523 EN0	276	100.00
26 545 GN0	269	277.00	27 126 EN1	258	261.00	27 524 000	276	99.00
26 547 000	265	455.00	★ 27 126 ZB1	258	280.00	27 530 000	256	810.00
26 547 EN0	265	592.00	★ 27 129 BE0	270	293.00	27 571 20E	271	47.00
26 552 000	269	203.00	★ 27 129 EN0	270	293.00	27 575 002	271	80.00
26 552 EN0	269	264.00	27 130 000	256	273.00	27 577 002	267	158.00
26 569 000	255	532.00	27 130 EN0	256	355.00	27 578 20E	267	126.00
26 569 A00	255	771.00	27 135 000	256	311.00	27 591 001	259	99.00
26 569 BE0	255	771.00	27 135 EN0	256	404.00	27 596 000	245, 275, 276	18.00
26 569 EN0	255	692.00	27 137 000	279	77.00	27 597 10E	272	38.00
26 569 GN0	255	771.00	27 142 000	264	527.00	27 598 10E	268	99.00
26 570 000	252	600.00	★ 27 142 BE0	264	687.00	27 606 001	259	83.00
26 570 EN0	252	780.00	27 142 EN0	264	687.00	27 608 001	272	80.00
26 585 000	264	470.00	27 180 000	238, 239	105.00	27 608 EN1	272	102.00
26 585 EN0	264	611.00	27 206 000	275	26.00	27 609 001	268	146.00
26 602 000	274	219.00	27 217 000	263	105.00	27 610 001	260	99.00
26 603 000	274	264.00	27 217 EN0	263	136.00	27 620 000	69, 214	878.00
26 603 A00	274	383.00	27 239 000	271	97.00	27 621 000	70, 281	455.00
26 603 BE0	274	383.00	27 239 001	235, 271	97.00	27 623 000	69, 230	316.00

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
27 625 000	70, 231	815.00	28 364 000	279	60.00	28 751 SD1	52	422.00
27 664 000	270	190.00	28 373 000	255	551.00	28 754 000	77, 100, 108, 143	158.00
27 664 EN0	270	246.00	28 373 BE0	255	716.00	28 754 EN0	77, 100, 143	232.00
27 673 000	237, 270	167.00	28 373 EN0	255	716.00	28 783 000	255	1,903.00
27 693 000	281	57.00	28 383 000	261	275.00	28 783 EN0	255	2,474.00
27 705 000	254	232.00	28 383 EN0	261	358.00	★ 28 797 001	274	231.00
27 706 000	281	68.00	28 388 000	279	70.00	★ 28 797 BE1	274	316.00
27 708 000	280	115.00	28 389 000	273	36.00	★ 28 797 EN1	274	316.00
27 710 000	261	141.00	28 403 000	281	58.00	★ 28 819 001	274	276.00
27 712 000	263	129.00	28 403 EN0	281	74.00	★ 28 819 EN1	274	419.00
27 732 000	265	354.00	28 409 001	279	52.00	28 857 000	52	179.00
27 736 000	265	334.00	28 410 001	279	66.00	28 857 SD0	52	275.00
27 765 000	257	265.00	28 413 001	279	74.00	28 897 000	270	228.00
27 765 EN0	257	349.00	28 417 000	279	105.00	28 897 EN0	270	296.00
27 767 000	257	253.00	28 417 A00	279	148.00	28 917 000	264	545.00
27 784 000	274	165.00	28 417 BE0	279	148.00	28 917 EN0	264	709.00
27 785 000	274	210.00	28 417 EN0	279	137.00	28 951 000	296	63.00
27 809 000	237, 271	58.00	28 417 GN0	279	148.00	28 983 000	261	414.00
27 810 001	258	127.00	28 418 000	282	69.00	28 983 EN0	261	539.00
★ 27 810 EN1	258	158.00	28 421 002	272	63.00	29 035 000	57, 69, 228	344.00
27 814 001	255	551.00	28 436 002	267	126.00	29 038 001	56, 65, 79, 101, 109, 144, 161, 167	381.00
27 814 EN1	255	716.00	28 444 000	269	265.00	29 102 001	95, 223	206.00
27 815 001	253	717.00	28 444 EN0	269	344.00	29 102 EN1	95, 223	271.00
27 816 001	253	969.00	28 448 000	258	232.00	29 104 001	96, 227	122.00
27 841 000	275	242.00	28 448 EN0	258	302.00	29 104 EN1	96, 227	158.00
27 867 001	244	740.00	28 459 000	280	126.00	29 106 001	96, 229	146.00
27 867 EN1	244	962.00	★ 28 459 BE0	280	163.00	29 106 EN1	96, 229	190.00
27 888 000	273	143.00	28 459 EN0	280	163.00	29 108 001	96, 227	122.00
27 891 000	266	330.00	★ 28 459 R00	280	158.00	29 108 EN1	96, 227	158.00
27 892 000	275	182.00	★ 28 459 ZB0	280	177.00	29 122 000	201	507.00
27 921 000	303	129.00	28 484 000	280	140.00	29 122 EN0	201	655.00
27 933 000	238	143.00	28 484 EN0	280	182.00	29 127 000	199	507.00
27 969 000	148, 281	121.00	28 492 000	263	126.00	29 136 000	199	703.00
27 969 EN0	148, 281	155.00	28 492 BE0	263	179.00	29 136 A00	199	990.00
27 971 000	148, 280	196.00	28 492 EN0	263	179.00	29 136 BE0	199	990.00
27 971 EN0	148, 280	256.00	28 492 ZB0	263	190.00	29 136 EN0	199	915.00
27 984 000	147, 263	148.00	28 528 000	278	239.00	29 136 GN0	199	990.00
27 984 EN0	147, 263	196.00	28 528 EN0	278	313.00	29 137 000	200	767.00
27 988 000	147, 262	150.00	28 535 000	262	275.00	29 137 A00	200	1,080.00
27 988 EN0	147, 262	195.00	28 535 EN0	262	357.00	29 137 BE0	200	1,080.00
28 025 000	279	132.00	28 540 000	261	185.00	29 137 EN0	200	996.00
★ 28 025 EN3	279	172.00	28 540 A00	261	261.00	29 137 GN0	200	1,080.00
28 025 ENU	279	172.00	28 540 BE0	261	234.00	29 138 000	201	824.00
★ 28 025 ZB0	279	184.00	28 540 EN0	261	241.00	29 138 A00	201	1,160.00
28 036 000	282	81.00	28 540 GN0	261	261.00	29 138 BE0	201	1,160.00
28 105 000	279	73.00	28 540 ZB0	261	268.00	29 138 EN0	201	1,073.00
28 142 000	279	43.00	28 577 000	261	134.00	29 138 GN0	201	1,160.00
28 143 000	279, 298	90.00	28 577 EN0	261	175.00	29 140 000	197	703.00
28 145 000	279, 298	108.00	28 620 000	274	193.00	29 141 000	197	767.00
28 150 001	279	36.00	28 622 000	281	58.00	29 142 000	198	824.00
28 151 001	279	42.00	28 622 EN0	281	76.00	29 152 LS0	202	655.00
28 154 001	279	48.00	28 623 000	281	100.00	29 158 LS0	199	655.00
28 155 001	279	55.00	28 627 000	280	115.00	29 159 LS0	200	898.00
28 233 000	257	121.00	28 627 EN0	280	158.00	29 160 LS0	200	972.00
28 341 000	273	193.00	28 629 000	280	121.00	29 161 LS0	201	1,057.00
28 342 000	260	73.00	28 631 000	274	71.00	29 163 LS0	197	898.00
28 342 00E	260	73.00	28 672 000	280	64.00	★ 28 342 EN0	260	96.00
★ 28 342 EN0	260	96.00	28 751 001	52	282.00			

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
29 165 LS0	198	1,057.00	30 271 DC0	44	661.00	31 608 002	27	3,999.00
29 168 001	163, 223	267.00	30 271 GN0	44	740.00	31 608 DC2	27	4,599.00
29 168 EN1	163, 223	349.00	30 295 000	36	814.00	31 616 000	23	875.00
29 203 001	103, 229	169.00	30 295 A00	36	1,185.00	31 616 DC0	23	1,310.00
29 203 A01	103, 229	249.00	30 295 BE0	36	1,185.00	32 128 00A	63	1,029.00
29 203 BE1	103, 229	249.00	30 295 DC0	36	1,057.00	32 138 002	92	349.00
29 203 EN1	103, 229	219.00	30 295 GN0	36	1,185.00	32 138 EN2	92	454.00
29 203 GN1	103, 229	249.00	★ 30 296 001	42, 47	449.00	★ 32 178 000	43	1,090.00
29 215 001	163, 229	169.00	★ 30 296 DC1	42, 47	587.00	★ 32 178 DC0	43	1,416.00
29 215 EN1	163, 229	219.00	★ 30 296 ZC1	42, 47	633.00	32 216 00A	99	376.00
29 216 001	81, 229	208.00	30 300 000	43	600.00	32 216 A0A	99	537.00
29 216 EN1	81, 229	269.00	30 300 DC0	43	802.00	32 216 BEA	99	537.00
29 217 001	112, 229	197.00	30 306 000	45	296.00	32 216 ENA	99	488.00
29 218 001	112, 227	185.00	30 306 DC0	45	386.00	32 216 GNA	99	537.00
29 222 003	169, 229	169.00	30 310 000	31, 51	446.00	★ 32 226 000	39	644.00
29 222 EN3	169, 229	220.00	★ 30 313 000	31, 39	1,066.00	32 226 003	38	539.00
29 227 003	169, 227	159.00	★ 30 313 DC0	31, 39	1,260.00	★ 32 226 DC0	39	840.00
29 227 EN3	169, 227	207.00	★ 30 314 000	31, 37	1,497.00	32 226 DC3	38	699.00
29 273 000	112, 156, 175, 230	94.00	★ 30 314 DC0	31, 37	1,805.00	★ 32 226 SD0	39	965.00
29 274 000	112, 156, 175, 230	153.00	30 321 DG0	36	128.00	★ 32 283 000	39, 46	602.00
29 307 003	167	1,505.00	30 321 DP0	36	128.00	32 283 003	38, 46	399.00
29 307 EN3	167	1,957.00	30 321 DU0	36	128.00	★ 32 283 DC0	39, 46	790.00
29 330 000	162, 220	289.00	30 321 GE0	36	128.00	32 283 DC3	38, 46	539.00
29 330 EN0	162, 220	359.00	30 321 MW0	36	128.00	★ 32 283 SD0	39, 46	903.00
29 331 003	168, 220	275.00	30 321 TY0	36	128.00	★ 32 298 001	39	620.00
29 331 EN3	168, 220	358.00	30 321 XC0	36	128.00	32 298 003	38	599.00
29 712 000	121, 133, 156, 175, 226	334.00	30 321 YF0	36	128.00	★ 32 298 DC1	39	814.00
29 714 000	121, 133, 147, 228	344.00	30 321 YR0	36	128.00	32 298 DC3	38	779.00
29 900 000	96, 112, 169, 227	238.00	30 368 002	38, 46	539.00	★ 32 298 SD1	39	930.00
29 901 000	96, 112, 169, 227	238.00	30 368 DC2	38, 46	699.00	32 319 003	40	708.00
29 902 000	81, 96, 103, 112, 163, 169, 229	277.00	★ 31 041 SD0	50	1,585.00	32 319 DC3	40	914.00
29 903 000	81, 96, 103, 112, 163, 169, 229	277.00	★ 31 055 000	48	592.00	32 642 00A	119	196.00
★ 30 026 000	49	423.00	★ 31 055 DC0	48	751.00	32 642 ENA	119	249.00
30 026 002	49	369.00	31 075 DC2	50	1,299.00	32 643 00A	119	169.00
★ 30 026 DC0	49	548.00	★ 31 075 SD0	50	1,520.00	32 653 003	79	2,200.00
30 026 DC2	49	479.00	31 251 002	26	3,999.00	32 653 EN3	79	2,860.00
★ 30 026 SD0	49	654.00	31 251 DC2	26	4,599.00	32 665 003	41	543.00
★ 30 205 001	33, 39	913.00	★ 31 312 001	25	1,153.00	32 665 DC3	41	707.00
30 205 002	34	863.00	★ 31 312 DC1	25	1,502.00	32 754 002	65	3,286.00
★ 30 205 DC1	33, 39	1,161.00	31 349 10E	41	543.00	32 875 00A	124	238.00
30 205 DC2	34	1,119.00	31 359 002	33	821.00	32 877 00A	124	216.00
★ 30 210 001	42	390.00	31 359 DC2	33	1,067.00	32 951 000	37	1,262.00
★ 30 210 DC1	42	507.00	31 378 003	40	583.00	32 951 DC0	37	1,651.00
★ 30 210 ZC1	42	547.00	31 378 DC3	40	779.00	★ 33 170 00A	115	369.00
30 211 001	41	390.00	31 380 000	37	1,051.00	33 170 003	166	415.00
30 211 DC1	41	507.00	31 380 DC0	37	1,359.00	★ 33 170 ENA	115	481.00
★ 30 211 ZC1	41	547.00	31 401 000	37	1,051.00	33 170 EN3	166	540.00
30 213 001	42	517.00	31 401 DC0	37	1,359.00	33 330 001	45	455.00
30 213 DC1	42	672.00	31 453 001	44	412.00	33 330 002	45	582.00
★ 30 213 ZC1	42	724.00	31 453 DC1	44	536.00	33 330 DC1	45	591.00
30 218 001	33, 43	846.00	31 479 001	41, 47	410.00	★ 33 755 SD1	40	815.00
30 218 DC1	33, 43	1,099.00	31 479 DC1	41, 47	554.00	★ 33 759 SD0	44	889.00
30 271 000	44	508.00	31 492 000	36	633.00	33 780 000	64	316.00
30 271 A00	44	740.00	31 492 DC0	36	824.00	33 870 002	42	655.00
30 271 BE0	44	740.00	31 518 000	48	376.00	33 870 DC2	42	852.00
			31 518 DC0	48	468.00	33 885 000	77	328.00
			31 559 002	23	995.00	★ 33 893 000	44	664.00
			★ 31 559 DC2	23	1,490.00	33 893 002	43	647.00

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
★ 33 893 DC0	44	868.00	35 204 000	109, 231, 298	228.00	★ 40 224 VP0	157	429.00
33 893 DC2	43	839.00	35 601 000	81, 202, 204	168.00	★ 40 226 000	157	161.00
★ 33 893 SD0	44	1,029.00	36 314 000	296	652.00	★ 40 226 EN0	157	213.00
34 150 003	225	416.00	36 328 000	295	826.00	★ 40 226 VP0	157	276.00
34 159 003	225	457.00	36 329 000	295	826.00	★ 40 235 000	157	195.00
34 270 00A	91	270.00	36 385 000	296	794.00	★ 40 235 EN0	157	254.00
34 270 ENA	91	351.00	36 407 001	295	401.00	★ 40 235 VP0	157	317.00
34 271 00A	91	248.00	38 505 000	290	162.00	40 254 003	83	88.00
34 271 ENA	91	322.00	38 505 P00	290	162.00	40 256 003	83	33.00
34 331 000	66, 155, 174, 224	339.00	38 505 SH0	290	159.00	40 279 000	71	270.00
34 397 000	66, 155, 174, 224	508.00	38 506 000	291	162.00	40 284 000	71	181.00
★ 34 507 000	296, 302	290.00	38 506 P00	291	162.00	40 304 003	83	88.00
34 702 001	91	253.00	38 506 SH0	291	159.00	40 304 EN3	83	115.00
34 702 EN1	91	330.00	38 553 001	289	508.00	40 305 003	83	88.00
34 745 000	250	1,099.00	38 732 000	290	162.00	40 305 EN3	83	115.00
34 745 EN0	250	1,349.00	38 732 BE0	290	200.00	40 306 003	83	88.00
34 747 000	247	1,499.00	38 732 BR0	290	181.00	40 306 EN3	83	115.00
34 750 000	249	2,100.00	38 732 EN0	290	200.00	40 307 003	82	257.00
34 751 000	249	1,350.00	38 732 P00	290	162.00	40 307 EN3	82	334.00
34 752 000	247	1,990.00	38 732 SD0	290	211.00	40 308 003	82	319.00
34 753 000	248	2,349.00	38 732 SH0	290	159.00	40 308 EN3	82	415.00
35 015 001	67, 87, 94, 132, 154, 173	175.00	38 749 002	288	602.00	40 309 003	82	391.00
35 016 000	68, 80, 95, 163, 223	264.00	★ 38 765 000	290	162.00	40 309 EN3	82	508.00
35 026 000	59, 69, 103, 112, 116, 127, 139, 146, 207	187.00	★ 38 765 P00	290	162.00	40 312 003	82	175.00
35 029 000	57, 68, 69, 147, 230	188.00	★ 38 765 SH0	290	159.00	40 312 EN3	82	227.00
35 032 000	70, 231	544.00	38 771 000	291	158.00	40 313 003	82	185.00
35 033 000	68, 80, 95, 163, 223	264.00	38 776 SD0	290	211.00	40 313 EN3	82	240.00
35 035 000	70, 281	296.00	38 821 000	291	233.00	40 339 000	71	260.00
35 060 003	131	243.00	38 845 K00	292	423.00	40 341 000	71	387.00
35 060 EN3	131	317.00	38 845 L00	292	423.00	40 344 001	185	265.00
35 062 003	131	327.00	★ 38 861 000	291	158.00	★ 40 344 EN1	185	345.00
35 062 EN3	131	433.00	38 862 000	291	162.00	40 364 001	182	48.00
★ 35 064 001	67, 87, 94, 132, 154, 173	175.00	38 862 P00	291	162.00	40 364 A01	182	68.00
★ 35 065 001	67, 88, 95, 132, 154, 173	175.00	38 862 SD0	291	211.00	40 364 BE1	182	68.00
★ 35 066 001	68, 88, 95, 132, 155, 174	144.00	38 862 SH0	291	151.00	40 364 EN1	182	63.00
35 085 000	297	2,180.00	38 916 0A0	292	503.00	40 364 GN1	182	68.00
35 087 000	297	1,720.00	38 996 000	288	662.00	40 365 001	182	58.00
35 110 000	58, 79, 93, 101, 110, 120, 125, 137, 145, 162, 168, 218	146.00	40 157 000	176	171.00	40 365 A01	182	83.00
35 111 000	58, 79, 93, 101, 110, 120, 125, 137, 145, 162, 168, 218	146.00	40 157 BE0	176	235.00	40 365 BE1	182	83.00
35 112 000	58, 80, 93, 102, 110, 120, 125, 137, 145, 162, 168, 218	146.00	40 157 EN0	176	235.00	40 365 EN1	182	76.00
35 113 000	58, 80, 94, 102, 110, 120, 125, 137, 145, 162, 168, 218	177.00	40 157 ZB0	176	244.00	40 365 GN1	182	83.00
35 115 000	58, 80, 94, 102, 110, 121, 126, 137, 145, 162, 168, 218	177.00	40 158 000	176	127.00	40 366 001	182	79.00
35 116 000	58, 80, 94, 102, 110, 121, 126, 137, 145, 162, 168, 218	177.00	40 158 BE0	176	165.00	40 366 A01	182	112.00
			40 158 EN0	176	165.00	40 366 BE1	182	112.00
			40 158 ZB0	176	180.00	40 366 EN1	182	102.00
			40 159 000	176	106.00	40 366 GN1	182	112.00
			40 159 BE0	176	139.00	40 367 001	182	72.00
			40 159 EN0	176	139.00	40 367 EN1	182	94.00
			40 159 ZB0	176	149.00	40 368 001	183, 187, 190	17.00
			40 160 000	176	129.00	40 369 001	183	45.00
			40 160 BE0	176	168.00	40 369 EN1	183	58.00
			40 160 EN0	176	168.00	40 371 001	182	119.00
			40 160 ZB0	176	182.00	40 371 EN1	182	155.00
			★ 40 222 000	157	200.00	40 372 001	183, 187, 190	31.00
			★ 40 222 EN0	157	260.00	40 374 001	183	94.00
			★ 40 222 VP0	157	302.00	40 385 001	183	55.00
			★ 40 224 000	157	299.00	40 385 A01	183	79.00
			★ 40 224 EN0	157	388.00	40 385 BE1	183	79.00



# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
40 385 EN1	183	71.00	40 625 EN0	149	431.00	40 781 000	178	175.00
40 385 GN1	183	79.00	40 626 000	148	296.00	40 782 000	178	66.00
40 386 001	182	94.00	40 627 000	148	401.00	40 783 000	179	37.00
40 386 A01	182	134.00	40 628 000	148	365.00	40 784 000	178	87.00
40 386 BE1	182	134.00	40 629 000	149	419.00	40 793 001	184	84.00
40 386 EN1	182	123.00	40 629 EN0	149	545.00	40 794 001	184	116.00
40 386 GN1	182	134.00	40 630 000	149	270.00	40 797 001	184	338.00
40 394 001	183, 187, 190	48.00	40 630 EN0	149	350.00	40 799 001	184	338.00
40 394 EN1	183, 190	62.00	40 631 000	149	129.00	40 800 001	182	211.00
40 404 001	28	132.00	40 631 EN0	149	168.00	40 800 EN1	182	267.00
40 405 000	28	99.00	40 632 000	149	466.00	40 802 001	182	109.00
40 407 001	184	168.00	40 633 000	149	244.00	40 802 EN1	182	142.00
40 412 001	28	244.00	40 633 EN0	149	317.00	40 804 000	178	624.00
40 421 001	184	90.00	★ 40 652 001	190	38.00	40 805 000	179	87.00
40 421 A01	184	128.00	★ 40 652 EN1	190	49.00	40 806 000	179	32.00
40 421 BE1	184	128.00	★ 40 653 001	189	80.00	40 807 000	178	369.00
40 421 EN1	184	117.00	★ 40 653 EN1	189	105.00	40 808 000	179	296.00
40 421 GN1	184	128.00	★ 40 654 001	189	106.00	40 809 000	179	253.00
40 430 001	28	175.00	★ 40 654 EN1	189	136.00	40 821 EN1	185	211.00
40 438 001	49	199.00	★ 40 655 001	189	54.00	40 823 001	185	203.00
40 444 001	183	61.00	★ 40 655 EN1	189	71.00	40 823 EN1	185	264.00
40 444 EN1	183	79.00	★ 40 656 001	189	34.00	40 846 001	185	274.00
40 447 001	183	75.00	★ 40 656 EN1	189	45.00	40 847 001	188	486.00
40 447 EN1	183	92.00	★ 40 657 001	189	66.00	40 857 000	179	264.00
40 448 001	183	90.00	★ 40 657 EN1	189	83.00	40 865 000	179	85.00
40 448 EN1	183	112.00	★ 40 658 001	189	116.00	40 914 000	28	139.00
40 493 000	60	503.00	★ 40 658 EN1	189	146.00	40 985 000	51	39.00
40 494 000	60	634.00	★ 40 659 001	189	77.00	41 035 000	180	136.00
40 496 000	60	508.00	★ 40 659 EN1	189	100.00	41 035 A00	180	189.00
40 497 000	60	556.00	★ 40 660 001	189	206.00	41 035 BE0	180	189.00
40 498 000	60	270.00	★ 40 660 EN1	189	270.00	41 035 EN0	180	189.00
40 499 000	60	487.00	40 663 001	184	106.00	41 035 GN0	180	189.00
40 500 000	60	778.00	40 664 001	184	80.00	41 039 000	180	73.00
40 503 000	60	572.00	40 688 001	182	66.00	41 039 A00	180	98.00
40 504 000	60	593.00	40 688 A01	182	95.00	41 039 BE0	180	98.00
40 507 001	186	142.00	40 688 BE1	182	95.00	41 039 EN0	180	98.00
40 508 001	187	92.00	40 688 EN1	182	86.00	41 039 GN0	180	98.00
40 509 001	186	171.00	40 688 GN1	182	95.00	41 049 000	180	85.00
40 510 001	186	171.00	40 689 001	182	66.00	41 049 A00	180	110.00
40 511 001	186	84.00	40 689 A01	182	95.00	41 049 BE0	180	110.00
40 512 001	186	349.00	40 689 BE1	182	95.00	41 049 EN0	180	110.00
40 513 001	187	218.00	40 689 EN1	182	86.00	41 049 GN0	180	110.00
40 514 001	187	189.00	40 689 GN1	182	95.00	41 056 000	180	194.00
40 535 000	52	108.00	40 691 001	28	152.00	41 056 A00	180	261.00
40 535 A00	52	151.00	40 694 000	28	112.00	41 056 BE0	180	261.00
40 535 BE0	52	151.00	40 754 001	187	113.00	41 056 EN0	180	261.00
40 535 DC0	52	139.00	40 755 001	187	122.00	41 056 GN0	180	261.00
40 535 GN0	52	151.00	40 756 001	187	139.00	41 058 000	180	251.00
40 536 000	52	94.00	40 757 001	188	349.00	41 058 A00	180	338.00
40 536 DC0	52	122.00	40 758 001	188	545.00	41 058 BE0	180	338.00
40 537 000	52	109.00	40 766 000	178	126.00	41 058 EN0	180	338.00
40 537 ZB0	52	152.00	40 767 000	178	190.00	41 058 GN0	180	338.00
40 547 001	28	112.00	40 768 000	178	349.00	41 064 000	180	239.00
40 553 000	52	120.00	40 775 001	185	164.00	41 064 A00	180	321.00
40 553 DC0	52	158.00	40 775 EN1	185	214.00	41 064 BE0	180	321.00
40 623 001	186	84.00	40 776 001	185	206.00	41 064 EN0	180	321.00
40 624 001	186	205.00	40 777 001	188	313.00	41 064 GN0	180	321.00
40 625 000	149	334.00	40 778 001	188	465.00	41 066 000	180	589.00

Note: Products listed with ★ (stars) are available while supplies last.

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
41 066 A00	180	795.00	47 358 000	303	155.00			
41 066 BE0	180	795.00	47 367 000	303	155.00			
41 066 EN0	180	795.00	47 379 000	302	428.00			
41 066 GN0	180	795.00	47 439 000	302	73.00			
41 067 000	181	112.00	47 450 000	302	208.00			
41 067 A00	181	150.00	47 483 000	302	84.00			
41 067 BE0	181	150.00	47 582 000	302	273.00			
41 067 EN0	181	150.00	47 653 000	303	213.00			
41 067 GN0	181	150.00	47 657 000	302	405.00			
41 068 000	181	118.00	47 658 000	302	799.00			
41 068 A00	181	159.00	47 662 000	302	208.00			
41 068 BE0	181	159.00	47 678 000	302	134.00			
41 068 EN0	181	159.00	47 702 000	303	105.00			
41 068 GN0	181	159.00	47 715 000	302	272.00			
42 464 000	296	101.00	47 820 000	303	150.00			
★ 43 553 000	291	185.00	47 889 000	303	82.00			
45 202 000	303	31.00	47 890 000	303	82.00			
45 203 000	303	34.00	47 995 000	302	127.00			
45 220 000	301	11.00	47 996 000	67, 68, 87, 88, 94, 95, 132, 303	83.00			
45 342 000	301	52.00	48 052 000	86	13.00			
45 346 000	301	52.00	48 053 000	238, 239, 240	142.00			
45 565 000	303	64.00	48 054 000	238, 239, 240	100.00			
45 565 AV0	303	86.70	48 186 000	301	48.00			
★ 45 565 R00	303	86.70	48 187 000	301	48.00			
45 882 000	301	57.00	48 188 000	301	48.00			
45 883 000	301	57.00	48 189 000	301	45.00			
45 885 000	301	80.00	48 190 000	301	45.00			
45 887 000	301	131.00	48 191 000	301	45.00			
45 888 000	301	131.00	48 220 000	51	39.00			
45 979 000	303	31.00	48 361 000	202	37.00			
46 048 000	302	102.00	48 491 000	222	79.00			
46 090 000	301	29.00	49 003 000	202	253.00			
46 191 000	303	118.00	49 121 000	222	49.00			
46 238 000	303	65.00	49 122 000	222	39.00			
46 374 000	302	102.00	49 123 000	222	22.00			
46 580 000	302	114.00	64 999 000	51	39.00			
46 875 EN0	302	189.00	65 818 000	55, 64, 108	154.00			
46 875 NC0	302	120.00	95 866 000	282, 298	41.00			
46 875 ND0	302	189.00						
46 875 ZB0	302	189.00						
47 010 000	302	245.00						
47 012 000	302	267.00						
47 016 000	302	267.00						
47 025 000	302	295.00						
47 032 000	302	554.00						
47 040 000	302	478.00						
47 050 000	302	208.00						
47 080 000	302	125.00						
47 111 000	302	293.00						
47 157 000	302	139.00						
47 159 000	302	107.00						
47 175 000	302	254.00						
47 186 000	302	134.00						
47 220 000	302	273.00						
47 282 000	302	267.00						
47 328 000	303	255.00						
47 329 000	303	485.00						
★ 47 344 000	303	106.80						

# GROHE SENSE™ AND GROHE SENSE GUARD™: YOUR **SECURITY TEAM** FOR WATER SAFETY IN THE HOME

GROHE Sense and GROHE Sense Guard offer a comprehensive water security system that both detects and prevents water damage.



DETECTS LEAKS  
ON THE FLOOR

---



SENSES  
HUMIDITY



SENSES  
TEMPERATURE  
AND DETECTS  
FROST RISK





DETECTS  
PIPE BURSTS\*  
AND SHUTS OFF  
WATER FLOW  
AUTOMATICALLY



SENSES  
WATER  
PRESSURE,  
TEMPERATURE  
AND FLOW



DETECTS  
FROST AND  
MICRO LEAKS\*\*



TRACKS WATER  
CONSUMPTION



\* Burst pipes detection depends on the general water usage profile, therefore there may be some time-lag in shutting off the main water line. Achieve higher detection speed by combining the installation with GROHE Sense in critical locations.

\*\* A micro leak test is conducted once every 24 hours. Pipe material, volume and other piping system characteristics can impact the result. Micro leak detection is limited to the cold water system in most cases. Combine with GROHE Sense to monitor potential humidity increase over time.

# GROHE SENSE™

## THE SMART WATER SENSOR THAT DETECTS WATER LEAKS IN YOUR HOME



GROHE Sense monitors temperature and humidity levels and gives warning if the levels become too high or too low compared to your set thresholds.

When water touches the base of the sensor due to leaks or flooding, GROHE Sense alerts you instantly so you have time to react.



### The GROHE Sense™ app – personal water management app

Convenient access for complete control of your GROHE smart home devices and their measurement – anytime and anywhere.
















For Android 4.4+ and Apple iOS 10+





# GROHE SENSE™ AND GROHE SENSE GUARD™

## ALL THE BENEFITS AT A GLANCE

		GROHE SENSE	GROHE SENSE GUARD
<b>Detects flooding</b>	Emits a pulsating red light and a beeping sound if flooding is detected and alerts you via smartphone.		
<b>Monitors humidity</b>	Checks room humidity level and alerts based on your personal thresholds.		
<b>Easily installed</b>	Set up GROHE Sense quickly and easily throughout the home – in just 10 minutes. Includes 3 x AAA batteries.		
<b>Sends alerts when problems are detected</b>	Situation-dependent alerts sent straight to your smartphone.		
<b>GROHE Sense™ app</b>	One app to access and manage all GROHE connected products from your mobile device.		
<b>Monitors room temperature and detects frost risk</b>	Checks temperature and if the room temperature is above or below your thresholds, it sends out an alert. If the temperature drops below 3 °C (37 °F), a frost risk alert is sent out.*		
<b>Detects pipe bursts**</b>	If a pipe break is detected, shuts off the water supply automatically and sends an alert to your smartphone.		
<b>Detects micro leaks*** and dripping faucets</b>	Receive a warning on your smartphone about detected micro leaks on your cold water system.		
<b>Monitors water pressure and flow</b>	Monitors water pressure and warns you if it becomes critical. In addition, it allows for detection of unusual water consumption.****		
<b>Tracks water consumption*****</b>	Makes your water consumption transparent and helps to keep water bills under control.		

\* Not to be used as fire detection




\*\* Burst pipes detection depends on the general water usage profile, therefore there may be some time-lag in shutting off the main water line. Achieve higher detection speed by combining the installation with GROHE Sense in critical locations.

\*\*\* A micro leak test is conducted once every 24 hours. Pipe material, volume and other piping system characteristics can impact the result. Micro leak detection is limited to the cold water system in most cases. Combine with GROHE Sense to monitor potential humidity increase over time.

\*\*\*\* Detection speed depending on the water usage profile in the house. Achieve higher detection speed by combining the installation with GROHE Sense on critical locations.





\*\*\*\*\* Delivers indicative water consumption

# GROHE SENSE™ AND GROHE SENSE GUARD™

		Product #	Colour/Description	Price
	<p><b>GROHE Sense™</b> Smart Water Sensor</p> <ul style="list-style-type: none"> <li>• Wireless LAN 2.4 GHz required to connect to the GROHE Sense™ app</li> <li>• Battery powered</li> <li>• Instant flooding alarm</li> <li>• Senses room temperature and humidity</li> <li>• Receives updates on temperature and humidity once a day</li> <li>• Customized settings via GROHE Sense™ App for iOS and Android</li> <li>• Status indication via LED light, buzzer and app</li> <li>• For placement on a flat non-conductive surface</li> <li>• Supports connections to wireless LAN protected by password of up to 32 characters in length</li> <li>• LongLife Battery: expected lifetime up to 4 years, depending on the use of the water sensor</li> <li>• Includes:               <ul style="list-style-type: none"> <li>- (1) Water sensor</li> <li>- (3) AAA batteries</li> </ul> </li> <li>• Made in Germany</li> </ul>	<p><b>22 601 LN0</b></p>	<p>White</p>	<p><b>\$ 144</b></p>
				
	<p><b>GROHE Sense™</b> Extension Set</p> <ul style="list-style-type: none"> <li>• For GROHE Sense (22 601 LN0)</li> <li>• For difficult-to-reach locations</li> <li>• For placement on a flat non-conductive surface or installation on the wall</li> <li>• Includes:               <ul style="list-style-type: none"> <li>- Base plate</li> <li>- Sensor extension cable 47" (1.2m) length</li> <li>- Dowels and screw set</li> </ul> </li> <li>• Not included: Smart water sensor (22 601 LN0)</li> <li>• CE approved</li> </ul>	<p><b>22 506 LN0</b></p>	<p>White</p>	<p><b>\$ 72</b></p>

# GROHE SENSE™ AND GROHE SENSE GUARD™

GROHE SENSE GUARD

		Product #	Colour/Description	Price
	<p><b>GROHE Sense Guard™</b> Smart Water Controller</p> <ul style="list-style-type: none"> <li>• 110 V US plug type A standard electrical outlet required</li> <li>• Wireless LAN 2.4 GHz required to connect to the GROHE Sense™ app</li> <li>• For single-family residential use only</li> <li>• Detects pipe breaks, micro leaks, frost and unusual water flow</li> <li>• Automatic, manual or remote shut-off function to limit water damage</li> <li>• Senses flow rate and water pressure</li> <li>• Valve normally open. Without electricity, the solenoid valve opens.</li> <li>• Customize settings via GROHE Sense App for iOS and Android</li> <li>• Status indication via LED light, buzzer and app</li> <li>• For horizontal or vertical installation right after the water metre</li> <li>• Includes:                             <ul style="list-style-type: none"> <li>- 1 x GROHE Sense Guard unit with 1" outlets</li> <li>- 2 x 3/4" (19 mm) adapters</li> <li>- 70 7/8" power cable, plug type A</li> </ul> </li> <li>• CE approved</li> <li>• Noise classification 1 in accordance with DIN 4109 incl. certificate</li> <li>• Acoustic group I in accordance with DIN 4109</li> <li>• Made in Germany</li> </ul>	22 503 LN0	White	\$ 1,029
				
	<p><b>GROHE Sense Guard™</b> Power Extension Cable</p> <ul style="list-style-type: none"> <li>• 2 Pole</li> <li>• Cable length 3 metres (118")</li> <li>• For GROHE Sense Guard™ (all plug types)</li> </ul>	22 521 LN0	White	\$ 42
	<p><b>GROHE Sense Guard™</b> Mounting Set</p> <ul style="list-style-type: none"> <li>• Wall mounting set</li> <li>• For GROHE Sense Guard™ water controller</li> <li>• For installation on the wall</li> <li>• For use with (22 503 LN0)</li> <li>• 1" NPT-MIP outlets</li> </ul>	22 603 000	Chrome	\$ 171

GROHE  
**KITCHEN**



# GROHE SMARTCONTROL® KITCHEN

new



## MAGNETIC DOCKING

Easy retraction and secure docking of the spray head



## GROHE SMARTCONTROL®

Push to start and stop water flow.  
Turn to adjust water volume.



## LEAD AND NICKEL FREE

Isolated inner waterways protect water from contact with lead and nickel.



## SWIVEL STOP

Limited 140° swivel prevents flooding.



## TEMPERATURE ADJUSTMENT

Turn gently left or right to regulate water temperature.







## GROHE QUICKFIX® PLUS

Requires minimal threading for faster installation.





# SMARTCONTROL KITCHEN

		Product #	Colour/Description	Price
 <p><b>new</b></p> <p><b>Essence™ SmartControl</b> Pull-Out</p> <ul style="list-style-type: none"> <li>• 14<sup>7</sup>/<sub>16</sub>" Faucet height</li> <li>• 12<sup>3</sup>/<sub>8</sub>" Aerator height</li> <li>• 7<sup>13</sup>/<sub>16</sub>" Faucet reach</li> <li>• GROHE StarLight® finish</li> <li>• GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position</li> <li>• GROHE QuickFix® rapid installation system</li> <li>• SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• Temperature adjustment by turning of mixing valve on body</li> <li>• 140° Swivel radius</li> <li>• Stainless steel flex lines</li> <li>• Pull-out laminar spray</li> <li>• CALGreen compliant</li> <li>• Flow rate 6.6L/min (1.75gpm)</li> </ul> <p><b>Available July 2020</b></p>		<b>31 616 000</b> <b>31 616 DC0</b> 	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 875</b> <b>1,310</b>
 <p><b>new</b></p> <p><b>Ladylux® L2 SmartControl</b> Pull-Out</p> <ul style="list-style-type: none"> <li>• 14<sup>9</sup>/<sub>16</sub>" Faucet height</li> <li>• 12<sup>1</sup>/<sub>2</sub>" Aerator height</li> <li>• 7<sup>13</sup>/<sub>16</sub>" Faucet reach</li> <li>• GROHE StarLight® finish</li> <li>• GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position</li> <li>• GROHE QuickFix® rapid installation system</li> <li>• SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• Temperature adjustment by turning of mixing valve on body</li> <li>• 140° Swivel radius</li> <li>• Stainless steel flex lines</li> <li>• Pull-out laminar spray</li> <li>• CALGreen compliant</li> <li>• Flow rate 6.6L/min (1.75gpm)</li> </ul> <p><b>Available July 2020</b></p>		<b>31 559 002</b> <b>31 559 DC2</b> 	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 995</b> <b>1,490</b>

# GROHE GROHE BLUE® CHILLED & SPARKLING 2.0

## It's so easy to get your glass of perfect water

Simply use the buttons on the handle.

For cool, still water: just push the top button. The LED lights up blue, filling your glass with pure refreshment.

Your choice is medium sparkling? Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.

For water that bubbles with refreshment: just press the lower button – the LED lights up green – for your perfect glass of sparkling water.

### Blue: Still water





### Turquoise: Medium sparkling water



### Green: Full sparkling water



# GROHE BLUE® PURE

	Product #	Colour/Description	Price
 <p><b>GROHE Blue Pure</b> Dual Function Faucet</p> <ul style="list-style-type: none"> <li>• 16" Faucet height</li> <li>• 8 7/8" Swivel spout reach</li> <li>• 9 15/16" Aerator height</li> <li>• 180° Swivel spout</li> <li>• Single-hole installation</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Separate handle for filtered drinking water</li> <li>• CE approved</li> <li>• Power supply 110 V AC, 50/60 Hz with safety extra-low voltage (SELV)</li> <li>• Starter kit includes a 600 L 4-stage filter</li> <li>• Filter head with flexible adjustment</li> <li>• Metal lever handle</li> <li>• Separate inner water ways for filtered and non-filtered water</li> <li>• Lever swing clearance (2 5/8" centre to backsplash), shorter lever (40 621) available</li> <li>• Flexible connection hoses and filter connector piece</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	★ 31 312 001 ★ 31 312 DC1 	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 1,153 <b>1,502</b>

GROHE BLUE

## GROHE WATER SYSTEMS

Filtered and fresh, cool, still, or sparkling water. It's your choice with GROHE Blue® Water Systems. Instant access to great-tasting water from the convenience of your kitchen faucet whenever you want it – 24 hours a day, 7 days a week.

### MORE TASTE

GROHE Blue® water systems feature a revolutionary high-performance filter that removes the impurities that affect the taste and odour of ordinary tap water.


### COOL TECHNOLOGY

Turning ordinary tap water into pure refreshment is made possible by GROHE's advanced technology and innovation. GROHE Blue® Pure and GROHE Blue® Chilled & Sparkling 2.0 filters water and cools it to the perfect drinking temperature directly from the faucet. GROHE Blue® Chilled & Sparkling 2.0 serves you still, lightly sparkling or full sparkling water.

### LESS ENVIRONMENTAL IMPACT

GROHE Blue® Pure and GROHE Blue® Chilled & Sparkling 2.0 combine convenience and a healthy lifestyle in an environmentally conscious package. Compared to the pollution and energy consumption caused by filling and transporting bottled mineral water, filtering tap water has a negligible environmental impact. GROHE Blue® products save resources and money, since seven litres of water are needed to put just one litre of bottled water on a supermarket shelf.

## FUNCTIONALITY



# GROHE BLUE® CHILLED & SPARKLING 2.0

GROHE BLUE



GROHE Blue Chilled & Sparkling 2.0 cannot be used with softened water. Any water hardness measurement below 36 mg/L (ppm) prevents carbonation.

Customers MUST purchase CO<sub>2</sub> tanks separately through a local beverage supply company.

Only CO<sub>2</sub> cylinders up to max. 2 kg (5 lb) may be used.

## GROHE Blue Chilled & Sparkling 2.0

Kitchen Faucet with Pull-down Hand Spray

- 16½" Faucet height
- 8 5/8" Swivel spout reach
- 9 13/16" Aerator height
- 150° Swivel spout
- Forward rotation lever, does not hit backsplash
- Single-hole installation
- Pull-down mousseur spray
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- Push buttons for 3 types of filtered and chilled water: still, medium, and sparkling
- Separate inner water ways for filtered and non-filtered water
- Flexible connection hoses and filter connector piece
- GROHE Blue Professional cooler
- Delivers 12 liters of chilled water per hour
- Colour display with push and turn control
- 270 watt cooling unit, 110V
- Requires ventilation holes in the bottom of the kitchen cabinet
- Software set-up and monitoring of filter and CO<sub>2</sub> capacity via GROHE Ondus app
- Additional monitoring via GROHE Blue Professional Browser - Monitor possible with Bluetooth® 4.0\*\* and WiFi interface for wireless data communication
- App can be downloaded to Apple\*\*\* and Android devices
- Bluetooth® range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
- Filter head with flexible water hardness adjustment
- Metal lever handle
- Includes water chiller and back flow preventer
- CALGreen compliant
- Max. Flow Rate: 6.6 L/min (1.75 gpm)
- **GROHE Blue Filter, CO<sub>2</sub> tank not included**
- Cleaning kit not included (see page 28)

### System requirements:

- WPA2 encrypted and password protected network, MAC address filters are not supported.
- iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher
- Mobile devices and GROHE Ondus App are not included in delivery and must be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.

\*\*The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\*\*Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

### Same as above with filter

- With GROHE Blue S-Size filter
- Filter sold separately

### Same as above with filter

- With GROHE Blue M-Size filter
- Filter sold separately

### Same as above with filter

- With GROHE Blue L-Size filter
- Filter sold separately

Product #

Colour/Description

Price

31 251 002  
31 251 DC2



GROHE StarLight® Chrome SuperSteel InfinityFinish™

\$ 3,999  
4,599



31 251 002 + 40 404 001  
31 251 DC2 + 40 404 001



GROHE StarLight® Chrome SuperSteel InfinityFinish™

31 251 002 + 40 430 001  
31 251 DC2 + 40 430 001



GROHE StarLight® Chrome SuperSteel InfinityFinish™





31 251 002 + 40 412 001  
31 251 DC2 + 40 412 001



GROHE StarLight® Chrome SuperSteel InfinityFinish™






# GROHE BLUE® CHILLED & SPARKLING 2.0

GROHE BLUE

	Product #	Colour/Description	Price
 <p>GROHE Blue Chilled &amp; Sparkling 2.0 cannot be used with softened water. Any water hardness measurement below 36 mg/L (ppm) prevents carbonation.</p> <p>Customers MUST purchase CO<sub>2</sub> tanks separately through a local beverage supply company.</p> <p>Only CO<sub>2</sub> cylinders up to max. 2 kg (5 lb) may be used.</p>	<p><b>GROHE Blue Chilled &amp; Sparkling 2.0</b> Kitchen Faucet with Pull-out Hand Spray</p> <ul style="list-style-type: none"> <li>• 14 1/2" Faucet height</li> <li>• 13 1/16" Aerator height</li> <li>• 8 3/4" Faucet reach</li> <li>• 150° Swivel radius</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Single hole installation</li> <li>• Pull-out spray</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight®</li> <li>• Push buttons for 3 types of filtered and chilled water: still, medium, and sparkling</li> <li>• Separate inner water ways for filtered and non-filtered water</li> <li>• Flexible connection hoses</li> <li>• GROHE Blue Professional cooler</li> <li>• Delivers 12 liters of chilled water per hour</li> <li>• Colour display with push and turn control</li> <li>• 270 Watt cooling unit, 110 V AC</li> <li>• Requires ventilation holes in the bottom of the kitchen cabinet</li> <li>• Software set-up and monitoring of filter and CO<sub>2</sub> capacity via GROHE Ondus app</li> <li>• Additional monitoring via GROHE Blue Professional Browser - Monitor possible with Bluetooth® 4.0** and WiFi interface for wireless data communication</li> <li>• App can be downloaded to Apple*** and Android devices</li> <li>• Bluetooth® range (max. 10 m) varies depending on used materials and walls between transmitter and receiver</li> <li>• Includes filter head with flexible water hardness adjustment</li> <li>• Includes water chiller and back flow preventer</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> <li>• CALGreen compliant</li> <li>• <b>GROHE Blue Filter, CO<sub>2</sub> tank and cleaning cartridge are not included</b></li> </ul> <p><b>System requirements</b></p> <ul style="list-style-type: none"> <li>• WPA2 encrypted and password protected network, MAC address filters are not supported.</li> <li>• iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher</li> <li>• Mobile devices and GROHE Ondus App are not included in delivery and must be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.</li> </ul> <p>**The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.</p> <p>***Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p><b>\$ 3,999</b> <b>4,599</b></p>
	<p><b>Same as above with filter</b></p> <ul style="list-style-type: none"> <li>• With GROHE Blue S-Size filter</li> <li>• Filter sold separately</li> </ul>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p><b>31 608 002 + 40 404 001</b> <b>31 608 DC2 + 40 404 001</b></p>
	<p><b>Same as above with filter</b></p> <ul style="list-style-type: none"> <li>• With GROHE Blue M-Size filter</li> <li>• Filter sold separately</li> </ul>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p><b>31 608 002 + 40 430 001</b> <b>31 608 DC2 + 40 430 001</b></p>
	<p><b>Same as above with filter</b></p> <ul style="list-style-type: none"> <li>• With GROHE Blue L-Size filter</li> <li>• Filter sold separately</li> </ul>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p><b>31 608 002 + 40 412 001</b> <b>31 608 DC2 + 40 412 001</b></p>


# GROHE BLUE® ACCESSORIES

GROHE BLUE

		Product #	Colour/Description	Price
	<b>GROHE Blue Filter</b> Carbon filter for regular water hardness	<b>40 404 001</b> <b>40 430 001</b> <b>40 412 001</b>	600 litres (158.5 gallons) 1500 litres (396.25 gallons) 3000 litres (792.5 gallons)	<b>\$ 132</b> <b>175</b> <b>244</b>
	<ul style="list-style-type: none"> <li>• Improves water taste and reduces water hardness</li> <li>• Filters chlorine, organic compounds such as trace substances of pesticides and reduces heavy metals like lead, copper, iron or zinc</li> <li>• Filtration technology: activated carbon and ion exchanger resin</li> </ul>			
	<b>GROHE Blue Filter</b> Carbon filter for low water hardness	<b>40 547 001</b>	3000 litres (792.5 gallons)	<b>\$ 112</b>
	<ul style="list-style-type: none"> <li>• Improves water taste</li> <li>• Reduces odours and flavours such as chlorine and filters organic substances such as trace substances of pesticides (insecticides, herbicides, fungicides)</li> <li>• Filtration technology: activated carbon</li> </ul>			
	<b>GROHE Blue Filter</b> Magnesium filter for premium taste	<b>40 691 001</b>	400 litres (105 gallons)	<b>\$ 152</b>
	<ul style="list-style-type: none"> <li>• Improves water taste and mineralization</li> <li>• Filters chlorine and organic compounds such as trace substances of pesticides, reduces heavy metals like lead, copper, iron, zinc; reduces the carbonate hardness and adds 5-35 mg/L of magnesium (depending on the water quality and stagnation time)</li> <li>• Filtration technology: Activated carbon and magnesium ion exchanger resin</li> </ul>			
	<b>GROHE Blue Cleaning Cartridge</b> Must be used with Kit Adapter (40 694)	<b>40 914 000</b>		<b>\$ 139</b>
	<b>GROHE Blue Cleaning Kit Adapter</b> Reusable with new cleaning cartridge (40 914)	<b>40 694 000</b>		<b>\$ 112</b>



# GROHE BLUE® ACCESSORIES

		Product #	Colour/Description	Price
	GROHE Blue Carafe	40 405 000		\$99

GROHE BLUE

# GROHE FOOT CONTROL

Foot Control faucets from GROHE deliver a totally hands-free experience. Water is activated with a simple tap of the sensor with your foot. Water temperature can be pre-set, and the faucet can still be operated as normal.

A retro-fit kit is also available to convert any GROHE pull-out or pull-down kitchen faucet.






**FOOT CONTROL**

Just touch the sensor installed underside of the cabinet with a gentle tap of your foot to turn the faucet ON and OFF.



# FOOT CONTROL FAUCETS – K7 / LADYLUX<sup>3</sup> CAFE / RETRO-FIT

		Product #	Colour/Description	Price
	<p><b>K7 with Foot Control</b> Semi-Pro Medium Faucet</p> <ul style="list-style-type: none"> <li>• 21 1/4" Faucet height</li> <li>• 5 7/8" Aerator height</li> <li>• 9 7/8" Spout reach</li> <li>• 140° Swivel spout</li> <li>• 360° Maneuverable spring arm</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Foot control: activation of water via contact with sensor</li> <li>• Adjustable flow rate limiter</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• 1/2" single hole installation</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ 30 314 000 ★ 30 314 DC0 ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 1,497 1,805</p>
	<p><b>Ladylux<sup>3</sup> Café with Foot Control</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 3/4" Faucet height</li> <li>• 7 13/16" Aerator height</li> <li>• 8 5/16" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Foot control: activation of water via contact with sensor</li> <li>• Solid brass body</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ 30 313 000 ★ 30 313 DC0 ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 1,066 1,260</p>
	<p><b>GROHE Foot Control</b> Retro-Fit Set</p> <p>GROHE Retro-Fit can be used with the following models:</p> <p><b>Bridgeford:</b> 33 870</p> <p><b>Concetto:</b> 32 665, 31 479, 31 453</p> <p><b>Essence:</b> 30 271</p> <p><b>Eurodisc/Eurodisc Cosmopolitan:</b> 33 330</p> <p><b>Europlus:</b> 32 946</p> <p><b>Eurosmart:</b> 30 306</p> <p><b>K7:</b> 32 178</p> <p><b>Ladylux:</b> 32 298, 32 226, 32 283, 33 893, 32 245, 33 755, 33 759</p> <p><b>Minta:</b> 32 319, 31 378, 30 300</p> <p><b>Parkfield:</b> 30 213, 30 296</p>	<p>30 310 000</p>	<p>GROHE StarLight® Chrome</p>	<p>\$ 446</p>

Add sensor functionality to an existing GROHE pull-out or pull-down kitchen faucet.

# GROHE TOUCH FAUCETS

GROHE Touch faucets instantly react to the slightest touch, but can distinguish between a “touch” and a “grab”, letting you move the faucet without activating the water flow. The handy cleaning mode lets you temporarily de-activate the touch feature, leaving you time to clean the faucet. Water can be pre-set to the desired temperature.



## TOUCH

Just touch the faucet spout or body with your wrist, back of your hand, or even your elbow to turn the faucet ON or OFF

Touching the spout to move it will not activate the water flow

To activate the cleaning mode, touch for 8 seconds

Touch activation: water can be set to desired temperature



## DUAL SPRAY WITH PUSH BUTTON LOCK

Switches from regular water flow to spray



## SMOOTH TURN

360° spout rotation gives full sink coverage



## WATER CARE

Automatic safety stop of water flow after 60 seconds


Adjustable flow rate limiter



## GROHE SILKMOVE®

Smoothest handling for effortless precision and ultimate comfort for a lifetime

# TOUCH FAUCETS – MINTA / LADYLUX<sup>3</sup> CAFÉ

		Product #	Colour/Description	Price
	<p><b>Minta Touch</b> Single Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 13 1/8" Faucet height</li> <li>• 11 11/16" Aerator height</li> <li>• 8 13/16" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 6V lithium-battery, Type CR-P2</li> <li>• Safety shutdown circuit (when battery at low capacity)</li> <li>• Automatic safety stop after 60 sec. (factory set)</li> <li>• Touch activation: water can be set to desired temperature</li> <li>• To activate the cleaning mode, touch for 8 sec.</li> <li>• Grasping the spout to move it will not activate the water flow</li> <li>• Stainless steel braided flexible supplies</li> <li>• Rapid installation system</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>30 218 001</b> <b>30 218 DC1</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p><b>\$ 846</b> <b>1,099</b></p>
	<p><b>Minta Touch</b> Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 15 1/8" Faucet height</li> <li>• 7 5/16" Aerator height</li> <li>• 8 11/16" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• 6V lithium-battery, Type CR-P2</li> <li>• Safety shutdown circuit (when battery nearly empty)</li> <li>• Automatic safety stop after 60 sec. (factory set)</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Rapid installation system</li> <li>• Touch activation: water can be set to desired temperature</li> <li>• To activate the cleaning mode, touch for 8 sec.</li> <li>• Grasping the spout to move it will not activate the water flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>31 359 002</b> <b>31 359 DC2</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p><b>\$ 821</b> <b>1,067</b></p>
	<p><b>Ladylux<sup>3</sup> Café Touch</b> Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 15/16" Faucet height</li> <li>• 8" Aerator height</li> <li>• 8 5/16" Swivel spout reach</li> <li>• 360° Swivel spout</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• 6 V lithium-battery, Type CR-P2</li> <li>• CE approved</li> <li>• IP44 protection</li> <li>• Battery life indicator - water pulses 3 times</li> <li>• Safety shut-down circuit (when battery at low capacity)</li> <li>• Solenoid valve</li> <li>• Automatic safety stop after 60 sec. (factory set)</li> <li>• Adjustable flow rate limiter</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Integrated non-return valve protects against backflow</li> <li>• Stainless steel braided flexible supplies</li> <li>• Installation from above</li> <li>• Touch activation: water can be set to desired temperature</li> <li>• To activate the cleaning mode, touch for 8 sec.</li> <li>• Grasping the spout to move it will not activate the water flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ <b>30 205 001</b> ★ <b>30 205 DC1</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p><b>\$ 913</b> <b>1,161</b></p>

TOUCH FAUCETS

# TOUCH FAUCETS – LADYLUX® L2

TOUCH FAUCETS



new

**Ladylux® L2 Touch**  
Triple Spray Pull-Down

- 16" Faucet height
- 8 9/16" Aerator height
- 9 3/16" Faucet reach
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- GROHE QuickFix® rapid installation system
- GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
- Touch activation of water via skin contact
- 6 V lithium-battery supply (type CR-P2)
- CE approved and meets the requirements of IAPMO IGC 349-2017
- Automatic safety stop after 60 sec. (factor set)
- Pull-down spray with 3 spray types: laminar spray, shower spray, and blade spray (reduced water consumption by up to 70% and even stronger spray performance)
- Stop function - pause button to stop the water flow
- Automatic return to laminar spray
- Adjustable flow rate limiter
- 360° Swivel spout
- Stainless steel flex lines
- Max. Flow Rate: 6.6 L/min (1.75 gpm)

Product #

**30 205 002**  
**30 205 DC2**  
♿ **DEC**

Colour/Description

GROHE StarLight® Chrome  
SuperSteel InfinityFinish™

Price

**\$ 863**  
**1,119**



# GROHE SEMI-PRO FAUCETS

Semi-professional faucets from GROHE feature the highest quality materials to withstand heavy use as well as convenient features for at-home chefs, including easy, one-hand operation, a spring arm that allows for full 360 coverage and high-performance spray.



**DUAL SPRAY WITH TOGGLE FUNCTION**

Easily switches between regular water flow and high-performance spray without turning off the water

Solid metal spray

Tall solid brass base for superior construction and professional functionality



**SPEED CLEAN®**

Remove limescale with a single wipe

Shower arm swivels to 140° - easy clearance for tall pots and cleaning

Spring arm allows for full 360° sink coverage with easy, one-hand operation

# SEMI-PRO FAUCETS – ESSENCE / CONCETTO

SEMI-PRO FAUCETS





		Product #	Colour/Description	Price
	<p><b>Essence</b> Semi-Pro Faucet</p> <ul style="list-style-type: none"> <li>• 20<sup>7</sup>/<sub>8</sub>" Faucet height</li> <li>• 7<sup>3</sup>/<sub>8</sub>" Aerator height</li> <li>• 9<sup>7</sup>/<sub>8</sub>" Spout reach</li> <li>• 360° Swivel spout</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Solid metal professional hand spray</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Magnetic docking</li> <li>• Integrated temperature limiter</li> <li>• Adjustable flow rate limiter</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Interchangeable coloured hoses available (30 321 sold separately - see below)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>30 295 000</b> <b>30 295 A00</b> <b>30 295 BE0</b> <b>30 295 DC0</b> <b>30 295 GNO</b></p> <p>♿ CEC</p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ SuperSteel InfinityFinish™ Brushed Cool Sunrise</p>	<p><b>\$ 814</b> <b>1,185</b> <b>1,185</b> <b>1,057</b> <b>1,185</b></p>
	<p><b>Concetto</b> Semi-Pro Faucet</p> <ul style="list-style-type: none"> <li>• 20<sup>1</sup>/<sub>16</sub>" Faucet height</li> <li>• 7<sup>7</sup>/<sub>8</sub>" Aerator height</li> <li>• 9<sup>1</sup>/<sub>4</sub>" Spout reach</li> <li>• 360° Swivel spout</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Magnetic docking</li> <li>• Integrated temperature limiter</li> <li>• Adjustable flow rate limiter</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>31 492 000</b> <b>31 492 DC0</b></p> <p>♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p><b>\$ 633</b> <b>824</b></p>











# SEMI-PRO FAUCETS – EUROCUBE / K7

		Product #	Colour/Description	Price
	<p><b>Eurocube</b> Semi-Pro Medium Faucet</p> <ul style="list-style-type: none"> <li>• 21 9/16" Faucet Height</li> <li>• 6 1/4" Aerator Height</li> <li>• 9 3/16" Faucet Reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Single-lever sink mixer</li> <li>• Forward rotating lever</li> <li>• Adjustable flow rate limiter</li> <li>• 360° Maneuverable spring arm</li> <li>• 140° Swivel area in docking station</li> <li>• Stainless steel braided flexible supplies</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>31 401 000</b> <b>31 401 DCO</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p><b>\$ 1,051</b> <b>1,359</b></p>
	<p><b>K7</b> Semi-Pro Faucet</p> <ul style="list-style-type: none"> <li>• 26 3/16" Faucet height</li> <li>• 5 7/8" Aerator height</li> <li>• 9 3/16" Spout reach</li> <li>• Solid brass body</li> <li>• 140° Swivel spout</li> <li>• 360° Maneuverable spring arm</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>32 951 000</b> <b>32 951 DCO</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p><b>\$ 1,262</b> <b>1,651</b></p>
	<p><b>K7</b> Semi-Pro Medium Faucet</p> <ul style="list-style-type: none"> <li>• 21 1/4" Faucet height</li> <li>• 5 7/8" Aerator height</li> <li>• 9 3/8" Spout reach</li> <li>• Solid brass body</li> <li>• 140° Swivel spout</li> <li>• 360° Maneuverable spring arm</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Adjustable flow rate limiter</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>31 380 000</b> <b>31 380 DCO</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p><b>\$ 1,051</b> <b>1,359</b></p>
	<p><b>Also available:</b> <b>As above with Foot Control activation</b> (See page 31)</p>	<p>★ <b>30 314 000</b> ★ <b>30 314 DCO</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p><b>\$ 1,497</b> <b>1,805</b></p>

# PULL-DOWN FAUCETS – LADYLUX® L2

		Product #	Colour/Description	Price
	<b>new</b>	<b>Ladylux® L2</b> Main Sink Triple Spray Pull-Down	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 599 779
		<ul style="list-style-type: none"> <li>• 15 13/16" Faucet height</li> <li>• 8 3/8" Aerator height</li> <li>• 9 5/16" Faucet reach</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight®</li> <li>• GROHE QuickFix® rapid installation system</li> <li>• GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position</li> <li>• Pull-down spray with 3 spray types: laminar spray, shower spray, and blade spray (reduced water consumption by up to 70% and even stronger spray performance)</li> <li>• Stop function - pause button stops water flow</li> <li>• Automatic return to laminar spray</li> <li>• Adjustable flow rate limiter</li> <li>• 360° Swivel spout</li> <li>• Stainless steel flex lines</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>		
	<b>new</b>	<b>Ladylux® L2</b> Prep Sink Triple Spray Pull-Down	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 539 699
		<ul style="list-style-type: none"> <li>• 15 1/4" Faucet height</li> <li>• 8 3/8" Aerator height</li> <li>• 7 15/16" Faucet reach</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight®</li> <li>• GROHE QuickFix® rapid installation system</li> <li>• Speed Clean® anti-lime system</li> <li>• GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position</li> <li>• For bar sinks</li> <li>• Pull-down spray with 3 spray types: laminar spray, shower spray, and blade spray (reduced water consumption by up to 70% and even stronger spray performance)</li> <li>• Stop function - pause button stops water flow</li> <li>• Automatic return to laminar spray</li> <li>• Adjustable flow rate limiter</li> <li>• 360° Swivel spout</li> <li>• Stainless steel flex lines</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>		
	<b>new</b>	<b>Ladylux® L2</b> Main Sink Dual Spray Pull-Down	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 539 699
		<ul style="list-style-type: none"> <li>• 15 3/4" Faucet height</li> <li>• 9" Aerator height</li> <li>• 7 3/4" Faucet reach</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight®</li> <li>• GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position</li> <li>• GROHE QuickFix® rapid installation system</li> <li>• Pull-down dual spray: laminar spray and shower spray</li> <li>• Automatic return to laminar spray</li> <li>• Adjustable flow rate limiter</li> <li>• 360° Swivel spout</li> <li>• Stainless steel flex lines</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>		
	<b>new</b>	<b>Ladylux® L2</b> Prep Sink Dual Spray Pull-Down	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 399 539
		<ul style="list-style-type: none"> <li>• 15 7/16" Faucet height</li> <li>• 9" Aerator height</li> <li>• 6 3/4" Faucet reach</li> <li>• For bar sinks</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight®</li> <li>• Speed Clean® anti-lime system</li> <li>• GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position</li> <li>• GROHE QuickFix® rapid installation system</li> <li>• Pull-down dual spray: laminar spray and shower spray</li> <li>• Automatic return to laminar spray</li> <li>• Adjustable flow rate limiter</li> <li>• 360° Swivel spout</li> <li>• Stainless steel flex lines</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>		

# PULL-DOWN FAUCETS – LADYLUX<sup>3</sup>

		Product #	Colour/Description	Price	
	<b>Ladylux<sup>3</sup> Café</b> Main Sink Dual Spray Pull-Down <ul style="list-style-type: none"> <li>• 14<sup>3</sup>/<sub>4</sub>" Faucet height</li> <li>• 7<sup>13</sup>/<sub>16</sub>" Aerator height</li> <li>• 8<sup>5</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® stainless steel construction - produced from solid, Grade 304 stainless steel (SD1 only)</li> <li>• 001, DC1 = solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking dual spray control - switches back and forth between regular flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	★ 32 298 001 ★ 32 298 DC1 ★ 32 298 SD1 	GROHE StarLight® Chrome SuperSteel InfinityFinish™ GROHE RealSteel®	\$ 620 814 930	
		<b>Also available:</b> <b>As above with Foot Control activation</b> <ul style="list-style-type: none"> <li>• CALGreen/CEC compliant (See Page 31)</li> </ul>	★ 30 313 000 ★ 30 313 DC0 	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 1,066 1,260
		<b>As above with Touch activation</b> <ul style="list-style-type: none"> <li>• CALGreen/CEC compliant (See Page 33)</li> </ul>	★ 30 205 001 ★ 30 205 DC1 	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 913 1,161
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<b>Ladylux<sup>3</sup> Pro</b> Main Sink Dual Spray Pull-Down <ul style="list-style-type: none"> <li>• 16<sup>9</sup>/<sub>16</sub>" Faucet height</li> <li>• 10<sup>1</sup>/<sub>8</sub>" Aerator height</li> <li>• 8<sup>9</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® construction – produced from solid, Grade 304 stainless steel (SD0)</li> <li>• 000, DC0 = solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking push button control — to switch from regular flow to spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Laminar flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	★ 32 226 000 ★ 32 226 DC0 ★ 32 226 SD0 	GROHE StarLight® Chrome SuperSteel InfinityFinish™ GROHE RealSteel®	\$ 644 840 965	
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<b>Ladylux<sup>3</sup> Pro</b> Prep Sink Dual Spray Pull-Down <ul style="list-style-type: none"> <li>• 14<sup>9</sup>/<sub>16</sub>" Faucet height</li> <li>• 8<sup>11</sup>/<sub>16</sub>" Aerator height</li> <li>• 7<sup>7</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® construction—produced from solid, Grade 304 stainless steel (SD0)</li> <li>• 000, DC0 = solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking push button control — to switch from regular flow to spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Laminar flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	★ 32 283 000 ★ 32 283 DC0 ★ 32 283 SD0 	GROHE StarLight® Chrome SuperSteel InfinityFinish™ GROHE RealSteel®	\$ 602 790 903	

PULL-DOWN FAUCETS

Note: Products listed with ★ (stars) are available while supplies last.

# PULL-DOWN FAUCETS – LADYLUX / MINTA

PULL-DOWN FAUCETS



Compatible with GROHE Foot Control retro-fit set (30 310 000)

**Ladylux Café**  
Main Sink Dual Spray Pull-Down

- 13<sup>7</sup>/<sub>16</sub>" Faucet height
- 6<sup>1</sup>/<sub>2</sub>" Aerator height
- 8<sup>5</sup>/<sub>16</sub>" Swivel spout reach
- 360° Swivel radius
- GROHE RealSteel® stainless steel construction produced from solid, Grade 304 stainless steel
- GROHE SilkMove® ceramic cartridge
- Speed Clean® anti-lime system
- Locking dual spray control - switches back and forth between regular flow and spray
- Polyethylene spray hose with retraction weight
- Stainless steel braided flexible supplies
- Quick installation system
- Single lever handle
- Forward rotation lever, does not hit backsplash
- CALGreen/CEC compliant
- Max. Flow Rate: 6.6 L/min (1.75 gpm)

Product #  
★ 33 755 SD1

Colour/Description  
GROHE RealSteel®

Price  
\$ 815



Compatible with GROHE Foot Control retro-fit set (30 310 000)

**Minta**  
Main Sink Dual Spray Pull-Down

- 14<sup>15</sup>/<sub>16</sub>" Faucet height
- 7<sup>5</sup>/<sub>16</sub>" Aerator height
- 8<sup>9</sup>/<sub>16</sub>" Swivel spout reach
- 360° Swivel spout
- Solid brass body
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- Speed Clean® anti-lime system
- Dual spray with toggle function: switches between regular water flow and spray without turning off the water
- Polyethylene spray hose with retraction weight
- Stainless steel braided flexible supplies
- Quick installation system
- Single lever handle
- Variable Handle Positioning
- Laminar Flow
- CALGreen/CEC compliant
- Max. Flow Rate: 6.6 L/min (1.75 gpm)

31 378 003  
31 378 DC3

GROHE StarLight® Chrome SuperSteel InfinityFinish™

\$ 583  
779

**Also available with touch activation.**  
See Minta Touch (31 359) p. 33.



Compatible with GROHE Foot Control retro-fit set (30 310 000)

**Minta**  
Main Sink Dual Spray Pull-Down

- 13<sup>15</sup>/<sub>16</sub>" Faucet height
- 5<sup>7</sup>/<sub>8</sub>" Aerator height
- 8<sup>13</sup>/<sub>16</sub>" Swivel spout reach
- 360° Swivel radius
- Solid Brass Body
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- Speed Clean® anti-lime system
- Dual spray with toggle function: switches between regular water flow and spray without turning off the water
- Polyethylene spray hose with retraction weight
- Stainless steel braided flexible supplies
- Quick installation system
- Single lever handle
- Variable handle positioning
- Laminar flow
- CALGreen/CEC compliant
- Max. Flow Rate: 6.6 L/min (1.75 gpm)

32 319 003  
32 319 DC3

GROHE StarLight® Chrome SuperSteel InfinityFinish™

\$ 708  
914







# PULL-DOWN FAUCETS – CONCETTO / ELBERON

		Product #	Colour/Description	Price
  <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Concetto</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 15 1/16" Faucet height</li> <li>• 7 3/8" Aerator height</li> <li>• 8 5/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Variable handle positioning</li> <li>• Laminar flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p><b>31 349 10E - Same as above</b></p> <ul style="list-style-type: none"> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul>	<p><b>32 665 003</b> <b>32 665 DC3</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 543</b> <b>707</b>
		<p><b>31 349 10E</b> ♿ CEC</p>	GROHE StarLight® Chrome	<b>\$ 543</b>
  <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Concetto</b> Prep Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 13 3/4" Faucet height</li> <li>• 6 5/8" Aerator height</li> <li>• 7 5/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Single lever handle</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Variable handle positioning</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>31 479 001</b> <b>31 479 DC1</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 410</b> <b>554</b>
		<p><b>31 479 001</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 410</b> <b>554</b>
 	<p><b>Elberon</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 5/8" Faucet height</li> <li>• 7 5/8" Aerator height</li> <li>• 8 5/16" Swivel spout reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Single-hole installation</li> <li>• Swivel tubular spout (swivel area 360°)</li> <li>• Locking dual spray control - switches back and forth between regular flow and spray</li> <li>• 360° Ball-joint on hose for flexible handling of spray head</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick-Installation coupling</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Integrated non return valve</li> <li>• Includes 10" Escutcheon (2 11/16" wide)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>30 211 001</b> <b>30 211 DC1</b> ★ <b>30 211 ZC1</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze	<b>\$ 390</b> <b>507</b> <b>547</b>
		<p><b>30 211 001</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze	<b>\$ 390</b> <b>507</b> <b>547</b>

PULL-DOWN FAUCETS

# PULL-DOWN FAUCETS – BRIDGEFORD / PARKFIELD / JOLIETTE

PULL-DOWN FAUCETS

		Product #	Colour/Description	Price
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Bridgeford</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 1/16" Faucet height</li> <li>• 7 1/8" Aerator height</li> <li>• 8 1/4" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Solid brass body</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Variable handle positioning</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>33 870 002</b> <b>33 870 DC2</b> ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p><b>\$ 655</b> <b>852</b></p>
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Parkfield</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 3/4" Faucet height</li> <li>• 7 11/16" Aerator height</li> <li>• 8 5/16" Spout reach</li> <li>• 360° Swivel spout</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Single-hole installation</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• 360° Ball-joint on hose allows full rotation of spray head</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick-Installation coupling</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Integrated non return valve protects against backflow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>30 213 001</b> <b>30 213 DC1</b> ★ <b>30 213 ZC1</b> ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze</p>	<p><b>\$ 517</b> <b>672</b> <b>724</b></p>
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Parkfield</b> Prep Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 13 3/4" Faucet height</li> <li>• 7" Aerator height</li> <li>• 7 3/8" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Single-hole installation</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• 360° Ball-joint on hose for flexible handling of spray head</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick-Installation coupling</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ <b>30 296 001</b> ★ <b>30 296 DC1</b> ★ <b>30 296 ZC1</b> ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze</p>	<p><b>\$ 449</b> <b>587</b> <b>633</b></p>
	<p><b>Joliette</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 5/8" Faucet height</li> <li>• 7 5/8" Aerator height</li> <li>• 8 5/16" Swivel spout reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Single-hole Installation</li> <li>• Swivel tubular spout (Swivel area 360°)</li> <li>• Locking dual spray control - switches back and forth between regular flow and spray</li> <li>• 360° Ball-joint on hose for flexible handling of spray head</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick-Installation coupling</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Integrated non return valve</li> <li>• Includes 10" Escutcheon (2 11/16" wide)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ <b>30 210 001</b> ★ <b>30 210 DC1</b> ★ <b>30 210 ZC1</b> ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze</p>	<p><b>\$ 390</b> <b>507</b> <b>547</b></p>





# PULL-OUT FAUCETS – LADYLUX / K7 / MINTA

		Product #	Colour/Description	Price
 <p><b>new</b></p>	<p><b>Ladylux® L2</b> Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 14 15/16" Faucet height</li> <li>• 3 11/16" Aerator height</li> <li>• 8 1/16" Faucet reach</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight® finish</li> <li>• GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position</li> <li>• GROHE QuickFix® rapid installation system</li> <li>• Pull-out dual spray: laminar spray and shower spray</li> <li>• Automatic return to laminar spray</li> <li>• Adjustable flow rate limiter</li> <li>• 360° Swivel spout</li> <li>• Stainless steel flex lines</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>33 893 002</b> <b>33 893 DC2</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p><b>\$ 647</b> <b>839</b></p>
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>K7</b> Main Sink Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 11 7/8" Faucet height</li> <li>• 10 1/4" Aerator height</li> <li>• 9 7/8" swivel spout reach</li> <li>• 140° Swivel radius</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ <b>32 178 000</b> ★ <b>32 178 DC0</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p><b>\$ 1,090</b> <b>1,416</b></p>
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Minta</b> Main Sink Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 13 1/8" Faucet height</li> <li>• 11 11/16" Aerator height</li> <li>• 8 13/16" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Stainless steel braided flexible supplies</li> <li>• Rapid installation system</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p><b>Also available: As above with Touch activation</b> (see page 33)</p>	<p><b>30 300 000</b> <b>30 300 DC0</b> ♿ CEC</p> <p><b>30 218 001</b> <b>30 218 DC1</b> ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p><b>\$ 600</b> <b>802</b></p> <p><b>\$ 846</b> <b>1,099</b></p>







PULL-OUT FAUCETS

# PULL-OUT FAUCETS – ESSENCE / CONCETTO / LADYLUX







PULL-OUT FAUCETS

		Product #	Colour/Description	Price
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Essence</b> Main Sink Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 13 11/16" Faucet height</li> <li>• 12 3/8" Aerator height</li> <li>• 8 7/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Integrated temperature limiter</li> <li>• Adjustable flow rate limiter</li> <li>• Forward rotating lever to prevent backsplash interference</li> <li>• Solid metal spray</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>30 271 000</b>  <b>30 271 A00</b>  <b>30 271 BE0</b>  <b>30 271 DC0</b>  <b>30 271 GNO</b></p> <p>♿ CEC</p>	<p>GROHE StarLight® Chrome  Hard Graphite  Polished Nickel InfinityFinish™  SuperSteel InfinityFinish™  Brushed Cool Sunrise</p>	<p><b>\$ 508</b>  <b>740</b>  <b>740</b>  <b>661</b>  <b>740</b></p>
		  <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Concetto</b> Main Sink Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 10 3/8" Faucet height</li> <li>• 4 1/2" Aerator height</li> <li>• 7 15/16" Swivel spout reach</li> <li>• 100° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Solid brass body</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Adjustable flow rate limiter</li> <li>• Single lever handle</li> <li>• Solid metal spray</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul>	<p><b>31 453 001</b>  <b>31 453 DC1</b></p> <p>♿ CEC</p>
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Ladylux Plus</b> Main Sink Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 11 11/16" Faucet height</li> <li>• 9 5/8" Aerator height</li> <li>• 9 1/8" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® stainless steel construction produced from solid, Grade 304 stainless steel</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking dual spray control — switches back and forth between regular flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>* 33 759 SD0</b></p> <p>♿ CEC</p>	<p>GROHE RealSteel®</p>	<p><b>\$ 889</b></p>
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Ladylux<sup>3</sup> Plus</b> Main Sink Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 14 1/8" Faucet height</li> <li>• 11 7/8" Aerator height</li> <li>• 8 7/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® stainless steel construction - produced from solid, Grade 304 stainless steel (SD0 only)</li> <li>• 000, DC0 = Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking dual spray control — switches back and forth between regular flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>* 33 893 000</b>  <b>* 33 893 DC0</b>  <b>* 33 893 SD0</b></p> <p>♿ CEC</p>	<p>GROHE StarLight® Chrome  SuperSteel InfinityFinish™  GROHE RealSteel®</p>	<p><b>\$ 664</b>  <b>868</b>  <b>1,029</b></p>

# PULL-OUT FAUCETS – EURODISC COSMOPOLITAN / EURODISC / ERUOSMART




		Product #	Colour/Description	Price
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Eurodisc Cosmopolitan</b> Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 8 1/16" Faucet height</li> <li>• 10 1/4" Faucet height (lever in open position)</li> <li>• 5 1/2" Aerator height</li> <li>• 8 3/4" Swivel spout reach</li> <li>• 100° Swivel radius</li> <li>• Solid brass body construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking dual spray control – switches back and forth between regular flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Nylon reinforced braided flexible inlet hoses</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>33 330 002</b>  </p>	GROHE StarLight® Chrome	<b>\$ 582</b>
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Eurodisc</b> Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 7 3/8" Faucet height</li> <li>• 8 7/8" Faucet height (lever in open position)</li> <li>• 5 1/4" Aerator height</li> <li>• 9 5/8" Swivel spout reach</li> <li>• 140° Swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking dual spray control – switches back and forth between regular flow and spray</li> <li>• Nylon reinforced braided flexible inlet hoses</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Quick installation system</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>33 330 001</b>  <b>33 330 DC1</b>  </p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 455</b> <b>591</b>
 <p><b>Compatible with GROHE Foot Control retro-fit set (30 310 000)</b></p>	<p><b>Eurosmart</b> Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 8 13/16" Faucet height (lever in open position)</li> <li>• 5 1/2" Aerator height</li> <li>• 8 7/8" Swivel spout reach</li> <li>• 90° Swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking dual spray control – switches back and forth between regular flow and spray</li> <li>• Nylon reinforced braided flexible inlet hoses</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>30 306 000</b>  <b>30 306 DC0</b>  </p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 296</b> <b>386</b>

# PREP SINK FAUCETS – LADYLUX






		Product #	Colour/Description	Price
	<b>new</b>	<b>Ladylux® L2</b> Prep Sink Triple Spray Pull-Down	<b>30 368 002</b> <b>30 368 DC2</b> 	GROHE StarLight® Chrome SuperSteel InfinityFinish™ <b>\$ 539</b> <b>699</b>
		<ul style="list-style-type: none"> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight®</li> <li>• Speed Clean® anti-lime system</li> <li>• 15 ¼" Faucet height</li> <li>• 8 ⅜" Aerator height</li> <li>• 7 15/16" Faucet reach</li> <li>• For bar sinks</li> <li>• GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position</li> <li>• Pull-down spray with 3 spray types: laminar spray, shower spray, and blade spray (reduced water consumption by up to 70% and even stronger spray performance)</li> <li>• Stop function - pause button to stop the water flow</li> <li>• Automatic return to laminar spray</li> <li>• Adjustable flow rate limiter</li> <li>• 360° Swivel spout</li> <li>• Stainless steel flex lines</li> <li>• GROHE QuickFix® rapid installation system</li> <li>• 6.6 L/min (1.75 gpm)</li> </ul>		
	<b>new</b>	<b>Ladylux® L2</b> Prep Sink Dual Spray Pull-Down	<b>32 283 003</b> <b>32 283 DC3</b> 	GROHE StarLight® Chrome SuperSteel InfinityFinish™ <b>\$ 399</b> <b>539</b>
		<ul style="list-style-type: none"> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight®</li> <li>• Speed Clean® anti-lime system</li> <li>• 15 7/16" Faucet height</li> <li>• 9" Aerator height</li> <li>• 6 ¾" Faucet reach</li> <li>• For bar sinks</li> <li>• GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position</li> <li>• Pull-down dual spray: laminar spray and shower spray</li> <li>• Automatic return to laminar spray</li> <li>• Adjustable flow rate limiter</li> <li>• 360° Swivel spout</li> <li>• Stainless steel flex lines</li> <li>• GROHE QuickFix® rapid installation system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>		
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>		<b>Ladylux<sup>3</sup> Pro</b> Prep Sink Dual Spray Pull-Down	★ <b>32 283 000</b> ★ <b>32 283 DC0</b> ★ <b>32 283 SD0</b> 	GROHE StarLight® Chrome SuperSteel InfinityFinish™ GROHE RealSteel® <b>\$ 602</b> <b>790</b> <b>903</b>
		<ul style="list-style-type: none"> <li>• 14 9/16" Faucet height</li> <li>• 10 1/8" Aerator height</li> <li>• 7 5/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® construction—produced from solid, Grade 304 stainless steel (SD0)</li> <li>• 000, DC0 = solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Locking push button control — to switch from regular flow to spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Laminar flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>		








# PREP SINK FAUCETS – CONCETTO / PARKFIELD

		Product #	Colour/Description	Price
  <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Concetto</b> Prep Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 13 3/4" Faucet height</li> <li>• 6 5/8" Aerator height</li> <li>• 7 5/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Single lever handle</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Variable handle positioning</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>31 479 001</b> <b>31 479 DC1</b> ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p><b>\$ 410</b></p>
				<p><b>554</b></p>
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Parkfield</b> Prep Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 13 3/4" Faucet height</li> <li>• 7" Aerator height</li> <li>• 7 3/8" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Single-hole installation</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• 360° Ball-joint on hose for flexible handling of spray head</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick-Installation coupling</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ <b>30 296 001</b> ★ <b>30 296 DC1</b> ★ <b>30 296 ZC1</b> ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze</p>	<p><b>\$ 449</b></p>
				<p><b>587</b> <b>633</b></p>

# BAR FAUCETS – BRIDGEFORD / CONCETTO / CLASSIC II

		Product #	Colour/Description	Price
	<p><b>Bridgeford</b> Kitchen/Bar Faucet</p> <ul style="list-style-type: none"> <li>• 10 7/8" Faucet height</li> <li>• 7 3/8" Aerator height</li> <li>• 6 15/16" Swivel spout reach</li> <li>• 0° / 150° / 360° Adjustable swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• Less Handles - order 18 244 / 18 733 handles (sold separately, see below)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ 31 055 000 ★ 31 055 DC0 CEC</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE BELOW</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 592 751
	<p><b>Same as above + Lever handles</b></p> <ul style="list-style-type: none"> <li>• 18 244 lever handles (sold separately, see below)</li> </ul>	<p>★ 31 055 000+18 244 000 ★ 31 055 DC0+18 244 DC0 ♿</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	
	<p><b>Bridgeford</b> Lever Handles (Sold In Pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Bridgeford Kitchen faucets.</p>	<p>18 244 000 18 244 DC0 ♿</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 135 178
 	<p><b>Concetto</b> Bar Faucet</p> <ul style="list-style-type: none"> <li>• 11 7/8" Faucet height</li> <li>• 8 1/8" Aerator height</li> <li>• 6" Spout reach</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Stainless steel braided flexible supplies</li> <li>• Optional pivot 90° or 360°</li> <li>• Adjustable flow rate limiter</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul>	<p>31 518 000 31 518 DC0 ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 376 468
	<p><b>Classic II</b> Beverage Faucet (Basin/Pillar Tap)</p> <ul style="list-style-type: none"> <li>• 8 3/4" Faucet height</li> <li>• 5 3/4" Aerator height</li> <li>• 5 3/8" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Brass handle</li> <li>• Single inlet — cold water only</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>20 179 001 CEC</p>	GROHE StarLight® Chrome	\$ 188

# BAR FAUCETS – LADYLUX






		Product #	Colour/Description	Price
	<b>new</b> <b>Ladylux® L2</b> Beverage Faucet (Basin/Pillar Tap)	<b>30 026 002</b> <b>30 026 DC2</b> 	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 369</b> <b>479</b>
	<b>new</b> <b>GROHE Filter Set</b> Carbon filter for regular water hardness	<b>40 438 001</b>	Size S: 600 L (158.5 gallons)	<b>\$ 199</b>
	<b>Ladylux<sup>3</sup></b> Beverage Faucet (Basin/Pillar Tap)	<b>★ 30 026 000</b> <b>★ 30 026 DC0</b> <b>★ 30 026 SD0</b> 	GROHE StarLight® Chrome SuperSteel InfinityFinish™ GROHE RealSteel®	<b>\$ 423</b> <b>548</b> <b>654</b>

**NOTE:** Products listed with ★ (stars) are available while supplies last

# POT FILLERS – LADYLUX

		Product #	Colour/Description	Price
	<b>new</b> <b>Ladylux® L2</b> Pot Filler	<b>31 075 DC2</b> ♿	SuperSteel InfinityFinish™	<b>\$ 1,299</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Maximum 24 7/16" reach capability to cook tops</li> <li>• Wall and spout shut-off valves</li> <li>• Cold water only</li> <li>• Coordinated Ladylux design</li> <li>• Max. Flow Rate: 15.1 L/min (3.9 gpm)</li> </ul>			
	<b>Ladylux<sup>3</sup></b> Wall Mount Pot Filler	<b>★ 31 075 SD0</b> ♿ <small>CEC</small>	GROHE RealSteel®	<b>\$ 1,520</b>
	<ul style="list-style-type: none"> <li>• Maximum 20 1/8" reach capability to cooktops</li> <li>• Jointed swing spout</li> <li>• Wall and spout shut-off valves</li> <li>• GROHE RealSteel® stainless steel construction produced from solid, Grade 304 stainless steel</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• Coordinated Ladylux<sup>3</sup> design</li> <li>• Single-hole installation</li> <li>• Cold water only</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>			
	<b>Pot Filler</b> Wall Mount	<b>★ 31 041 SD0</b> ♿	GROHE RealSteel®	<b>\$ 1,585</b>
	<ul style="list-style-type: none"> <li>• Maximum 20" reach capability to cooktops</li> <li>• Jointed swing spout</li> <li>• Wall and spout shut-off valves</li> <li>• GROHE RealSteel® stainless steel construction produced from solid, Grade 304 stainless steel</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• Single-hole installation</li> <li>• Cold water only</li> <li>• CALGreen compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>			

# ESCUTCHEONS / FOOT CONTROL / QUICK CONNECT

		Product #	Colour/Description	Price
	<b>10" Escutcheon</b> <ul style="list-style-type: none"> <li>• 2 1/16" Wide</li> <li>• GROHE StarLight® finish</li> </ul> For use with centreset kitchen, bar, lavatory, and bidet faucets to cover unused mounting holes.	<b>07 552 000</b> <b>07 552 SD0</b> ★ <b>07 552 ZB0</b>	GROHE StarLight® Chrome GROHE RealSteel® Oil Rubbed Bronze	<b>\$ 55</b> <b>82</b> <b>77</b>
	<b>10" Escutcheon with Two Holes</b> <ul style="list-style-type: none"> <li>• 2 1/16" Wide</li> <li>• GROHE StarLight® finish</li> </ul> For use with centreset kitchen faucets with a soap/lotion dispenser to cover unused mounting hole.	<b>07 555 000</b>	GROHE StarLight® Chrome	<b>\$ 64</b>
	<b>6" Escutcheon</b> <ul style="list-style-type: none"> <li>• 2 1/16" Wide</li> <li>• GROHE StarLight® finish</li> </ul> For use with centreset kitchen, bar, lavatory, and bidet faucets to cover unused mounting holes.	<b>07 551 000</b> <b>07 551 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 32</b> <b>42</b>
 <p>Add sensor functionality to an existing GROHE pull-out or pull-down kitchen faucet.</p>	<b>GROHE Foot Control Retro-Fit Set</b>  GROHE Retro-Fit can be used with the following models: <b>Bridgeford:</b> 33 870 <b>Concetto:</b> 32 665, 31 479, 31 453 <b>Essence:</b> 30 271 <b>Eurodisc/Eurodisc Cosmopolitan:</b> 33 330 <b>Europlus:</b> 32 946 <b>Eurosmart:</b> 30 306 <b>K7:</b> 32 178 <b>Ladylux:</b> 32 298, 32 226, 32 283, 33 893, 32 245, 33 755, 33 759 <b>Minta:</b> 32 319, 31 378, 30 300 <b>Parkfield:</b> 30 213, 30 296	<b>30 310 000</b>	GROHE StarLight® Chrome	<b>\$ 446</b>
	<b>GROHE Quick Connect Coupling with Flow-Restriction</b>  GROHE Quick Connect Coupling with Flow-Restriction can be used with all models EXCEPT the following: <b>Eurocube Semi-Pro:</b> 31 401 <b>GROHE Blue:</b> 31 251, 31 312 <b>K7 Semi-Pro:</b> 32 951, 31 380 <b>Essence Semi-Pro:</b> 30 295 <b>Concetto Semi-Pro:</b> 31 492 <b>Kitchen/Bar faucets:</b> 31 055, 31 074, 20 179, 30 026, 31 075, 31 041, 31 518	<b>12 365 000</b>  <b>48 220 000</b>  <b>64 999 000</b>  <b>40 985 000</b>	Black / Red 8.3 L/min (2.2 gpm)  Black / Brown 6.6 L/min (1.75 gpm)  Black / Grey 5.7 L/min (1.5 gpm)  Black / Green 3.78 L/min (1.0 gpm)	<b>\$ 39</b>  <b>\$ 39</b>  <b>\$ 39</b>  <b>\$ 39</b>

# SOAP / LOTION DISPENSERS

SOAP / LOTION DISPENSERS

		Product #	Colour/Description	Price
	<p><b>Authentic</b> Soap/Lotion Dispenser</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Brass head and flange</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	<p>40 537 000 40 537 ZB0</p>	<p>GROHE StarLight® Chrome Oil Rubbed Bronze</p>	<p>\$ 109 152</p>
	<p><b>Cosmopolitan</b> Soap/Lotion Dispenser</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Brass head and flange</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	<p>40 535 000 40 535 A00 40 535 BE0 40 535 DC0 40 535 GN0</p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ SuperSteel InfinityFinish™ Brushed Cool sunrise</p>	<p>\$ 108 151 151 139 151</p>
	<p><b>Deluxe XL</b> Soap/Lotion Dispenser</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Solid brass components (001);</li> <li>• Stainless steel components (SD1)</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	<p>28 751 001 28 751 SD1</p>	<p>GROHE StarLight® Chrome GROHE RealSteel®</p>	<p>\$ 282 422</p>
	<p><b>Deluxe Cosmopolitan</b> Soap/Lotion Dispenser</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Solid brass components (000);</li> <li>• Stainless steel components (SD0)</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	<p>28 857 000 28 857 SD0</p>	<p>GROHE StarLight® Chrome GROHE RealSteel®</p>	<p>\$ 179 275</p>
	<p><b>Ladylux</b> Soap/Lotion Dispenser</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Brass head and flange</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	<p>40 553 000 40 553 DC0</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 120 158</p>
	<p><b>Timeless</b> Soap/Lotion Dispenser</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Brass head and flange</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	<p>40 536 000 40 536 DC0</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 94 122</p>



# GROHE ALLURE BRILLIANT™



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 343 00A



Lavatory Centreset  
23 034 00A



Deck Mount Vessel  
23 115 00A



2-Hole Wall Mount Vessel Trim  
19 784 00A

### BATH FIXTURES



Roman Tub Filler  
19 787 001



Floor-Mounted Tub Filler  
23 119 001



Floor-Mounted Tub Spout  
13 301 000

### SHOWER FIXTURES



Rainshower "F" Series  
Ceiling Shower Head  
27 468 000  
27 816 001 (low flow option)



Rainshower Ceiling  
Shower Arm  
27 487 000



Euphoria Cube  
Shower Set  
27 891 000



Rainshower  
SmartActive  
Hand Shower  
26 552 000



Grohsafe 3.0  
Pressure Balance  
Valve Trim  
14 471 000



GrohFlex  
Allure Brilliant  
Thermostatic Trim  
19 793 000



Rainshower Allure 230  
27 480 000  
26 469 000 (low flow option)



Rainshower Shower Arm  
27 489 000



Allure Brilliant  
Wall Union  
27 708 000



Diverter Trim  
19 799 000



Rainshower "F" Series  
27 254 000



Rainshower "F" Series  
Body Spray  
27 252 000



Euphoria Cube  
Hand Shower  
27 888 000  
26 467 000 (low flow option)



Euphoria Cube  
Hand Shower Holder  
27 693 000



Volume Control Trim  
19 797 000

### ACCESSORIES/ACTUATION PLATE



Robe Hook  
40 498 000



24" Towel Bar  
40 497 000



Paper Holder  
40 499 000








Soap Dish  
40 504 000



Skate Cosmopolitan  
38 732 000

		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Allure Brilliant</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 8 3/16" Faucet height (when in use)</li> <li>• 3 3/4" Spout/Aerator reach</li> <li>• 4 3/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix®– Quick installation system</li> <li>• Lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p><b>23 034 00A</b></p> 	GROHE StarLight® Chrome	<b>\$ 951</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Allure Brilliant</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 9 5/16" Faucet height</li> <li>• 3 3/16" Spout/Aerator reach</li> <li>• 4 3/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Grip handles</li> <li>• Stainless steel braided inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p><b>20 343 00A</b></p> 	GROHE StarLight® Chrome	<b>\$ 1,217</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Allure Brilliant</b> Lavatory Centreset for Vessel Basin</p> <ul style="list-style-type: none"> <li>• 13 1/8" Faucet height</li> <li>• 14 3/4" Faucet height (when in use)</li> <li>• 10 3/4" Aerator height</li> <li>• 6 13/16" Spout/Aerator reach</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul> <p>For vessel sink pop-up drain, see 65 818.</p>	<p><b>23 115 00A</b></p> 	GROHE StarLight® Chrome	<b>\$ 1,455</b>
	<p><b>Vessel Sink Pop-Up Drain</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finish</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	<p><b>65 818 000</b></p> 	GROHE StarLight® Chrome	<b>\$ 154</b>












		Product #	Colour/Description	Price
 	<p><b>Allure Brilliant</b> 2-Hole Wall Mount Vessel Trim</p> <ul style="list-style-type: none"> <li>• 8¼" Spout/Aerator reach</li> <li>• Solid brass construction</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Lever handle</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul> <p>Requires Vessel Rough-In Valve 23 254 (see below)</p> <p>For vessel sink pop-up drain, see 65 818, page 55.</p>	<p>★ 19 784 00A</p> 	GROHE StarLight® Chrome	\$ 1,217
	<p><b>2-Hole Wall Mount Vessel</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• ½" NPT female inlets</li> <li>• 4 5/16" Centre to centre</li> <li>• Cast brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	<p>★ 23 254 000</p>		\$ 309
	<p><b>Allure Brilliant</b> Floorstanding Roman Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 37 13/16" – 40 15/16" Product height*</li> <li>• 10 5/8" Spout/Aerator reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE Dreamspray®</li> <li>• Fixed spout</li> <li>• 49" Metal hose</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cube hand shower (26 467), 6.6 L/min (1.75 gpm)</li> <li>• Metal lever handle</li> </ul> <p>Requires Rough-In Set 29 038 (see below)</p> <p>Optional in-line remote pressure balance valve (35 204)</p>	<p>23 119 001</p> 	GROHE StarLight® Chrome	\$ 4,021
	<p><b>Allure Brilliant</b> Floorstanding Tub Spout</p> <ul style="list-style-type: none"> <li>• 37 13/16" – 40 15/16" Product height *</li> <li>• 10 5/8" Spout/Aerator reach</li> <li>• Fixed spout</li> <li>• GROHE StarLight® finish</li> </ul> <p>Requires Rough-In Set 29 038 (see below)</p> <p>Optional in-line remote pressure balance valve (35 204)</p>	<p>13 301 000</p> 	GROHE StarLight® Chrome	\$ 2,646
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• ½" NPT female connections (hot/cold-supplies)</li> </ul>	<p>29 038 001</p> 		\$ 381

		Product #	Colour/Description	Price
	<p><b>Allure Brilliant</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• 7 13/16" Diverter spout</li> <li>• 7 13/16" Aerator height</li> <li>• Metal lever handle</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray®</li> <li>• 79" Hose</li> <li>• 1/2" Valve</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cube hand shower (26 467), 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply</p>	<p><b>19 787 001</b> CEC</p>	<p>GROHE StarLight® Chrome</p>	<p><b>\$ 2,513</b></p>
	<p><b>Allure Brilliant</b> 3-way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 035 (see below)</p>	<p><b>19 799 000</b></p>	<p>GROHE StarLight® Chrome</p>	<p><b>\$ 434</b></p>
	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 3 Discrete, 3 shared functions</li> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays.</p>	<p><b>29 035 000</b></p>	<p>5-Port</p>	<p><b>\$ 344</b></p>
	<p><b>Allure Brilliant</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 35 029 (see below)</p> <p>When using 3/4" volume control valve (29 274) you must follow the rough-in dimensions from the valve (35 029)</p>	<p><b>19 797 000</b></p>	<p>GROHE StarLight® Chrome</p>	<p><b>\$ 317</b></p>
	<p><b>Grotherm® F</b> Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with Grotherm® F system and GrohFlex®</li> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 3/4" GROHE SilkMove® ceramic cartridge, 90° turn</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 15/16" installation depth</li> <li>• 55 L/min (14.5 gpm) at 45 psi</li> </ul>	<p><b>35 029 000</b></p>	<p>1/2" NPT</p>	<p><b>\$ 188</b></p>

ALLURE BRILLIANT

			Product #	Colour/Description	Price
	<b>new</b>	<p><b>Allure Brilliant</b> Pressure Balance Valve Trim with Cartridge</p> <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0 gpm) (top port) at 45 psi (19 L/min)</li> </ul> <p>For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	14 471 000 ♿	GROHE StarLight® Chrome	\$ 499
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	35 110 000	½" Universal Inlets† ½" Universal Outlets†	\$ 146
				† Male NPT thread with ½" female fitting	
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	35 111 000	½" PEX Crimp (ASTM F1807) Inlets ½" Universal Outlets†	\$ 146
				† Male NPT thread with ½" female fitting	
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	35 112 000	½" PEX Cold Expansion (ASTM F1960) Inlets ½" Universal Outlets†	\$ 146
				† Male NPT thread with ½" female fitting	
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	35 113 000	½" Stub-out Inlets ½" Stub-out Outlets	\$ 177
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	35 115 000	½" PEX Crimp (ASTM F1807) Elbow Inlets ½" Universal Outlets†	\$ 177
				† Male NPT thread with ½" female fitting	
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	35 116 000	½" PEX Cold Expansion (ASTM F1960) Elbow Inlets ½" Universal Outlets†	\$ 177
				† Male NPT thread with ½" female fitting	



		Product #	Colour/Description	Price
		<b>★ 19 790 000</b> ♿	GROHE StarLight® Chrome	<b>\$ 476</b>
<p><b>GrohFlex® Allure Brilliant</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately (see below)</p>				
		<b>19 786 000</b>	GROHE StarLight® Chrome	<b>\$ 551</b>
<p><b>GrohFlex® Allure Brilliant</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• Integrated volume control</li> <li>• GROHE StarLight® finish</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately (see below)</p>				
		<b>19 793 000</b>	GROHE StarLight® Chrome	<b>\$ 846</b>
<p><b>GrohFlex® Allure Brilliant</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• Integrated volume control</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat®Technology</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• Metal trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately (see below)</p>				
		<b>19 794 000</b>	GROHE StarLight® Chrome	<b>\$ 899</b>
<p><b>GrohFlex® Allure Brilliant</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• Integrated volume control</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat®Technology</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately (see below)</p>				
		<b>19 795 000</b>	GROHE StarLight® Chrome	<b>\$ 793</b>
<p><b>GrohFlex® Allure Brilliant</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat®Technology</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately (see below)</p>				
		<b>35 026 000</b>		<b>\$ 187</b>
<p><b>GrohFlex®</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul>				

# ALLURE BRILLIANT™



ALLURE BRILLIANT

		Product #	Colour/Description	Price
	<b>Allure Brilliant</b> 17" Two-Arm Towel Bar • GROHE StarLight® finish	40 496 000	GROHE StarLight® Chrome	\$ 508
	<b>Allure Brilliant</b> 24" Towel Bar • GROHE StarLight® finish	40 497 000	GROHE StarLight® Chrome	\$ 556
	<b>Allure Brilliant</b> Robe Holder • GROHE StarLight® finish	40 498 000	GROHE StarLight® Chrome	\$ 270
	<b>Allure Brilliant</b> Paper Holder • GROHE StarLight® finish	40 499 000	GROHE StarLight® Chrome	\$ 487
	<b>Allure Brilliant</b> Tumbler with Holder • GROHE StarLight® finish	40 493 000	GROHE StarLight® Chrome	\$ 503
	<b>Allure Brilliant</b> Tumbler with Shelf • GROHE StarLight® finish	40 503 000	GROHE StarLight® Chrome	\$ 572
	<b>Allure Brilliant</b> Soap Dish with Shelf • GROHE StarLight® finish	40 504 000	GROHE StarLight® Chrome	\$ 593
	<b>Allure Brilliant</b> Toilet Brush Set • GROHE StarLight® finish	40 500 000	GROHE StarLight® Chrome	\$ 778
	<b>Allure Brilliant</b> Soap Dispenser • GROHE StarLight® finish	40 494 000	GROHE StarLight® Chrome	\$ 634

# GROHE ALLURE™



# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Wideset  
20 148 00A



Lavatory Centreset  
32 128 00A



Lavatory Centreset  
23 077 00A



2-Hole Wall Mount Vessel Trim  
19 387 00A

## BATH FIXTURES



Roman Tub Filler with  
Personal Hand Shower  
25 097 001



Floor Mounted Tub Filler  
32 754 002



Floor Mounted Tub Spout  
13 218 000



Tub Spout  
13 265 000

## SHOWER FIXTURES



Rainshower "F" Series  
Ceiling Shower Head  
27 468 000  
27 816 001 (low flow option)



Rainshower Ceiling Shower Arm  
27 487 000



Grotherm F Wall union  
27 621 000



Pressure Balance and Thermostat Trim  
19 375 000 and 27 620 000



Rainshower "F" Series  
27 285 000



Rainshower Shower Arm  
27 489 000



Sena Hand Shower  
28 341 000  
26 465 000 (low flow option)



Diverter and Triple Volume Control Trims  
27 625 000 and 19 591 000



Rainshower "F" Series  
27 254 000



Rainshower Allure 230  
27 480 000  
26 469 000 (low flow option)



Rainshower "F" Series Body Spray  
27 252 000



Power&Soul Handshower  
27 664 000/ENO



Volume Control Trims  
27 623 000 and 19 385 000



## ACCESSORIES/ACTUATION PLATE



Robe Hook  
40 284 000



24" Towel Bar  
40 341 000



Paper Holder  
40 279 000











8" Towel Ring  
40 339 000



Skate Cosmopolitan  
38 732 000

		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Allure</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 9 1/16" Faucet height</li> <li>• 6 5/16" Spout reach</li> <li>• 7 1/2" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Spoke handles</li> <li>• Stainless steel braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p><b>20 148 00A</b></p> 	GROHE StarLight® Chrome	<b>\$ 1,194</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Allure</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 9 1/16" Faucet height</li> <li>• 6 5/16" Spout reach</li> <li>• 7 1/2" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Lever handles</li> <li>• Stainless steel braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p><b>20 191 00A</b></p>  	GROHE StarLight® Chrome	<b>\$ 1,194</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Allure</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 9 1/8" Faucet height</li> <li>• 5 1/2" Spout reach</li> <li>• 7 3/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix®- Quick installation system</li> <li>• Metal lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p><b>32 128 00A</b></p>  	GROHE StarLight® Chrome	<b>\$ 1,029</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Allure</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 6 3/16" Faucet height (when in use)</li> <li>• 4 1/16" Spout reach</li> <li>• 2 7/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix®- Quick installation system</li> <li>• Metal lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p><b>23 077 00A</b></p>  	GROHE StarLight® Chrome	<b>\$ 805</b>

		Product #	Colour/Description	Price
 	<p><b>Allure</b> 2-Hole Wall Mount Vessel Trim</p> <ul style="list-style-type: none"> <li>• 6 3/4" Spout reach</li> <li>• Solid brass construction</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Lever handle</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul> <p><b>Requires Vessel Rough-In Valve 33 780 (see below)</b></p> <p>For vessel sink pop-up drain, see 65 818 below.</p>	<p><b>19 300 00A</b></p> 	<p>GROHE StarLight® Chrome</p>	<p><b>\$ 1,085</b></p>
 	<p><b>Allure</b> 2-Hole Wall Mount Vessel Trim</p> <ul style="list-style-type: none"> <li>• 8 11/16" Spout reach</li> <li>• Solid brass construction</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Lever handle</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul> <p><b>Requires Vessel Rough-In Valve 33 780 (see below)</b></p> <p>For vessel sink pop-up drain, see 65 818 below.</p>	<p><b>19 387 00A</b></p> 	<p>GROHE StarLight® Chrome</p>	<p><b>\$ 1,163</b></p>
	<p><b>2-Hole Wall Mount Vessel</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1/2" NPT female inlets</li> <li>• 4 5/16" Centre to centre</li> <li>• Cast brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>For vessel sink pop-up drain, see 65 818 below.</p>	<p><b>33 780 000</b></p>		<p><b>\$ 316</b></p>
	<p><b>Vessel Sink Pop-Up Drain</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finish</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	<p><b>65 818 000</b></p> 	<p>GROHE StarLight® Chrome</p>	<p><b>\$ 154</b></p>








		Product #	Colour/Description	Price
	<p><b>Allure</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 1/4" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 79" Hose</li> <li>• CALGreen/CEC compliant</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> <li>• 3/4" Copper connections</li> <li>• Spoke Handles</li> </ul>	<b>25 083 001</b> CEC	GROHE StarLight® Chrome	<b>\$ 2,645</b>
	<p><b>Allure</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 1/4" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 79" Hose</li> <li>• CALGreen/CEC compliant</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> <li>• 3/4" Copper connections</li> <li>• Lever handles</li> </ul>	<b>25 097 001</b> CEC	GROHE StarLight® Chrome	<b>\$ 2,645</b>
	<p><b>Allure</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 1/4" Diverter spout reach</li> <li>• 7 3/8" Aerator height</li> <li>• Single lever control</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• CALGreen/CEC compliant</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	<b>19 302 001</b> CEC	GROHE StarLight® Chrome	<b>\$ 2,460</b>
	<p><b>Allure</b> Floor-Mounted Tub Filler**</p> <ul style="list-style-type: none"> <li>• 31 1/2" - 34 5/8" Product height*</li> <li>• 29 3/16" - 32 3/8" Aerator height*</li> <li>• 11 13/16" Spout reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 49" Metal shower hose</li> <li>• Sena hand shower (26 465), 6.6 L/min (1.75 gpm)</li> <li>• Metal lever handle</li> </ul> <p>Requires Rough-In Set 29 038 (see below)</p> <p>Optional in-line remote pressure balance valve (35 204)</p>	<b>32 754 002</b> CEC	GROHE StarLight® Chrome	<b>\$ 3,286</b>
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold supplies)</li> </ul>	<b>29 038 001</b>		<b>\$ 381</b>






ALLURE








\* Overall height dependent upon installation of rough-in set | \*\* To be installed in accordance with local plumbing codes

		Product #	Colour/Description	Price
	<p><b>Allure</b> Floor-Mounted Tub Spout**</p> <ul style="list-style-type: none"> <li>• 31 1/2" - 34 5/8" Product height*</li> <li>• 29 1/4" - 32 3/8" Aerator height*</li> <li>• 11 13/16" Spout reach</li> <li>• GROHE StarLight® finish</li> <li>• Fixed spout</li> </ul> <p>Requires Rough-In Set 29 038 (see page 65)</p> <p>Optional in-line remote pressure balance valve (35 204)</p>	★ 13 218 000	GROHE StarLight® Chrome	\$ 2,646
	<p><b>Allure</b> 6 3/4" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 265 000	GROHE StarLight® Chrome	\$ 450
	<p><b>Allure</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Grip handle temperature control</li> <li>• Requires separate volume control (See page 68 for matching volume control trim/valve.)</li> <li>• GROHE StarLight® finish</li> <li>• Temperature provided in degrees Fahrenheit</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p><b>For use with Grotherm® Rough-In Valve 34 331 or 34 397 (see below)</b></p>	19 305 000	GROHE StarLight® Chrome	\$ 605
	<p><b>Grotherm®</b> Thermostat Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Paraffin cartridge</li> <li>• NPT</li> <li>• Service stops</li> <li>• Built-in check valves</li> <li>• Temperature control only</li> <li>• GROHE TurboStat® Technology</li> <li>• Back-to-back installation by reversing the cartridge housing – No additional parts required</li> </ul> <p><b>Requires separate volume control</b></p> <p>Requires Twin EII For Shower/Tub Combinations with Diverter Spout (not included, see page 282)</p> <p>34 331 – 34 L/min (9 gpm) at 45 PSI (1/2" Valve) 34 397 – 61 L/min (16 gpm) at 45 PSI (3/4" Valve)</p> <p><b>Meets ASSE standard 1016</b></p>	<p>34 331 000</p> <p>34 397 000</p>	<p>1/2" Valve - with Service Stops</p> <p>3/4" Valve - with Service Stops</p>	<p>\$ 339</p> <p>\$ 508</p>

		Product #	Colour/Description	Price
	<p><b>Allure</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	<p><b>19 375 000</b></p> 	GROHE StarLight® Chrome	<b>\$ 444</b>
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p><b>35 015 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	<b>\$ 175</b>
	<p><b>Optional 1" Extension Kit</b></p>	<b>47 996 000</b>		<b>\$ 83</b>
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>★ <b>35 064 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	<b>\$ 175</b>
	<p><b>Optional 1" Extension Kit</b></p>	<b>47 996 000</b>		<b>\$ 83</b>
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>★ <b>35 065 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	<b>\$ 175</b>
	<p><b>Optional 1" Extension Kit</b></p>	<b>47 996 000</b>		<b>\$ 83</b>




Note: Products listed with ★ (stars) are available while supplies last.

		Product #	Colour/Description	Price
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b></p>	<p>★ <b>35 066 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p> <p><b>47 996 000</b></p>	<p>Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†</p>	<p><b>\$ 144</b></p> <p><b>\$ 83</b></p>
	<p><b>Allure</b> Pressure Balance Diverter Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valves 35 033 and 35 016 (see below)</p>	<b>19 376 000</b>	GROHE StarLight® Chrome	<b>\$ 508</b>
	<p><b>Grohsafe®</b> Pressure Balance Rough-In Valve with Built-In Manual Diverter</p> <ul style="list-style-type: none"> <li>• Handle limit stop</li> <li>• Diaphragm cartridge</li> <li>• Check valves</li> <li>• Service stops</li> <li>• Allows for easy diversion between two outlets</li> </ul> <p>Max Flow Rate: 17 L/min (4.6 gpm) at 45 psi</p> <p><b>Same as above (with automatic diverter)</b></p> <ul style="list-style-type: none"> <li>• To be used with tub/shower combination only</li> </ul> <p>Max Flow Rate: 22 L/min (5.8 gpm) at 45 psi</p>	<p><b>35 033 000</b></p> <p>† Universal connection is 1/2" male by copper sweat.</p> <p><b>35 016 000</b></p> <p>† Universal connection is 1/2" male by copper sweat.</p>	<p>Inlets: 1/2" Universal† Outlets: 1/2" Universal†</p>	<p><b>\$ 264</b></p> <p><b>\$ 264</b></p>
	<p><b>Allure</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Allure lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p><b>For use with Rough-In Valve 35 029 (see below)</b></p> <p>When using the 3/4" volume control valve (29 274) you must follow the rough in dimensions from the valve (35 029)</p>	<p><b>19 385 000</b></p> <p>♿</p>	GROHE StarLight® Chrome	<b>\$ 370</b>
	<p><b>Grotherm® F</b> Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with GrohFlex® Grotherm® F system</li> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 3/4" GROHE SilkMove® ceramic cartridge, 90° turn</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 15/16" installation depth</li> <li>• 55 L/min (14.5 gpm) at 45 psi</li> </ul>	<b>35 029 000</b>	1/2" NPT	<b>\$ 188</b>

		Product #	Colour/Description	Price
	<p><b>Allure</b> 3-way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p><b>For use with Diverter Rough-In Valve 29 035 (see below)</b></p>	19 591 000 ♿	GROHE StarLight® Chrome	\$ 360
 	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 3 Discrete, 3 shared functions</li> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays.</p>	29 035 000	5-Port	\$ 344
	<p><b>GrohFlex® Grohtherm® F</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Metal handle for temperature control</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 sold separately (see below)</p>	27 620 000	GROHE StarLight® Chrome	\$ 878
	<p><b>GrohFlex®</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul>	35 026 000		\$ 187
	<p><b>Grohtherm® F</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohtherm® F Volume Control Rough-In Set (35 029 000) sold separately (see below).</p>	27 623 000	GROHE StarLight® Chrome	\$ 316
	<p><b>Grohtherm® F</b> Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with GrohFlex® Grohtherm® F system</li> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• ¾" GROHE SilkMove® ceramic cartridge, 90° turn</li> <li>• ½" NPT connection</li> <li>• 2 ¾" – 3 15/16" installation depth</li> <li>• 55 L/min (14.5 gpm) at 45 psi</li> </ul>	35 029 000	½" NPT	\$ 188

		Product #	Colour/Description	Price
	<p><b>Grotherm® F</b> Triple Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handles</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grotherm® F Triple Volume Control Rough-In Set (35 032 000), sold separately (see below).</p>	27 625 000	GROHE StarLight®Chrome	\$ 815
	<p><b>Grotherm® F</b> Triple Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with GroFlex® and Grotherm® F system</li> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• ¾" GROHE SilkMove® ceramic cartridges, 90° turn</li> <li>• 1 inlet, 3 outlets</li> <li>• ½" NPT connections</li> <li>• 2¾" – 3 1⁄8" installation depth</li> </ul> <p>Flow rates: 1 shut-off valve open - 55 L/min (14.5 gpm) 2 shut-off valves open - 110 L/min (29 gpm) 3 shut-off valves open - 140 L/min (37 gpm)</p>	35 032 000	½" NPT	\$ 544
	<p><b>Grotherm® F</b> Wall Union with Integrated Hand Shower Holder</p> <ul style="list-style-type: none"> <li>• Horizontal or vertical installation</li> <li>• ½" Shower outlet</li> <li>• GROHE StarLight® finish</li> <li>• Protected against backflow</li> <li>• Hand shower and hose sold separately</li> </ul> <p>Requires Grotherm® F Wall Union Rough-In Set (35 035 000) sold separately</p>	27 621 000	GROHE StarLight®Chrome	\$ 455
	<p><b>Grotherm® F</b> Wall Union Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with Grotherm® F system</li> <li>• Built-in box with removable protection cover</li> <li>• Flushing plug</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• ½" NPT connection</li> <li>• 2¾" – 3 1⁄8" installation depth</li> </ul>	35 035 000	½" NPT	\$ 296



		Product #	Colour/Description	Price
	<p><b>Allure</b> 24" Towel Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 341 000	GROHE StarLight® Chrome	\$ 387
	<p><b>Allure</b> 8" Towel Ring</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 339 000	GROHE StarLight® Chrome	\$ 260
	<p><b>Allure</b> Robe Hook</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 284 000	GROHE StarLight® Chrome	\$ 181
	<p><b>Allure</b> Paper Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 279 000	GROHE StarLight® Chrome	\$ 270

# GROHE ATRIO®



# GROHE

## POPULAR COMBINATIONS



### FAUCETS



Lavatory  
High Spout Wideset  
20 069 003/EN3 +  
18 027 003/EN3



Lavatory  
Low Spout Wideset  
20 072 003/EN3 +  
18 026 003/EN3



Lavatory  
High Spout Centreset  
21 027 003/EN3 +  
18 026 003/EN3



Lavatory  
Low Spout Centreset  
21 031 003/EN3 +  
18 027 003/EN3



3-Hole Wall Mount  
Vessel Trim  
20 173 003/EN3 +  
18 026 003/EN3

### BATH FIXTURES



Roman Tub Filler  
25 048 003/EN3 +  
18 033 003/EN3



Roman Tub Filler with Hand Shower  
25 049 003/EN3 +  
18 034 003/EN3



Floor-Mounted Tub Filler  
with Hand Shower  
32 653 003



Tub Spout  
13 164 003/EN3

### SHOWER FIXTURES



Rainshower Cosmopolitan 400  
28 783 000/ENO



Rainshower Jumbo  
Shower Arm  
28 983 000/ENO



Rainshower Cosmopolitan 310  
27 478 000



Rainshower Shower Arm  
28 577 000/ENO



Rainshower Cosmopolitan 210  
28 373 000/ENO



6 5/8" Tubular Shower Arm  
27 412 000/ENO



Power & Soul Cosmopolitan 130  
Shower Set  
27 732 000



GrohSAFE 3.0 Pressure  
Balance Valve Trim  
14 467 000 / ENO



Single Function  
Thermostatic Trim  
24 150 003/EN3



Pressure Balance  
Diverter Valve Trim  
19 867 003/EN3



Dual Function  
Thermostatic Trim  
24 151 003/EN3



Power & Soul Cosmopolitan 190  
27 765 000/ENO



Rainshower Hand Shower  
27 085 000/ENO



Tub Spout  
13 164 003/EN3



3-Way Diverter Trim  
29 216 001/EN1

### ACCESSORIES



Robe Hook  
40 312 003/EN3



Towel Ring  
40 307 003/EN3



18" Double Towel Bar  
40 308 003/EN3

24" Towel Bar  
40 309 003/EN3



Paper Holder  
40 313 003/EN3























Glass  
40 254 003











Soap Dish  
40 256 003



Soap Dispenser  
40 306 003

		Product #	Handle #	Colour/Description	Price
 	<p><b>Atrio</b> M-Size, Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 9<sup>3</sup>/<sub>16</sub>" Faucet height</li> <li>• 4<sup>15</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 6<sup>7</sup>/<sub>16</sub>" Aerator height</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Adjustable high temperature limit stop</li> <li>• Push-open 1 1/4" drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 831 003 23 831 EN3</p>  		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 462 602</p>
 	<p><b>Atrio</b> L-Size, Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 11 7/8" Faucet height</li> <li>• 6<sup>9</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 7<sup>15</sup>/<sub>16</sub>" Aerator height</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Adjustable high temperature limit stop</li> <li>• Push-open 1 1/4" drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 828 003 23 828 EN3</p>  		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 545 709</p>
 	<p><b>Atrio</b> XL-Size, Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 16 5/8" Faucet height</li> <li>• 7<sup>1</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 12<sup>13</sup>/<sub>16</sub>" Aerator height</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Adjustable high temperature limit stop</li> <li>• Push-open 1 1/4" drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 834 003 23 834 EN3</p>  		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 751 976</p>
 	<p><b>Atrio</b> Low Spout Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 9<sup>3</sup>/<sub>16</sub>" Faucet height</li> <li>• 4<sup>15</sup>/<sub>16</sub>" Spout reach</li> <li>• 6<sup>7</sup>/<sub>16</sub>" Aerator height</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Adjustable high temperature limit stop</li> <li>• Push-open 1 1/4" drain assembly</li> <li>• Less handles – order 18 026 or 18 027 handles (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>21 031 003 21 031 EN3</p> 	<p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 75</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 801 1,115</p>
 	<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see page 75)</li> </ul> <p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see page 75)</li> </ul>	<p>21 031 003 + 18 026 003 21 031 EN3 + 18 026 EN3</p> 		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
		<p>21 031 003 + 18 027 003 21 031 EN3 + 18 027 EN3</p>  		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	

	Product #	Handle #	Colour/Description	Price
	<b>21 027 003</b> <b>21 027 EN3</b> CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 818</b> <b>1,082</b>
	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW			
	<b>21 027 003 + 18 026 003</b> <b>21 027 EN3 + 18 026 EN3</b> CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	Same as above with Atrio cross handles • Atrio cross handles (sold separately, see below)			
	<b>21 027 003 + 18 027 003</b> <b>21 027 EN3 + 18 027 EN3</b> CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	Same as above with Atrio lever handles • Atrio lever handles (sold separately, see below)			
	<b>21 046 003</b> <b>21 046 EN3</b> CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 967</b> <b>1,257</b>
	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW			
	<b>21 046 003 + 18 026 003</b> <b>21 046 EN3 + 18 026 EN3</b> CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	Same as above with Atrio cross handles • Atrio cross handles (sold separately, see below)			
	<b>21 046 003 + 18 027 003</b> <b>21 046 EN3 + 18 027 EN3</b> CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	Same as above with Atrio lever handles • Atrio lever handles (sold separately, see below)			
	<b>18 026 003</b> <b>18 026 EN3</b>		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 119</b> <b>154</b>
Atrio Cross handles (Sold in pairs)				
<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Two different sets of caps included, one with "H" and "C" markings, and one set without</li> </ul> 18 026 – For lavatory faucets				
	<b>18 027 003</b> <b>18 027 EN3</b> CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 119</b> <b>154</b>
Atrio Lever handles (Sold in pairs)				
<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Two different sets of caps included, one with "H" and "C" markings, and one set without</li> </ul> 18 027 – For lavatory faucets				

	Product #	Handle #	Colour/Description	Price
  	 <p>Certified by IAPMO R&amp;T</p>	<p><b>Atrio</b> Low Spout Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 6<sup>3</sup>/<sub>16</sub>" Faucet height</li> <li>• 5<sup>13</sup>/<sub>16</sub>" Spout reach</li> <li>• 3<sup>1</sup>/<sub>16</sub>" Aerator height</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Stainless steel flex lines</li> <li>• Includes drain assembly</li> <li>• Less handles – order 18 026 or 18 027 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>		<p><b>\$ 664</b> <b>907</b></p>
		<p><b>20 072 003</b> <b>20 072 EN3</b></p> <p>CEC</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 77</p>		
		<p><b>20 072 003 + 18 026 003</b> <b>20 072 EN3 + 18 026 EN3</b></p> <p>CEC</p> <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>		
<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see page 77)</li> </ul>		<p><b>20 072 003 + 18 027 003</b> <b>20 072 EN3 + 18 027 EN3</b></p> <p>CEC</p> <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>		
<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see page 77)</li> </ul>		<p><b>20 069 003</b> <b>20 069 EN3</b></p> <p>CEC</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 77</p>		<p><b>\$ 664</b> <b>907</b></p>
  	 <p>Certified by IAPMO R&amp;T</p>	<p><b>Atrio</b> High Spout Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 11<sup>7</sup>/<sub>16</sub>" Faucet height</li> <li>• 6<sup>9</sup>/<sub>16</sub>" Spout reach</li> <li>• 7<sup>1</sup>/<sub>2</sub>" Aerator height</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Stainless steel flex lines</li> <li>• Includes drain assembly</li> <li>• Less handles – order 18 026 or 18 027 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>		
		<p><b>20 069 003 + 18 026 003</b> <b>20 069 EN3 + 18 026 EN3</b></p> <p>CEC</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 77</p>		
		<p><b>20 069 003 + 18 027 003</b> <b>20 069 EN3 + 18 027 EN3</b></p> <p>CEC</p> <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>		
<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see page 77)</li> </ul>		<p><b>20 069 003 + 18 027 003</b> <b>20 069 EN3 + 18 027 EN3</b></p> <p>CEC</p> <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>		
<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see page 77)</li> </ul>		<p><b>20 069 003 + 18 026 003</b> <b>20 069 EN3 + 18 026 EN3</b></p> <p>CEC</p> <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>		






		Product #	Handle #	Colour/Description	Price
	<p><b>Atrio</b> Wall Mount Vessel Trim</p> <ul style="list-style-type: none"> <li>• 7 1/16" Spout reach</li> <li>• Solid brass body</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Less handles – order 18 026 or 18 027 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>Requires Vessel Rough-In Valve 33 885</p> <p>Vessel sink pop-up drain 28 754 sold separately.</p>	<p><b>20 173 003</b> <b>20 173 EN3</b></p> <p></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>	<p><b>\$ 437</b> <b>603</b></p>
	<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see below)</li> </ul>	<p><b>20 173 003 + 18 026 003</b> <b>20 173 EN3 + 18 026 EN3</b></p> <p></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see below)</li> </ul>	<p><b>20 173 003 + 18 027 003</b> <b>20 173 EN3 + 18 027 EN3</b></p> <p></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>3-Hole Wall Mount Vessel</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1/2" NPT female inlets</li> <li>• 8" On-centre rough-in valve</li> <li>• Cast brass construction</li> <li>• GROHE SilkMove® 1/4 turn ceramic cartridges</li> </ul>	<p><b>33 885 000</b></p>			<p><b>\$ 328</b></p>
	<p><b>Vessel Sink Pop-Up Drain</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finishes</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	<p><b>28 754 000</b> <b>28 754 EN0</b></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 158</b> <b>232</b></p>
	<p><b>Atrio</b> Cross handles (Sold in pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Two different sets of caps included, one with "H" and "C" markings, and one set without</li> </ul> <p>18 026 – For lavatory faucets</p>	<p><b>18 026 003</b> <b>18 026 EN3</b></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 119</b> <b>154</b></p>
	<p><b>Atrio</b> Lever handles (Sold in pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Two different sets of caps included, one with "H" and "C" markings, and one set without</li> </ul> <p>18 027 – For lavatory faucets</p>	<p><b>18 027 003</b> <b>18 027 EN3</b></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 119</b> <b>154</b></p>






ATRIO







\* Additional Low Flow Solutions, see page 301.

		Product #	Handle #	Colour/Description	Price
	<p><b>Atrio</b> Roman Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 7/16" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 79" Hose</li> <li>• 3/4" Copper connections</li> <li>• Less handles – order 18 033 or 18 034 (sold separately)</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> <li>• Supply hose not included</li> <li>• Max. Flow Rate: 25 L/min (6.6 gpm)</li> </ul>	<p><b>25 049 003</b> <b>25 049 EN3</b></p> <p><small>CEC</small></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 1,679</b> <b>2,183</b></p>
	<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see below)</li> </ul>	<p><b>25 049 003 + 18 033 003</b> <b>25 049 EN3 + 18 033 EN3</b></p> <p><small>CEC</small></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see below)</li> </ul>	<p><b>25 049 003 + 18 034 003</b> <b>25 049 EN3 + 18 034 EN3</b></p> <p><small>CEC</small></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>Atrio</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• 9 1/16" Spout reach</li> <li>• 6" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 3/4" Copper connections</li> <li>• Less handles – order 18 033 or 18 034 (sold separately)</li> <li>• Supply hose included</li> <li>• Max. Flow Rate: 25 L/min (6.6 gpm)</li> </ul>	<p><b>25 048 003</b> <b>25 048 EN3</b></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 983</b> <b>1,317</b></p>
	<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see below)</li> </ul>	<p><b>25 048 003 + 18 033 003</b> <b>25 048 EN3 + 18 033 EN3</b></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see below)</li> </ul>	<p><b>25 048 003 + 18 034 003</b> <b>25 048 EN3 + 18 034 EN3</b></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>Atrio</b> Cross handles (Sold in pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Two different sets of caps included, one with "H" and "C" markings, and one set without</li> </ul> <p>18 033 – For Roman Tub Fillers</p>	<p><b>18 033 003</b> <b>18 033 EN3</b></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 123</b> <b>160</b></p>
	<p><b>Atrio</b> Lever handles (Sold in pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Two different sets of caps included, one with "H" and "C" markings, and one set without</li> </ul> <p>18 034 – For Roman Tub Fillers</p>	<p><b>18 034 003</b> <b>18 034 EN3</b></p>		<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 123</b> <b>160</b></p>






		Product #	Colour/Description	Price
	<p><b>Atrio</b> Floor-Mounted Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 36 3/16"–40 15/16" Product height*</li> <li>• 11 7/8" Spout reach</li> <li>• 30 5/16"–34 3/8" Aerator height*</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 49" SilverFlex hose</li> <li>• Adjustable high temperature limit stop</li> <li>• Adjustable flow rate limiter</li> <li>• 1/2" (13 mm) Integrated non-return valve in the shower outlet</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Requires Rough-In Set 29 038 (sold separately)</p> <p>Optional In-line Remote Pressure Balance Valve 35 204</p>	<p><b>32 653 003</b> <b>32 653 EN3</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 2,200</b> <b>2,860</b></p>
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold-supplies)</li> </ul>	<b>29 038 001</b>		<b>\$ 381</b>
	<p><b>Atrio</b> Pressure Balance Trim</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> </ul> <p>Requires Grohsafe® Rough-In Valve 35 015, 35 064, 35 065, or 35 066 (sold separately)</p>	<p>★ <b>19 866 003</b> ★ <b>19 866 EN3</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 298</b> <b>388</b></p>
	<p><b>new</b> <b>Atrio®</b> Pressure Balance Valve Trim with Cartridge</p> <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0 gpm) (top port) at 45 psi (19 L/min)</li> </ul> <p>For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<p><b>14 467 000</b> <b>14 467 EN0</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 399</b> <b>499</b></p>
	<p><b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 110 000</b></p>	<p>1/2" Universal Inlets† 1/2" Universal Outlets†</p>	<p><b>\$ 146</b></p>
	<p><b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 111 000</b></p>	<p>1/2" PEX Crimp (ASTM F1807) Inlets 1/2" Universal Outlets†</p>	<p><b>\$ 146</b></p>

			Product #	Colour/Description	Price
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 112 000</b></p> <p>† Male NPT thread with 1/2" female fitting</p>	<p>1/2" PEX Cold Expansion (ASTM F1960) Inlets 1/2" Universal Outlets†</p>	<b>\$ 146</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 113 000</b></p>	<p>1/2" Stub-out Inlets 1/2" Stub-out Outlets</p>	<b>\$ 177</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 115 000</b></p> <p>† Male NPT thread with 1/2" female fitting</p>	<p>1/2" PEX Crimp (ASTM F1807) Elbow Inlets 1/2" Universal Outlets†</p>	<b>\$ 177</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 116 000</b></p> <p>† Male NPT thread with 1/2" female fitting</p>	<p>1/2" PEX Cold Expansion (ASTM F1960) Elbow Inlets 1/2" Universal Outlets†</p>	<b>\$ 177</b>
		<p><b>Atrio</b> Pressure Balance Diverter Valve Trim</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> </ul> <p>Requires Grohsafe® Rough-In Valve 35 016 or 35 033 (sold separately)</p>	<p><b>19 867 003</b> <b>19 867 EN3</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<b>\$ 463</b> <b>602</b>
		<p><b>Grohsafe®</b> Pressure Balance Rough-In Valve with Built-In Manual Diverter</p> <ul style="list-style-type: none"> <li>• Handle limit stop</li> <li>• Diaphragm cartridge</li> <li>• Check valves</li> <li>• Service stops</li> <li>• Allows for easy diversion between two outlets</li> </ul> <p>Max Flow Rate: 17 L/min (4.6 gpm) at 45 psi</p>	<p><b>35 033 000</b></p> <p>† Universal connection is 1/2" male by copper sweat.</p>	<p>Inlets: 1/2" Universal† Outlets: 1/2" Universal†</p>	<b>\$ 264</b>
		<p><b>Same as above (with automatic diverter)</b></p> <ul style="list-style-type: none"> <li>• To be used with tub/shower combination only</li> </ul> <p>Max Flow Rate: 22 L/min (5.8 gpm) at 45 psi</p>	<p><b>35 016 000</b></p> <p>† Universal connection is 1/2" male by copper sweat.</p>	<p>Inlets: 1/2" Universal† Outlets: 1/2" Universal†</p>	<b>\$ 264</b>

		Product #	Colour/Description	Price
	<p><b>Atrio</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100 °F / 38 °C</li> <li>• 6 ¼" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated volume control and On/Off</li> </ul> <p>For use with Grohtherm® Rapido® SmartBox (35 601 000)</p>	<p><b>24 150 003</b> <b>24 150 EN3</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 579</b> <b>749</b></p>
	<p><b>Optional Service Stops</b></p>	<b>14 053 00M</b>		<b>\$ 55</b>
	<p><b>Atrio</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100 °F / 38 °C</li> <li>• 6 ¼" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated 2-way diverter (2 discrete functions)</li> </ul> <p>For use with Grohtherm® Rapido® SmartBox (35 601 000)</p>	<p><b>24 151 003</b> <b>24 151 EN3</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 639</b> <b>829</b></p>
	<p><b>Optional Aquadimmer Stop Ring for Shared Function</b></p> <ul style="list-style-type: none"> <li>• Special stop ring for Aquadimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul>	<b>14 060 000</b>		<b>\$ 47</b>
	<p><b>Optional Service Stops</b></p>	<b>14 053 00M</b>		<b>\$ 55</b>
	<p><b>Grohtherm® Rapido® SmartBox</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• 3 outlets ½" female NPT/Sweat</li> <li>• 2 Inlets below, ½" female NPT</li> <li>• Installation depth 3"-4 ⅛" (75-105 mm)</li> <li>• Connection unit in DR brass</li> <li>• Includes integrated pre-mounted flushing plug</li> <li>• Stable built-in box / protective cover</li> <li>• Mud guard with installation template</li> <li>• Leak-proof housing</li> <li>• Max. flow rate: <ul style="list-style-type: none"> <li>- 1 or 2 outlets - 29 L/min (7.7 gpm)</li> <li>- 3 outlets - 36 L/min (9.5 gpm)</li> </ul> </li> </ul> <p><b>Service Stops for maintenance of cartridge should be ordered with trim</b></p>	<b>35 601 000</b>		<b>\$ 168</b>
	<p><b>Atrio</b> 3-way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> </ul> <p>3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 902 or 29 903</p>	<p><b>29 216 001</b> <b>29 216 EN1</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 208</b> <b>269</b></p>
	<p><b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet / 3 outlets</li> <li>• 3 discrete functions (Non-shared)</li> <li>• ½" NPT</li> <li>• CALGreen Compliant</li> </ul>	<p><b>29 902 000</b> CEC</p>	3-Way (Discrete functions)	<b>\$ 277</b>
	<p><b>Same as above (Shared functions)</b></p> <ul style="list-style-type: none"> <li>• 3 Discrete /3 shared functions</li> </ul>	<b>29 903 000</b>	3-Way (Shared functions)	<b>\$ 277</b>

		Product #	Colour/Description	Price
	<p><b>Atrio</b> 6 3/4" Tub Spout</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• 6 3/4" Spout reach</li> <li>• Wall mount</li> <li>• 1/2" Inlet</li> </ul>	<p>13 164 003 13 164 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 298 387</p>
	<p><b>Atrio</b> 24" Towel Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 309 003 40 309 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 391 508</p>
	<p><b>Atrio</b> 18" Double Towel Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 308 003 40 308 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 319 415</p>
	<p><b>Atrio</b> 8" Towel Ring</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 307 003 40 307 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 257 334</p>
	<p><b>Atrio</b> Robe Hook</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 312 003 40 312 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 175 227</p>
	<p><b>Atrio</b> Toilet Paper Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 313 003 40 313 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 185 240</p>



		Product #	Colour/Description	Price
	<p><b>Atrio</b> Glass Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Glass (40 254) or Soap Dispenser (40 306)</p>	<p><b>40 304 003</b> <b>40 304 EN3</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 88</b> <b>115</b></p>
	<p><b>Atrio</b> Soap Dispenser</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p><b>Requires Holder 40 304</b></p>	<p><b>40 306 003</b> <b>40 306 EN3</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 88</b> <b>115</b></p>
	<p><b>Atrio</b> Glass</p> <ul style="list-style-type: none"> <li>• Material: Glass</li> </ul> <p><b>Requires Holder 40 304</b></p>	<p><b>40 254 003</b></p>	Clear Glass	<p><b>\$ 88</b></p>
	<p><b>Atrio</b> Holder For Soap Dish</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Soap Dish (40 256)</p>	<p><b>40 305 003</b> <b>40 305 EN3</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 88</b> <b>115</b></p>
	<p><b>Atrio</b> Soap Dish</p> <ul style="list-style-type: none"> <li>• Material: Glass</li> </ul> <p><b>Requires Holder 40 305</b></p>	<p><b>40 256 003</b></p>	Clear Glass	<p><b>\$ 33</b></p>

# GROHE BAULOOP™



GROHE

PROFESSIONAL

WORK SMARTER

# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Wideset  
**20 225 000**



Lavatory Centreset  
**23 084 000**

## BATH FIXTURES



Roman Tub Filler  
with Personal Hand Shower  
**19 592 000**



Tub Spout  
**13 286 000**



Diverter Tub Spout  
**13 287 000**

## SHOWER FIXTURES



Tempesta Cosmopolitan  
**27 591 001**



Euphoria Cosmopolitan 160  
**28 233 000**  
**27 807 000 (low flow option)**



Tempesta Cosmopolitan 100  
Shower Set  
**27 577 002**



Pressure Balance  
Valve Trim  
**19 595 000**



Tempesta Cosmopolitan 100  
Hand Shower  
**27 575 002**

## ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
**40 364 001/EN1**



Essentials  
24" Towel Bar  
**40 366 001/EN1**












Essentials  
8" Towel Ring  
**40 365 001/EN1**



Essentials  
Paper Holder  
**40 689 001/EN1**






Skate  
**38 862**  
**000/P000/SD0/SH0**

		Product #	Colour/Description	Price
 	<p><b>BauLoop</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 4 1/4" Faucet height</li> <li>• 3 9/16" Spout reach</li> <li>• 3 3/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Metal Loop Handles</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)*</li> </ul>	<p><b>20 225 000</b> ♿</p>	GROHE StarLight® Chrome	<b>\$ 376</b>
 	<p><b>BauLoop</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7" Faucet height (when in use)</li> <li>• 3 9/16" Spout reach</li> <li>• 3 7/16" Aerator height</li> <li>• 1 5/16" Ø hole mounting required</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Single loop handle</li> <li>• Nylon reinforced braided flexible inlet hoses</li> <li>• Quick installation system</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)*</li> </ul>	<p><b>23 084 000</b> ♿</p>	GROHE StarLight® Chrome	<b>\$ 235</b>
	<p><b>Optional Base Escutcheon Ring</b> Use if the existing hole is 1 1/2" Ø</p>	<b>48 052 000</b>	GROHE StarLight® Chrome	<b>\$ 13</b>
 	<p><b>BauLoop</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7" Faucet height (when in use)</li> <li>• 3 9/16" Spout reach</li> <li>• 3 7/16" Aerator height</li> <li>• 1 5/16" Ø hole mounting required</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Single Loop Handle</li> <li>• 23 1/2" Nylon reinforced braided flexible supplies</li> <li>• Less drain</li> <li>• For pop-up drain, see page 108.</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)*</li> </ul>	<p><b>23 085 000</b> ♿</p>	GROHE StarLight® Chrome	<b>\$ 212</b>
	<p><b>Optional Base Escutcheon Ring</b> Use if the existing hole is 1 1/2" Ø</p>	<b>48 052 000</b>	GROHE StarLight® Chrome	<b>\$ 13</b>
	<p><b>BauLoop</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 7 1/16" Spout reach</li> <li>• 3 11/16" Aerator height</li> <li>• Single loop handle control</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Tempesta Cosmopolitan 100 hand shower (26 046), 7.6 L/min (2.0 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	<b>19 592 000</b>	GROHE StarLight® Chrome	<b>\$ 852</b>

**NOTE - UNDERMOUNT INSTALLATIONS**

If using the BauLoop lavatory faucet in an undermount installation, consult the sink template or specification sheet. The faucet hole position indicated will determine if the BauLoop spout reach is suitable.

		Product #	Colour/Description	Price
	<p><b>BauLoop</b> 5 1/2" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall Mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push-down diverter activation</li> </ul>	13 287 000 ♿	GROHE StarLight® Chrome	\$ 161
	<p><b>BauLoop</b> 5 1/2" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall Mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 286 000	GROHE StarLight® Chrome	\$ 132
	<p><b>BauLoop</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Single lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	19 595 000 ♿	GROHE StarLight® Chrome	\$ 164
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 015 001	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b></p>	47 996 000		\$ 83
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	★ 35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b></p>	47 996 000		\$ 83

		Product #	Colour/Description	Price
	<b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve	<b>★ 35 065 001</b>	Inlets: ½" PEX Crimp/Clamp (1807) Outlets: ½" Universal†	<b>\$ 175</b>
	<ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is ½" male by copper sweat		
	<b>Optional 1" Extension Kit</b>	<b>47 996 000</b>		<b>\$ 83</b>
	<b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve	<b>★ 35 066 001</b>	Inlets: ½" Direct Sweat Outlets: ½" Universal†	<b>\$ 144</b>
	<ul style="list-style-type: none"> <li>• For sweat installation with ½" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is ½" male by copper sweat		
	<b>Optional 1" Extension Kit</b>	<b>47 996 000</b>		<b>\$ 83</b>

For matching accessories please refer to the Essentials collection starting on page 182.  
 For thermostatic valves and custom shower solutions please refer to GrohFlex® Cosmopolitan starting on page 208.

# GROHE CONCETTO™





# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Centreset  
34 702 001/EN1



Lavatory Centreset  
34 270 00A/ENA



Lavatory Centreset  
23 737 002/EN2



Lavatory Centreset  
32 138 002/EN2



Lavatory Wideset  
20 572 001/EN1



Lavatory Wideset  
20 217 00A/ENA

## BATH FIXTURES



Roman Tub Filler with  
Personal Hand Shower  
19 576 002/EN2



Diverter Tub Spout (Slip fit)  
13 366 000/ENO



Diverter Tub Spout  
13 275 001/EN1



Tub Spout  
13 274 001/EN1

## SHOWER FIXTURES



Euphoria Cosmopolitan 180  
27 492 000  
27 808 000 (low flow option)



Tempesta Cosmopolitan  
Shower Set  
27 577 002



Pressure Balance  
Trim with Diverter  
29 102 001/EN1



Grohsafe 3.0 Pressure  
Balance Valve Trim  
14 468 000 / EN0



Tempesta  
Cosmopolitan 100  
27 591 001



2-Way Diverter Trim  
(Shower Head / Tub Spout)  
29 104 001/EN1



2-Way Diverter Trim  
(Shower Head / Hand Shower)  
29 108 001/EN1



Tempesta  
Cosmopolitan 100  
26 366 001



Tempesta Cosmopolitan  
Hand Shower  
27 575 002



3-Way Diverter Trim  
(Shower Head / Hand Shower /  
Tub Spout)  
29 106 001/EN1

## ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001/EN1



Essentials  
24" Towel Bar  
40 366 001/EN1















Essentials  
8" Towel Ring  
40 365 001/EN1



Essentials  
Paper Holder  
40 689 001/EN1

























Skate  
38 862 000/P000/SD0/SH0







		Product #	Colour/Description	Price
 	<b>Concetto</b> XS-Size, Lavatory Centreset	<b>34 702 001</b> <b>34 702 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$253</b> <b>330</b>
 	<b>Concetto</b> Lavatory Centreset	<b>34 270 00A</b> <b>34 270 ENA</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$270</b> <b>351</b>
 	<b>Concetto</b> Lavatory Centreset	<b>34 271 00A</b> <b>34 271 ENA</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$248</b> <b>322</b>
 	<b>Concetto</b> L-Size, Lavatory Centreset	<b>23 737 002</b> <b>23 737 EN2</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$349</b> <b>457</b>

CONCETTO

\* Additional Low Flow Solutions, see page 301.

		Product #	Colour/Description	Price
 	<p><b>Concetto</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 11 7/8" Faucet height</li> <li>• 6" Spout reach</li> <li>• 8 1/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix®- Quick installation system</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• High temperature limit stop optional – order 46 375 000</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>32 138 002</b> <b>32 138 EN2</b></p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 349</b> <b>454</b></p>
 	<p><b>Concetto</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 4 11/16" Faucet height (when in use)</li> <li>• 5 5/16" Spout reach</li> <li>• 3 3/8" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Solid brass body</li> <li>• Metal lever handles</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>20 572 001</b> <b>20 572 EN1</b></p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 391</b> <b>510</b></p>
 	<p><b>Concetto</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 10 7/16" Faucet height</li> <li>• 6 1/16" Spout reach</li> <li>• 6 5/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Metal lever handles</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p><b>20 217 00A</b> <b>20 217 ENA</b></p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 423</b> <b>572</b></p>
 	<p><b>Concetto</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 11/16" Spout reach</li> <li>• 4 3/16" Aerator height</li> <li>• Single Lever Control</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cosmopolitan Stick hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	<p><b>19 576 002</b> <b>19 576 EN2</b></p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 1,375</b> <b>1,788</b></p>

		Product #	Colour/Description	Price
	<b>Concetto</b> 4 <sup>11</sup> / <sub>16</sub> " Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• For 1/2" copper pipe</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Pull-up diverter activation</li> </ul>	<b>13 366 000</b> <b>13 366 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 84</b> <b>110</b>
	<b>Concetto</b> 6 <sup>11</sup> / <sub>16</sub> " Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" NPT-FIP inlet</li> <li>• GROHE StarLight® finish</li> <li>• <b>Push-down diverter activation</b></li> </ul>	<b>13 275 001</b> <b>13 275 A01</b> <b>13 275 BE1</b> <b>13 275 EN1</b> <b>13 275 GN1</b> 	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 190</b> <b>271</b> <b>271</b> <b>247</b> <b>271</b>
	<b>Concetto</b> 6 <sup>11</sup> / <sub>16</sub> " Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" NPT-FIP inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 274 001</b> <b>13 274 A01</b> <b>13 274 BE1</b> <b>13 274 EN1</b> <b>13 274 GN1</b>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 154</b> <b>219</b> <b>219</b> <b>200</b> <b>219</b>
	<b>new</b> <b>Concetto</b> Pressure Balance Valve Trim with Cartridge <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0 gpm) (top port) at 45 psi (19 L/min)</li> </ul> For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)	<b>14 468 000</b> <b>14 468 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 185</b> <b>239</b>
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 110 000</b> † Male NPT thread with 1/2" female fitting	1/2" Universal Inlets† 1/2" Universal Outlets†	<b>\$ 146</b>
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 111 000</b> † Male NPT thread with 1/2" female fitting	1/2" PEX Crimp (ASTM F1807) Inlets 1/2" Universal Outlets†	<b>\$ 146</b>
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 112 000</b> † Male NPT thread with 1/2" female fitting	1/2" PEX Cold Expansion (ASTM F1960) Inlets 1/2" Universal Outlets†	<b>\$ 146</b>

		Product #	Colour/Description	Price
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 113 000</b>	1/2" Stub-out Inlets 1/2" Stub-out Outlets	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>			
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 115 000</b>	1/2" PEX Crimp (ASTM F1807) Elbow Inlets 1/2" Universal Outlets†	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with 1/2" female fitting		
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 116 000</b>	1/2" PEX Cold Expansion (ASTM F1960) Elbow Inlets 1/2" Universal Outlets†	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with 1/2" female fitting		
	<b>Concetto</b> Pressure Balance Valve Trim	★ <b>19 457 001</b> ★ <b>19 457 EN1</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 164</b> <b>213</b>
	<ul style="list-style-type: none"> <li>• Lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>			
	<b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve	<b>35 015 001</b>	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	<b>\$ 175</b>
	<ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b>	<b>47 996 000</b>		<b>\$ 83</b>
	<b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve	★ <b>35 064 001</b>	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	<b>\$ 175</b>
	<ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b>	<b>47 996 000</b>		<b>\$ 83</b>

		Product #	Colour/Description	Price
	<b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve	★ <b>35 065 001</b>	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	<b>\$ 175</b>
	<ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b>	<b>47 996 000</b>		<b>\$ 83</b>
	<b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve	★ <b>35 066 001</b>	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	<b>\$ 144</b>
	<ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b>	<b>47 996 000</b>		<b>\$ 83</b>
	<b>Concetto</b> Pressure Balance Diverter Valve Trim	<b>29 102 001</b> <b>29 102 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 206</b> <b>\$ 271</b>
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• Red / blue hot and cold markings</li> <li>• GROHE StarLight® finish</li> </ul> For use with Grohsafe® Rough-In Valves 35 016, 35 033			
	<b>Grohsafe®</b> Pressure Balance Rough-In Valve with Built-In Manual Diverter	<b>35 033 000</b>	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	<b>\$ 264</b>
	<ul style="list-style-type: none"> <li>• Handle limit stop</li> <li>• Diaphragm cartridge</li> <li>• Check valves</li> <li>• Service stops</li> <li>• Allows for easy diversion between two outlets</li> </ul> Max Flow Rate: 17 L/min (4.6 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat.		
	<b>Same as above (with automatic diverter)</b> <ul style="list-style-type: none"> <li>• To be used with tub/shower combination only</li> </ul> Max Flow Rate: 22 L/min (5.8 gpm) at 45 psi	<b>35 016 000</b>	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	<b>\$ 264</b>
		† Universal connection is 1/2" male by copper sweat.		

		Product #	Colour/Description	Price
	<p><b>Concetto</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/hand shower</li> </ul> <p>For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901</p>	<p><b>29 108 001</b> <b>29 108 EN1</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 122</b> <b>158</b></p>
	<p><b>Concetto</b> 2-Way Diverter Trim (Shower Head / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/tub spout</li> </ul> <p>For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901</p>	<p><b>29 104 001</b> <b>29 104 EN1</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 122</b> <b>158</b></p>
	<p><b>Diverter/Transfer (Discrete Functions)</b> 2-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet, 2 outlets</li> <li>• 2 discrete functions (Non-shared)</li> <li>• ½" NPT</li> </ul>	<p><b>29 900 000</b> CEC</p>	2-Way (Discrete functions)	<b>\$ 238</b>
	<p><b>Same as above (Shared functions)</b> • 2 Discrete, 1 shared function</p>	<p><b>29 901 000</b></p>	2-Way (Shared functions)	<b>\$ 238</b>
	<p><b>Concetto</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> <p>For use with 3-Way Diverter Rough-In Valves 29 902 or 29 903</p>	<p><b>29 106 001</b> <b>29 106 EN1</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 146</b> <b>190</b></p>
	<p><b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet, 3 outlets</li> <li>• 3 discrete functions (Non-shared)</li> <li>• ½" NPT</li> <li>• CALGreen/CEC Compliant</li> </ul>	<p><b>29 902 000</b> CEC</p>	3-Way (Discrete functions)	<b>\$ 277</b>
	<p><b>Same as above (Shared functions)</b> • 3 Discrete, 3 shared functions</p>	<p><b>29 903 000</b></p>	3-Way (Shared functions)	<b>\$ 277</b>

For matching accessories please refer to the Essentials collection starting on page 182.



GROHE  
**ESSENCE™**



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Centreset  
32 216 00A/A0A /  
BEA / ENA / GNA



Lavatory Centreset  
23 592 00A/A0A /  
BEA / ENA / GNA



Lavatory Centreset  
23 485 00A/A0A /  
BEA / ENA / GNA



Lavatory Centreset  
23 486 00A/A0A /  
BEA / ENA / GNA



Lavatory Centreset  
For Vessel Basin  
23 538 00A/A0A /  
BEA / ENA / GNA



Lavatory Wideset  
20 297 00A/A0A /  
BEA / ENA / GNA



Lavatory Wideset  
20 431 00A/A0A /  
BEA / ENA / GNA

### BATH FIXTURES



Roman Tub Filler with  
Personal Hand Shower  
19 578 00A / A0A /  
BEA / ENA / GNA



Floor Standing Tub Filler  
with Hand Shower  
23 491 00A / A0A /  
BEA / ENA / GNA



Concetto Diverter Tub Spout  
13 275 001/A01 /  
BE1 / EN1 / GN1



Concetto Tub Spout  
13 274 001/A01 /  
BE1 / EN1 / GN1

### SHOWER FIXTURES



Tempesta Cosmopolitan 100  
26 043 001 / A01 /  
BE1 / EN1 / GN1



6 5/8" Tubular Shower Arm  
27 412 000 / A00  
/ BE0 / EN0 / GN0



Rainshower 15" Shower Arm  
28 540 000 / A00 /  
BE0 / EN0 / GN0



Grohsafe 3.0 Pressure  
Balance Valve Trim  
14 472 000 / A00 /  
BE0 / EN0 / GN0



Grotherm SmartControl  
Single Function  
Thermostatic Trim  
29 136 000 / A00 /  
BE0 / EN0 / GN0



Rainshower Mono 310 Shower Head  
26 569 000 / A00 /  
BE0 / EN0 / GN0



Rainshower Wall Union  
26 635 000 / A00  
/ BE0 / EN0 / GN0



Rainshower Wall Mount  
Hand Shower Holder  
27 074 000 / A00  
/ BE0 / EN0 / GN0



3-Way Diverter Trim  
29 203 001 / A01 /  
BE1 / EN1 / GN1



Grotherm SmartControl  
Dual Function  
Thermostatic Trim  
29 137 000 / A00 /  
BE0 / EN0 / GN0



Sena Stick Hand Shower  
26 465 000 / A00 /  
BE0 / EN0 / GN0



RotaFlex Metal Longlife  
Metallic Hose  
28 417 000 / A00  
/ BE0 / EN0 / GN0



Rainshower  
24" Shower Bar  
26 602 000 / EN0



Rainshower  
36" Shower Bar  
26 603 000 / A00 /  
BE0 / EN0 / GN0



Grotherm SmartControl  
Triple Function  
Thermostatic Trim  
29 138 000 / A00 /  
BE0 / EN0 / GN0



Rainshower SmartActive  
Hand Shower  
26 545 000 / A00 /  
BE0 / EN0 / GN0

### ACCESSORIES



Essentials  
Robe Hook  
40 364 001/EN1 /  
BE1 / GN1 / A01



Essentials 18" Towel Bar  
40 688 001 / EN1 / BE1 / GN1 / A01  
Essentials 24" Towel Bar  
40 366 001 / EN1 / BE1 / GN1 / A01  
Essentials 32" Towel Bar  
40 386 001 / EN1 / BE1 / GN1 / A01



Essentials  
8" Towel Ring  
40 365 001/EN1 /  
BE1 / GN1 / A01



















Essentials  
Paper Holder  
40 689 001/EN1 /  
BE1 / GN1 / A01
















Essentials  
Spare Toilet Paper Holder  
40 385 001/EN1 /  
BE1 / GN1 / A01













Essentials  
12" Grab Bar  
40 421 001 / EN1 /  
BE1 / GN1 / A01

		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Essence</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 8 3/16" Faucet height (when in use)</li> <li>• 3 1/16" Spout reach</li> <li>• 4 3/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® Plus</li> <li>• 23 1/16" Nylon-reinforced braided flexible supplies</li> <li>• High temperature limit stop</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>32 216 00A</b> <b>32 216 A0A</b> <b>32 216 BEA</b> <b>32 216 ENA</b> <b>32 216 GNA</b></p> <p> </p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise</p>	<p><b>\$ 376</b></p>
				\$ 537
				\$ 537
				\$ 488
				\$ 537
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Essence</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 8 3/16" Faucet height (when in use)</li> <li>• 4 9/16" Spout reach</li> <li>• 4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® Plus</li> <li>• GROHE AquaGuide, 20° - 40° aerator angle</li> <li>• High temperature limit stop</li> <li>• 23 1/16" Nylon-reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>23 592 00A</b> <b>23 592 A0A</b> <b>23 592 BEA</b> <b>23 592 ENA</b> <b>23 592 GNA</b></p> <p> </p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise</p>	<p><b>\$ 376</b></p>
				\$ 537
				\$ 537
				\$ 488
				\$ 537
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Essence</b> Lavatory Centreset, M-Size</p> <ul style="list-style-type: none"> <li>• 7 5/8" Faucet height</li> <li>• 4 1/2" Spout reach</li> <li>• 6 5/16" Aerator height</li> <li>• Rotation disc allows for 150° or 360° swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® Plus</li> <li>• GROHE AquaGuide, 20° - 40° aerator angle</li> <li>• 23 1/16" Nylon-reinforced braided flexible supplies</li> <li>• High temperature limit stop</li> <li>• Forward rotating handle</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>23 485 00A</b> <b>23 485 A0A</b> <b>23 485 BEA</b> <b>23 485 ENA</b> <b>23 485 GNA</b></p> <p> </p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise</p>	<p><b>\$ 376</b></p>
				\$ 537
				\$ 537
				\$ 488
				\$ 537
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Essence</b> Lavatory Centreset, L-Size</p> <ul style="list-style-type: none"> <li>• 9 5/8" Faucet height</li> <li>• 5" Spout reach</li> <li>• 8 5/16" Aerator height</li> <li>• Rotation disc allows for 150° or 360° swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® Plus</li> <li>• GROHE AquaGuide, 20° - 40° aerator angle</li> <li>• 23 1/16" Nylon-reinforced braided flexible supplies</li> <li>• High temperature limit stop</li> <li>• Forward rotating handle</li> <li>• Quick installation system</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>23 486 00A</b> <b>23 486 A0A</b> <b>23 486 BEA</b> <b>23 486 ENA</b> <b>23 486 GNA</b></p> <p> </p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise</p>	<p><b>\$ 497</b></p>
				\$ 709
				\$ 709
				\$ 644
				\$ 709

		Product #	Colour/Description	Price		
 	<p><b>Essence</b> Lavatory Centreset for Vessel Basin, XL-Size</p> <ul style="list-style-type: none"> <li>• 14 5/16" Faucet height</li> <li>• 7 1/16" Spout reach</li> <li>• 12 11/16" Aerator height</li> <li>• Rotation disc allows for 90° or 360° swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® Plus</li> <li>• GROHE AquaGuide, 20° - 40° aerator angle</li> <li>• 23 1/16 Nylon-reinforced braided flexible supplies</li> <li>• High temperature limit stop</li> <li>• Forward rotating handle</li> <li>• Less drain – sold separately See 28 754 below</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>23 538 00A</b> <b>23 538 A0A</b> <b>23 538 BEA</b> <b>23 538 ENA</b> <b>23 538 GNA</b></p> <p> </p>	<p>GROHE StarLight® Chrome \$ <b>609</b> Hard Graphite <b>869</b> Polished Nickel InfinityFinish™ <b>869</b> Brushed Nickel InfinityFinish™ <b>768</b> Brushed Cool Sunrise <b>869</b></p>			
		<p><b>Vessel Sink Pop-Up Drain</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finishes</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	<p><b>28 754 000</b> <b>28 754 ENO</b></p>	<p>GROHE StarLight® Chrome \$ <b>158</b> Brushed Nickel InfinityFinish™ <b>232</b></p>		
	 	<p><b>Essence</b> Lavatory Wideset, M-Size</p> <ul style="list-style-type: none"> <li>• 7 5/8" Faucet height</li> <li>• 4 1/2" Spout reach</li> <li>• 6 5/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE AquaGuide, 20° - 40° aerator angle</li> <li>• Includes drain assembly</li> <li>• Metal lever handles</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>20 297 00A</b> <b>20 297 A0A</b> <b>20 297 BEA</b> <b>20 297 ENA</b> <b>20 297 GNA</b></p> <p> </p>	<p>GROHE StarLight® Chrome \$ <b>471</b> Hard Graphite <b>672</b> Polished Nickel InfinityFinish™ <b>672</b> Brushed Nickel InfinityFinish™ <b>613</b> Brushed Cool Sunrise <b>672</b></p>		
		 	<p><b>Essence</b> Lavatory Wideset, L-Size</p> <ul style="list-style-type: none"> <li>• 9 5/8" Faucet height</li> <li>• 4 1/2" Spout reach</li> <li>• 8 5/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE AquaGuide, 20° - 40° aerator angle</li> <li>• Includes drain assembly</li> <li>• Metal lever handles</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>20 431 00A</b> <b>20 431 A0A</b> <b>20 431 BEA</b> <b>20 431 ENA</b> <b>20 431 GNA</b></p> <p> </p>	<p>GROHE StarLight® Chrome \$ <b>593</b> Hard Graphite <b>845</b> Polished Nickel InfinityFinish™ <b>845</b> Brushed Nickel InfinityFinish™ <b>771</b> Brushed Cool Sunrise <b>845</b></p>	

		Product #	Colour/Description	Price
	<p><b>Essence</b> Roman Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 7 3/4" Spout reach</li> <li>• 5 7/16" Aerator height</li> <li>• Single lever control</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Chrome: Euphoria Cosmopolitan Stick Hand Shower (26 466), 6.6 L/min (1.75 gpm)</li> <li>• All other finishes: Sena Hand Shower (26 465) 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	<p><b>19 578 00A</b> <b>19 578 A0A</b> <b>19 578 BEA</b> <b>19 578 ENA</b> <b>19 578 GNA</b></p> <p></p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise</p>	<p><b>\$1,290</b> <b>1,841</b> <b>1,841</b> <b>1,677</b> <b>1,841</b></p>
	<p><b>Essence</b> Floorstanding Tub Filler</p> <ul style="list-style-type: none"> <li>• 30 1/16" - 33 7/8" Height*</li> <li>• 29 1/8" - 32 1/4" Aerator height*</li> <li>• 10 15/16" Spout reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 49" SilverFlex hose (28 362 040)</li> <li>• Chrome: Euphoria Cosmopolitan Stick Hand Shower (26 466), 6.6 L/min (1.75 gpm)</li> <li>• All other finishes: Sena Hand Shower (26 465) 6.6 L/min (1.75 gpm)</li> </ul> <p><b>Requires Rough-In Set 29 038 (see below)</b></p> <p>Optional In-line Remote Pressure Balance Valve (35 204)</p>	<p><b>23 491 00A</b> <b>23 491 A0A</b> <b>23 491 BEA</b> <b>23 491 ENA</b> <b>23 491 GNA</b></p> <p></p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise</p>	<p><b>\$ 1,795</b> <b>2,561</b> <b>2,561</b> <b>2,326</b> <b>2,561</b></p>
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold-supplies)</li> </ul>	<b>29 038 001</b>		<b>\$ 381</b>
	<p><b>new</b> <b>Essence</b> Pressure Balance Valve Trim with Cartridge</p> <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6L/min (5.2gpm) (bottom) and 11.3L/min (3.0gpm) (top port) at 45 psi (19 l/min)</li> </ul> <p>For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<p><b>14 472 000</b> <b>14 472 A00</b> <b>14 472 BE0</b> <b>14 472 EN0</b> <b>14 472 GN0</b></p> <p></p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise</p>	<p><b>\$ 279</b> <b>379</b> <b>379</b> <b>349</b> <b>379</b></p>
	<p><b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 110 000</b></p> <p>† Male NPT thread with 1/2" female fitting</p>	<p>1/2" Universal Inlets† 1/2" Universal Outlets†</p>	<b>\$ 146</b>
	<p><b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 111 000</b></p> <p>† Male NPT thread with 1/2" female fitting</p>	<p>1/2" PEX Crimp (ASTM F1807) Inlets 1/2" Universal Outlets†</p>	<b>\$ 146</b>

			Product #	Colour/Description	Price
	<b>new</b>	<p><b>GrohSafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 112 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Cold Expansion (ASTM F1960) Inlets ½" Universal Outlets†</p>	<b>\$ 146</b>
	<b>new</b>	<p><b>GrohSafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 113 000</b></p>	<p>½" Stub-out Inlets ½" Stub-out Outlets</p>	<b>\$ 177</b>
	<b>new</b>	<p><b>GrohSafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 115 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Crimp (ASTM F1807) Elbow Inlets ½" Universal Outlets†</p>	<b>\$ 177</b>
	<b>new</b>	<p><b>GrohSafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 116 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Cold Expansion (ASTM F1960) Elbow Inlets ½" Universal Outlets†</p>	<b>\$ 177</b>
		<p><b>GrohFlex® Essence</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>	<p><b>19 494 001</b> <b>19 494 EN1</b></p> <p>♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 338</b> <b>439</b></p>
		<p><b>GrohFlex® Essence</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>	<p><b>19 987 001</b> <b>19 987 EN1</b></p> <p>♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$477</b> <b>621</b></p>

		Product #	Colour/Description	Price
	<p><b>GrohFlex® Essence</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>	<p><b>19 988 001</b> <b>19 988 EN1</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 555</b> <b>721</b></p>
	<p><b>GrohFlex®</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GrohFlex® Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	<p><b>35 026 000</b></p>		<p><b>\$ 187</b></p>
	<p><b>Essence</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Diverter Rough-In Valve 29 902 or 29 903</p>	<p><b>29 203 001</b> <b>29 203 A01</b> <b>29 203 BE1</b> <b>29 203 EN1</b> <b>29 203 GN1</b> ♿</p>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<p><b>\$ 169</b> <b>249</b> <b>249</b> <b>219</b> <b>249</b></p>
	<p><b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet, 3 outlets</li> <li>• 3 discrete functions (Non-shared)</li> <li>• ½" NPT</li> <li>• CALGreen Compliant</li> </ul> <p><b>Same as above (Shared functions)</b> • 3 Discrete, 3 shared functions</p>	<p><b>29 902 000</b> CEC</p> <p><b>29 903 000</b></p>	3-Way (Discrete functions)  3-Way (Shared functions)	<p><b>\$277</b></p>  <p><b>\$277</b></p>

For matching accessories please refer to the Essentials collection starting on page 182.



GROHE  
**EUROCUBE® / EUROCUBE® JOY**



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 370 00A



Lavatory Centreset  
23 129 00A



Lavatory Centreset  
23 659 000



Lavatory Centreset  
23 184 00A



Lavatory Centreset For Vessel Basin  
23 671 000

### BATH FIXTURES



Roman Tub Filler with Personal Hand Shower  
19 897 000



Roman Tub Filler  
117982



Diverter Tub Spout  
13 307 000



Tub Spout  
13 305 000

### SHOWER FIXTURES



Rainshower Allure 230  
27 480 000



Power&Soul Cosmopolitan 190  
27 765 000/ENO



Euphoria Cube 150  
27 705 000



Tempesta Cosmopolitan 100  
27 591 001



Euphoria Cube Shower Set  
27 891 000



Rainshower SmartActive Hand Shower  
26 552 000



Allure Brilliant Wall Union  
27 708 000



Euphoria Cube Hand Shower  
27 888 000



Euphoria Cube Hand Shower Holder  
27 693 000



Grohsafe 3.0 Pressure Balance Valve Trim  
14 469 000



2-Way Diverter  
29 218 001



GrohFlex Cosmopolitan Square Pressure Balance Valve Trim  
19 925 000



3-Way Diverter  
29 217 001



Volume Control Trim  
19 910 000

### ACCESSORIES/ACTUATION PLATE



Selection Cube Robe Hook  
40 782 000



Selection Cube Towel Bar  
40 767 000



Selection Cube Paper Holder  
40 781 000



Selection Cube Soap Dish  
40 806 000



Skate Cosmopolitan  
38 732 000/P00/SH0/  
BEO/BRO/ENO



Essentials Cube Robe Hook  
40 511 001



Essentials Cube 24" Towel Bar  
40 509 001















Essentials Cube Paper Holder  
40 507 001



Essentials Cube Soap Dish  
40 754 001

# EUROCUBE® / EUROCUBE® JOY

EUROCUBE / EUROCUBE JOY

		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 7<sup>5</sup>/<sub>16</sub>" Faucet height (when in use)</li> <li>• 4<sup>1</sup>/<sub>16</sub>" Spout reach</li> <li>• 3<sup>5</sup>/<sub>8</sub>" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single Loop Handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• High temperature limit stop</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>23 129 00A</b></p> 	GROHE StarLight® Chrome	<b>\$ 401</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 7<sup>5</sup>/<sub>16</sub>" Faucet height (when in use)</li> <li>• 4<sup>1</sup>/<sub>16</sub>" Spout reach</li> <li>• 3<sup>5</sup>/<sub>8</sub>" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single Loop Handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Less drain assembly</li> <li>• High temperature limit stop</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>Vessel sink pop-up drain 65 818 or 28 754 sold separately.</p>	<p><b>23 133 00A</b></p> 	GROHE StarLight® Chrome	<b>\$ 365</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube</b> Lavatory Centreset, M-Size</p> <ul style="list-style-type: none"> <li>• 7<sup>15</sup>/<sub>16</sub>" Faucet height (when in use)</li> <li>• 5<sup>1</sup>/<sub>4</sub>" Spout reach</li> <li>• 4<sup>5</sup>/<sub>16</sub>" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Solid brass construction</li> <li>• Single loop handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>23 670 000</b></p> 	GROHE StarLight® Chrome	<b>\$ 434</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube Joy</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 7<sup>7</sup>/<sub>8</sub>" Faucet height</li> <li>• 3<sup>7</sup>/<sub>8</sub>" Spout reach</li> <li>• 3<sup>1</sup>/<sub>16</sub>" Aerator height</li> <li>• GROHE FeatherControl Joystick ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Solid brass construction</li> <li>• Joystick handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>23 655 000</b></p> 	GROHE StarLight® Chrome	<b>\$ 466</b>










# EUROCUBE® / EUROUCUBE® JOY

		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube Joy</b> Lavatory Centreset, M-Size</p> <ul style="list-style-type: none"> <li>• 8<sup>7</sup>/<sub>16</sub>" Faucet height</li> <li>• 5<sup>1</sup>/<sub>4</sub>" Spout reach</li> <li>• 4<sup>5</sup>/<sub>16</sub>" Aerator height</li> <li>• GROHE FeatherControl Joystick ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Joystick handle</li> <li>• 23<sup>1</sup>/<sub>2</sub>" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>23 659 000</b></p> 	GROHE StarLight® Chrome	<b>\$ 503</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube</b> Lavatory Centreset, L-Size</p> <ul style="list-style-type: none"> <li>• 9<sup>3</sup>/<sub>4</sub>" Faucet height</li> <li>• 5<sup>7</sup>/<sub>8</sub>" Spout reach</li> <li>• 8<sup>3</sup>/<sub>4</sub>" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Installation</li> <li>• 23<sup>1</sup>/<sub>2</sub>" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• High temperature limit stop</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>23 184 00A</b></p> 	GROHE StarLight® Chrome	<b>\$ 493</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube</b> Lavatory Centreset for Vessel Basin, XL-Size</p> <ul style="list-style-type: none"> <li>• 13<sup>7</sup>/<sub>16</sub>" Faucet height</li> <li>• 7<sup>1</sup>/<sub>16</sub>" Spout reach</li> <li>• 9<sup>13</sup>/<sub>16</sub>" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Single loop handle</li> <li>• 23<sup>1</sup>/<sub>2</sub>" Nylon reinforced braided flexible inlet hoses</li> <li>• Less drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>Vessel sink pop-up drain 65 818 or 28 754 sold separately.</p>	<p><b>23 671 000</b></p> 	GROHE StarLight® Chrome	<b>\$ 577</b>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube Joy</b> Lavatory Centreset for Vessel Basin XL-Size</p> <ul style="list-style-type: none"> <li>• 14" Faucet height</li> <li>• 7<sup>1</sup>/<sub>16</sub>" Spout reach</li> <li>• 9<sup>13</sup>/<sub>16</sub>" Aerator height</li> <li>• GROHE FeatherControl Joystick ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Joystick handle</li> <li>• 23<sup>1</sup>/<sub>2</sub>" Nylon reinforced braided flexible inlet hoses</li> <li>• Less drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>Vessel sink pop-up drain 65 818 or 28 754 sold separately.</p>	<p><b>23 662 000</b></p> 	GROHE StarLight® Chrome	<b>\$ 634</b>

\* Additional Low Flow Solutions, see page 301.

# EUROCUBE® / EUROCUBE® JOY

EUROCUBE / EUROCUBE JOY

		Product #	Colour/Description	Price
	<b>Vessel Sink Pop-Up Drain</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finishes</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	65 818 000	GROHE StarLight® Chrome	\$ 154
	<b>Vessel Sink Pop-Up Drain</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finishes</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	28 754 000	GROHE StarLight® Chrome	\$ 158
	<b>Eurocube</b> Lavatory Wideset <ul style="list-style-type: none"> <li>• 4<sup>9</sup>/<sub>16</sub>" Faucet height</li> <li>• 3<sup>13</sup>/<sub>16</sub>" Spout reach</li> <li>• 3<sup>11</sup>/<sub>16</sub>" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Metal loop handles</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	20 370 00A  	GROHE StarLight® Chrome	\$ 572
	<b>Eurocube</b> Roman Tub Filler <ul style="list-style-type: none"> <li>• 8<sup>11</sup>/<sub>16</sub>" Spout reach</li> <li>• 3 <sup>3</sup>/<sub>4</sub>" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	117982 	GROHE StarLight® Chrome	\$ 839
	<b>Eurocube</b> Roman Tub Filler with Personal Hand Shower** <ul style="list-style-type: none"> <li>• 8<sup>11</sup>/<sub>16</sub>" Spout reach</li> <li>• 3<sup>5</sup>/<sub>16</sub>" Aerator height</li> <li>• 1/2" Valves</li> <li>• Single loop handle</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 79" Hose</li> <li>• Pull diverter activation</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cube hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	19 897 001 	GROHE StarLight® Chrome	\$ 1,851

# EUROCUBE® / EUROCUBE® JOY

		Product #	Colour/Description	Price
	<p><b>Eurocube</b> Floor Mounted Tub Filler with Hand Shower</p> <ul style="list-style-type: none"> <li>• 34<sup>7</sup>/<sub>8</sub> - 39" Height*</li> <li>• 11<sup>3</sup>/<sub>4</sub>" Spout reach</li> <li>• 29<sup>3</sup>/<sub>8</sub> - 34" Aerator height*</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 49" SilverFlex hose (28 362)</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cube hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Requires Rough-In Set (29 038 001)</p> <p>Optional In-Line Remote Pressure Balance Valve (35 204), see below.</p>	<p><b>23 672 001</b></p> <p></p>	GROHE StarLight® Chrome	<b>\$ 1,798</b>
	<p><b>Eurocube Joy</b> Floor Mounted Tub Filler with Hand Shower</p> <ul style="list-style-type: none"> <li>• 34<sup>14</sup>/<sub>16</sub> - 38<sup>3</sup>/<sub>4</sub>" Height*</li> <li>• 11<sup>3</sup>/<sub>4</sub>" Spout reach</li> <li>• 29<sup>3</sup>/<sub>8</sub> - 33<sup>7</sup>/<sub>16</sub>" Aerator height*</li> <li>• GROHE FeatherControl Joystick handle</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 49" SilverFlex hose (28 362)</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cube hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Requires Rough-In Set (29 038 001)</p> <p>Optional In-Line Remote Pressure Balance Valve (35 204), see below.</p>	<p><b>23 667 001</b></p> <p></p>	GROHE StarLight® Chrome	<b>\$ 2,009</b>
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold supplies)</li> </ul>	<b>29 038 001</b>		<b>\$ 381</b>
 	<p><b>Inline Remote</b> Pressure Balance Valve</p> <p>TO BE INSTALLED UPSTREAM OF THE MIXING VALVE(S)</p> <ul style="list-style-type: none"> <li>• 1/2" Female inlets</li> </ul> <p>For use with non-safety mixing valves</p> <p>20.1 L/min (5.3 gpm) at 45 psi</p>	<b>35 204 000</b>		<b>\$ 228</b>
	<p><b>Eurocube</b> 6<sup>1</sup>/<sub>16</sub>" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push-down diverter activation</li> </ul>	<p><b>13 307 000</b></p> <p></p>	GROHE StarLight® Chrome	<b>\$ 229</b>
	<p><b>Eurocube</b> 6<sup>1</sup>/<sub>16</sub>" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 305 000</b>	GROHE StarLight® Chrome	<b>\$ 211</b>

EUROCUBE / EUROCUBE JOY

\* Overall height will depend on installation of Rough-In Set






# EUROCUBE® / EUROCUBE® JOY

EUROCUBE / EUROCUBE JOY

			Product #	Colour/Description	Price
	<b>new</b>	<p><b>Eurocube</b> Pressure Balance Valve Trim with Cartridge</p> <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6L/min (5.2gpm) (bottom) and 11.3L/min (3.0gpm) (top port) at 45 psi (19 l/min)</li> </ul> <p>For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<p><b>14 469 000</b></p> <p>♿</p>	GROHE StarLight® Chrome	<b>\$ 349</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 110 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" Universal Inlets†</p> <p>½" Universal Outlets†</p>	<b>\$ 146</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 111 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Crimp (ASTM F1807) Inlets</p> <p>½" Universal Outlets†</p>	<b>\$ 146</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 112 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Cold Expansion (ASTM F1960) Inlets</p> <p>½" Universal Outlets†</p>	<b>\$ 146</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 113 000</b></p>	<p>½" Stub-out Inlets</p> <p>½" Stub-out Outlets</p>	<b>\$ 177</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 115 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Crimp (ASTM F1807) Elbow Inlets</p> <p>½" Universal Outlets†</p>	<b>\$ 177</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 116 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Cold Expansion (ASTM F1960) Elbow Inlets</p> <p>½" Universal Outlets†</p>	<b>\$ 177</b>



# EUROCUBE® / EUROUCUBE® JOY

		Product #	Colour/Description	Price
	<p><b>GrohFlex® Cosmopolitan Square</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 sold separately</p>	★ 19 924 000 ♿	GROHE StarLight® Chrome	\$ 387
	<p><b>GrohFlex® Cosmopolitan Square</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 sold separately</p>	19 925 000	GROHE StarLight® Chrome	\$ 450
	<p><b>GrohFlex® Cosmopolitan Square</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 sold separately</p>	19 926 000	GROHE StarLight® Chrome	\$ 718
	<p><b>GrohFlex® Cosmopolitan Square</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 sold separately</p>	19 927 000	GROHE StarLight® Chrome	\$ 783
	<p><b>GrohFlex® Cosmopolitan Square</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Requires separate volume controls</li> <li>• Metal trim plate</li> <li>• 53 L/min (14 gpm) at 45 psi</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 sold separately</p>	19 928 000	GROHE StarLight® Chrome	\$ 657

EUROCUBE® / EUROUCUBE® JOY

# EUROCUBE® / EUROCUBE® JOY

EUROCUBE / EUROCUBE JOY

		Product #	Colour/Description	Price
	<b>GrohFlex®</b> Universal Rough-In Box <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> For use with the GrohFlex® Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.	35 026 000		\$ 187
	<b>Eurocube</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Grip handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273, 29 274 (see below)	19 910 000	GROHE StarLight® Chrome	\$ 95
	<b>Volume Control</b> Rough-In Valve <ul style="list-style-type: none"> <li>• NPT connections</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	29 273 000 29 274 000	½" NPT ¾" NPT	\$ 94 153
	<b>Eurocube</b> 2-Way Diverter Trim (Shower Head / Hand Shower) <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/hand shower</li> </ul> For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901	29 218 001 ♿	GROHE StarLight® Chrome	\$ 185
	<b>Diverter/Transfer (Discrete Functions)</b> 2-Way Diverter Rough-In Valve <ul style="list-style-type: none"> <li>• 1 inlet, 2 outlets</li> <li>• 2 discrete functions (non-shared)</li> <li>• ½" NPT</li> </ul>	29 900 000 CCB	2-Way (Discrete functions)	\$ 238
	<b>Same as above (Shared functions)</b> • 2 Discrete, 1 shared function	29 901 000	2-Way (Shared functions)	\$ 238
	<b>Eurocube</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout) <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with 3-way Diverter Rough-In Valve 29 902 or 29 903	29 217 001 ♿	GROHE StarLight® Chrome	\$ 197
	<b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve <ul style="list-style-type: none"> <li>• 1 inlet, 3 outlets</li> <li>• 3 discrete functions (non-shared)</li> <li>• ½" NPT</li> <li>• CALGreen Compliant</li> </ul>	29 902 000 CCB	3-Way (Discrete functions)	\$ 277
	<b>Same as above (Shared functions)</b> • 3 Discrete, 3 shared functions	29 903 000	3-Way (Shared functions)	\$ 277

For matching accessories please refer to the Selection Cube collection starting on page 178 or the Essentials Cube collection starting on page 187.

GROHE  
**EUROPLUS®**



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 302 00A/ENA



Lavatory Centreset  
33 170 00A/ENA

### BATH FIXTURES



Eurostyle Cosmopolitan  
Roman Tub Filler with Personal Hand Shower  
23 048 003



Eurostyle Cosmopolitan  
Diverter Tub Spout  
13 285 002



Eurostyle Cosmopolitan  
Tub Spout  
13 284 002

### SHOWER FIXTURES



Power&Soul Cosmopolitan 190  
27 767 000/ENO



Rainshower Shower Arm  
28 540 000/ENO



Euphoria Cosmopolitan 180  
27 492 000



Shower Arm  
28 577 000/ENO



Euphoria 110 Massage  
27 247 001/EN1



Shower Arm  
27 414 000/ENO



Tempesta 100  
27 606 001



Tempesta 100  
Shower Set  
28 436 002



GrohFlex Pressure  
Balance Valve Trim  
19 869 000/ENO

### ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001/EN1



Essentials  
24" Towel Bar  
40 366 001/EN1







Essentials  
Towel Ring  
40 365 001/EN1







Essentials  
Paper Holder  
40 689 001/EN1



Nova Cosmopolitan  
Actuation Plate  
38 765 000/P00/SHO

		Product #	Colour/Description	Price
	<p><b>Europlus</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 5 3/16" Faucet height</li> <li>• 5 1/16" Spout reach</li> <li>• 4 5/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• Metal lever handles</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>★ 20 302 00A ★ 20 302 ENA ♿ CEC</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 503 656</p>
	<p><b>Europlus</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7 15/16" Faucet height (when in use)</li> <li>• 4 1/8" Spout reach</li> <li>• 2 15/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® installation system</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• Metal lever handle</li> <li>• High temperature limit stop</li> <li>• Adjustable flow rate limiter</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>★ 33 170 00A ★ 33 170 ENA ♿ CEC</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 369 481</p>
	<p><b>GrohFlex® Cosmopolitan</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately (see page 116)</p>	<p>19 880 000 19 880 EN0 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 228 296</p>
	<p><b>GrohFlex® Cosmopolitan</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately (see page 116)</p>	<p>19 881 000 19 881 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 299 389</p>

		Product #	Colour/Description	Price
	<p><b>GrohFlex® Cosmopolitan</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately (see below)</p>	<p><b>19 869 000</b> <b>19 869 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 528</b> <b>688</b></p>
	<p><b>GrohFlex® Cosmopolitan</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately (see below)</p>	<p><b>19 878 000</b> <b>19 878 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 588</b> <b>764</b></p>
	<p><b>GrohFlex® Cosmopolitan</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Requires separate volume controls</li> <li>• ABS trim plate</li> <li>• 53 L/min (14 gpm) at 45 psi</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately (see below)</p>	<p><b>19 879 000</b> <b>19 879 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 440</b> <b>578</b></p>
	<p><b>GrohFlex®</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GrohFlex® Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	<p><b>35 026 000</b></p>		<p><b>\$ 187</b></p>

For matching accessories please refer to the Essentials collection starting on page 182.

# GROHE EUROSMART®





# GROHE

## POPULAR COMBINATIONS



### FAUCETS



Lavatory Wideset  
20 294 00A/ENA



Lavatory Centreset  
32 642 00A/ENA



Lavatory Centreset  
(without pop-up)  
32 643 00A

### BATH FIXTURES



Roman Tub Filler  
25 168 002/EN2



Roman Tub Filler with  
Personal Hand Shower  
25 170 00A/ENA



Diverter Tub Spout  
13 356 002/EN2



Tub Spout  
13 354 002/EN2

### SHOWER FIXTURES



Tempesta Contemporary 100  
26 044 001 / EN1



Shower Arm  
27 414 000/EN0



Tempesta  
Contemporary 100  
Shower Set  
28 436 002



Grohsafe 3.0 Pressure  
Balance Valve Trim  
14 462 000 / EN0



2-Way Diverter Trim  
19 970 002/EN2



3-Way Diverter Trim  
19 972 002/EN2

### ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001/EN1



Essentials  
24" Towel Bar  
40 366 001/EN1



Essentials  
8" Towel Ring  
40 365 001/EN1



Essentials  
Paper Holder  
40 689 001/EN1











Nova Cosmopolitan  
Actuation Plate  
38 765 000/P00/SH0

		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurosmart</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7 1/4" Faucet height (when in use)</li> <li>• 4 3/16" Spout reach</li> <li>• 2 3/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Solid brass body</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Single lever handle</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>32 642 00A</b> <b>32 642 ENA</b></p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 196</b> <b>249</b></p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurosmart</b> Lavatory Centreset Without Pop-Up</p> <ul style="list-style-type: none"> <li>• 7 1/4" Faucet height (when in use)</li> <li>• 4 3/16" Spout reach</li> <li>• 2 3/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Solid brass body</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Single lever handle</li> <li>• Less drain, sold separately. See 65 818 or 28 754.</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>32 643 00A</b></p> 	<p>GROHE StarLight® Chrome</p>	<p><b>\$ 169</b></p>
	<p><b>6" Escutcheon</b></p> <ul style="list-style-type: none"> <li>• 2 11/16" Wide</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with centreset kitchen, bar, and lavatory faucets to cover unused mounting holes.</p>	<p><b>07 551 000</b> <b>07 551 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 32</b> <b>42</b></p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurosmart</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 3 15/16" Faucet height</li> <li>• 4 1/8" Spout reach</li> <li>• 2 15/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Solid brass body</li> <li>• Metal lever handles</li> <li>• Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>20 294 00A</b> <b>20 294 ENA</b></p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 391</b> <b>508</b></p>
	<p><b>Eurosmart</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• 5" Faucet height</li> <li>• 7 5/16" Spout reach</li> <li>• 3 11/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> </ul>	<p><b>25 168 002</b> <b>25 168 EN2</b></p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 597</b> <b>778</b></p>
	<p><b>Eurosmart</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 5" Faucet height</li> <li>• 7 5/16" Spout reach</li> <li>• 3 11/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• CALGreen/CEC compliant</li> <li>• Tempesta® 100 Hand Shower (26 047 001), 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>25 170 00A</b> <b>25 170 ENA</b></p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 915</b> <b>1,190</b></p>

\* Additional Low Flow Solutions, see page 301 | \*\* To be installed in accordance with local plumbing codes.

		Product #	Colour/Description	Price
	<b>Eurosmart</b> 6 3/8" Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit installation</li> </ul>	<b>13 354 002</b> <b>13 354 EN2</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 60</b> <b>79</b>
	<b>Eurosmart</b> 6 3/8" Diverter Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit installation</li> <li>• Pull-up diverter activation</li> </ul>	<b>13 356 002</b> <b>13 356 EN2</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 75</b> <b>97</b>
	<b>new</b> <b>Eurosmart</b> Pressure Balance Valve Trim with Cartridge  <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0 gpm) (top port) at 45 psi (19 L/min)</li> </ul> For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)	<b>14 462 000</b> <b>14 462 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 169</b> <b>209</b>
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve  <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 110 000</b>  † Male NPT thread with 1/2" female fitting	1/2" Universal Inlets† 1/2" Universal Outlets†	<b>\$ 146</b>
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve  <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 111 000</b>  † Male NPT thread with 1/2" female fitting	1/2" PEX Crimp (ASTM F1807) Inlets 1/2" Universal Outlets†	<b>\$ 146</b>
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve  <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 112 000</b>  † Male NPT thread with 1/2" female fitting	1/2" PEX Cold Expansion (ASTM F1960) Inlets 1/2" Universal Outlets†	<b>\$ 146</b>
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve  <ul style="list-style-type: none"> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 113 000</b>	1/2" Stub-out Inlets 1/2" Stub-out Outlets	<b>\$ 177</b>

		Product #	Colour/Description	Price
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 115 000</b>	½" PEX Crimp (ASTM F1807) Elbow Inlets ½" Universal Outlets†  † Male NPT thread with ½" female fitting	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>			
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 116 000</b>	½" PEX Cold Expansion (ASTM F1960) Elbow Inlets ½" Universal Outlets†  † Male NPT thread with ½" female fitting	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>			
	<b>Eurosmart</b> 2-Way Diverter Trim (Shower Head / Hand Shower)	<b>19 970 002</b> <b>19 970 EN2</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 109</b> <b>142</b>
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve (29 712)</p>			
	<b>Diverter/Transfer</b> 3-Port Rough-In Valve	<b>29 712 000</b>	3-Port	<b>\$ 334</b>
	<ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 2 Discrete, 1 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>Not recommended for use with body sprays</p>			
	<b>Eurosmart</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout)	<b>19 972 002</b> <b>19 972 EN2</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 120</b> <b>156</b>
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve (29 714)</p>			
	<b>Diverter/Transfer</b> 5-Port Rough-In Valve	<b>29 714 000</b>	5-Port	<b>\$ 344</b>
	<ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 3 Discrete, 3 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays</p>			

For matching accessories please refer to the Essentials collection starting on page 182.

# GROHE EUROSMART® COSMOPOLITAN



# GROHE

## POPULAR COMBINATIONS



### FAUCETS



Lavatory Wideset  
20 199 00A



Lavatory Centreset  
32 875 00A



Lavatory Centreset  
(without pop-up)  
32 877 00A

### BATH FIXTURES



Roman Tub Filler  
115174



Diverter Tub Spout  
13 273 000



Tub Spout  
13 272 000

### SHOWER FIXTURES



Power&Soul  
Cosmopolitan 190  
27 765 000



Shower Arm  
28 577 000



Euphoria  
Cosmopolitan 180  
27 492 000



Shower Arm  
27 414 000



Euphoria 110 Massage  
27 247 001



Tempesta  
Cosmopolitan 100  
27 591 001



Tempesta  
Cosmopolitan 100  
Shower Set  
27 577 002



Grohsafe 3.0 Pressure  
Balance Valve Trim  
14 463 000

### ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001



Essentials  
24" Towel Bar  
40 366 001



Essentials  
8" Towel Ring  
40 365 001











Essentials  
Paper Holder  
40 689 001





Nova Cosmopolitan  
Actuation Plate  
38 765 000/P00/SHO






# EUROSMART® COSMOPOLITAN




EUROSMART COSMOPOLITAN

		Product #	Colour/Description	Price
 <p><b>Eurosmart Cosmopolitan</b> Lavatory Wideset</p> <p><small>Certified by APMO R&amp;T</small></p> <ul style="list-style-type: none"> <li>• 4 1/4" Faucet height</li> <li>• 3 1/2" Spout reach</li> <li>• 3 5/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Includes drain assembly</li> <li>• Metal lever handles</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>		<b>20 199 00A</b> 	GROHE StarLight® Chrome	<b>\$ 387</b>
 <p><b>Eurosmart Cosmopolitan</b> Lavatory Centreset</p> <p><small>Certified by APMO R&amp;T</small></p> <ul style="list-style-type: none"> <li>• 7 3/8" Faucet height (when in use)</li> <li>• 4 1/4" Spout reach</li> <li>• 3 1/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>		<b>32 875 00A</b> 	GROHE StarLight® Chrome	<b>\$ 238</b>
 <p><b>Eurosmart Cosmopolitan</b> Lavatory Centreset</p> <p><small>Certified by APMO R&amp;T</small></p> <ul style="list-style-type: none"> <li>• 7 3/8" Faucet height (when in use)</li> <li>• 4 1/4" Spout reach</li> <li>• 3 1/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Less drain, sold separately. See 65 818 or 28 754.</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>		<b>32 877 00A</b> 	GROHE StarLight® Chrome	<b>\$ 216</b>
 <p><b>Eurosmart Cosmopolitan</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• 7 1/8" Spout reach</li> <li>• 3 5/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" valves</li> <li>• Lever handles</li> </ul> <p>Flexible braided hoses connect all components and valves to supply.</p>		<b>115174</b> 	GROHE StarLight® Chrome	<b>\$ 836</b>



		Product #	Colour/Description	Price
	<b>Eurosmart Cosmopolitan</b> 6 1/2" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push-down diverter activation</li> </ul>	<b>13 273 000</b> 	GROHE StarLight® Chrome	<b>\$ 205</b>
	<b>Eurosmart Cosmopolitan</b> 6 1/2" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 272 000</b>	GROHE StarLight® Chrome	<b>\$ 151</b>
	<span style="background-color: #333; color: white; padding: 2px;">new</span> <b>Eurosmart Cosmopolitan</b> Pressure Balance Valve Trim with Cartridge <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6L/min (5.2gpm) (bottom) and 11.3L/min (3.0gpm) (top port) at 45 psi (19 l/min)</li> </ul> For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)	<b>14 463 000</b> 	GROHE StarLight® Chrome	<b>\$ 189</b>
	<span style="background-color: #333; color: white; padding: 2px;">new</span> <b>Grohsafe® 3.0</b> Shower Rough-In Valve <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 110 000</b> † Male NPT thread with 1/2" female fitting	1/2" Universal Inlets† 1/2" Universal Outlets†	<b>\$ 146</b>
	<span style="background-color: #333; color: white; padding: 2px;">new</span> <b>Grohsafe® 3.0</b> Shower Rough-In Valve <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 111 000</b> † Male NPT thread with 1/2" female fitting	1/2" PEX Crimp (ASTM F1807) Inlets 1/2" Universal Outlets†	<b>\$ 146</b>
	<span style="background-color: #333; color: white; padding: 2px;">new</span> <b>Grohsafe® 3.0</b> Shower Rough-In Valve <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 112 000</b> † Male NPT thread with 1/2" female fitting	1/2" PEX Cold Expansion (ASTM F1960) Inlets 1/2" Universal Outlets†	<b>\$ 146</b>
	<span style="background-color: #333; color: white; padding: 2px;">new</span> <b>Grohsafe® 3.0</b> Shower Rough-In Valve <ul style="list-style-type: none"> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<b>35 113 000</b>	1/2" Stub-out Inlets 1/2" Stub-out Outlets	<b>\$ 177</b>

		Product #	Colour/Description	Price
	<b>new</b> <b>GrohSafe® 3.0</b> Shower Rough-In Valve	<b>35 115 000</b>	1/2" PEX Crimp (ASTM F1807) Elbow Inlets 1/2" Universal Outlets†	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with 1/2" female fitting		
	<b>new</b> <b>GrohSafe® 3.0</b> Shower Rough-In Valve	<b>35 116 000</b>	1/2" PEX Cold Expansion (ASTM F1960) Elbow Inlets 1/2" Universal Outlets†	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with 1/2" female fitting		
	<b>GrohFlex® Cosmopolitan</b> Single Function Pressure Balance Trim with Control Module	<b>19 880 000</b> <b>19 880 ENO</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 228</b> <b>296</b>
	<ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>			
	<b>GrohFlex® Cosmopolitan</b> Single Function Thermostatic Trim with Control Module	<b>19 869 000</b> <b>19 869 ENO</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 528</b> <b>688</b>
	<ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>			
	<b>GrohFlex® Cosmopolitan</b> Dual Function Pressure Balance Trim with Control Module	<b>19 881 000</b> <b>19 881 ENO</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 299</b> <b>389</b>
	<ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>			

		Product #	Colour/Description	Price
	<p><b>GrohFlex® Cosmopolitan</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>	<p><b>19 878 000</b> <b>19 878 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 588</b> <b>764</b></p>
	<p><b>GrohFlex® Cosmopolitan</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• ABS trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>	<p><b>19 879 000</b> <b>19 879 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 440</b> <b>578</b></p>
	<p><b>GrohFlex®</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GrohFlex® Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	<p><b>35 026 000</b></p>		<p><b>\$ 187</b></p>

For matching accessories please refer to the Essentials collection starting on page 182.  
 For thermostatic valves and custom shower solutions please refer to  
 GrohFlex® Cosmopolitan starting on page 208.

GROHE  
**EUROSTYLE™**



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Centreset  
23 577 003/EN3



Lavatory Centreset  
23 579 003/EN3



Lavatory Wideset  
20 486 003/EN3

### BATH FIXTURES



Diverter Tub Spout  
13 379 003/EN3



Tub Spout  
13 377 003/EN3

### SHOWER FIXTURES



Euphoria 260  
26 457 000 / EN0



Euphoria Cosmopolitan 180  
27 492 000



Euphoria Mono 110  
27 810 001/EN1



Euphoria 110 Massage  
27 243 001



Retro-Fit Bundle  
27 867 001



Shower/Tub Combination  
35 062 003/EN3



Pressure Balance  
Valve Trim  
19 989 003/EN3



2-Way Diverter Trim  
19 993 003/EN3



3-Way Diverter Trim  
19 995 003/EN3



12" Shower Arm  
28 577 000/EN0



Shower Arm  
27 414 000/EN0

### ACCESSORIES



Essentials  
Robe Hook  
40 364 001/EN1














Essentials  
24" Towel Bar  
40 366 001/EN1












Essentials  
8" Towel Ring  
40 365 001/EN1















Essentials  
Paper Holder  
40 689 001/EN1

		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurostyle</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 8 1/4" Faucet height</li> <li>• 4 3/8" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Metal loop handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Drain assembly included</li> <li>• Brushed nickel version features chrome accents</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm) *</li> </ul>	<p><b>23 577 003</b> <b>23 577 EN3</b></p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 264</b> <b>343</b></p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurostyle</b> Lavatory Centreset, L-Size</p> <ul style="list-style-type: none"> <li>• 10 5/8" Faucet height</li> <li>• 5" Spout reach</li> <li>• 9 5/8" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Metal loop handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Drain assembly included</li> <li>• Brushed nickel version features chrome accents</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>★ <b>23 579 003</b> ★ <b>23 579 EN3</b></p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 369</b> <b>482</b></p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurostyle</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 6 11/16" Faucet height</li> <li>• 5 1/16" Spout reach</li> <li>• 5 11/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Metal loop handles</li> <li>• Nylon reinforced braided flexible inlet hoses</li> <li>• Drain assembly included</li> <li>• Brushed nickel version features chrome accents</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>20 486 003</b> <b>20 486 EN3</b></p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 391</b> <b>507</b></p>
	<p><b>Eurostyle</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 7 1/16" Faucet height</li> <li>• 7 3/4" Spout reach</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• Brushed nickel version features chrome accents</li> <li>• Euphoria® 110 Mono hand shower (27 265), 5.7 L/min (1.5 gpm)</li> </ul>	<p><b>19 991 004</b> <b>19 991 EN4</b></p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 883</b> <b>1,149</b></p>

		Product #	Colour/Description	Price
	<b>Eurostyle</b> Diverter Tub Spout <ul style="list-style-type: none"> <li>• 5<sup>15</sup>/<sub>16</sub>" Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Brushed nickel version features chrome accents</li> <li>• Pull diverter activation</li> </ul>	<b>13 379 003</b> <b>13 379 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 121</b> <b>158</b>
	<b>Eurostyle</b> Tub Spout <ul style="list-style-type: none"> <li>• 5<sup>15</sup>/<sub>16</sub>" Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Brushed nickel version features chrome accents</li> </ul>	<b>13 377 003</b> <b>13 377 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 97</b> <b>127</b>
  <p>Certified by IAPMO RST</p>	<b>Eurostyle</b> Shower/Tub Combination <ul style="list-style-type: none"> <li>• Metal loop handle</li> <li>• GROHE StarLight® finish</li> <li>• Euphoria® 110 Mono Shower Head (27 810), 7.6 L/min (2.0 gpm)</li> <li>• Brass arm (27 414)</li> <li>• Pressure balance valve trim (19 989)</li> <li>• Diverter tub spout (13 379)</li> <li>• Pull diverter activation</li> <li>• Brushed nickel version features chrome accents</li> </ul> <p>For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 132)</p>	<b>35 062 003</b> <b>35 062 EN3</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 327</b> <b>433</b>
  <p>Certified by IAPMO RST</p>	<b>Eurostyle</b> Shower Combination <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Euphoria® 110 Mono Shower Head (27 810), 7.6 L/min (2.0 gpm)</li> <li>• Brass arm (27 414)</li> <li>• Pressure balance valve trim (19 989)</li> <li>• Metal loop handle</li> <li>• Brushed nickel version features chrome accents</li> </ul> <p>For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 132)</p>	<b>35 060 003</b> <b>35 060 EN3</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 243</b> <b>317</b>
	<b>Eurostyle</b> Pressure Balance Valve Trim <ul style="list-style-type: none"> <li>• Metal loop handle</li> <li>• GROHE StarLight® finish</li> <li>• Brushed nickel version features chrome accents</li> </ul> <p>For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 132)</p>	<b>19 989 003</b> <b>19 989 EN3</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 126</b> <b>164</b>



		Product #	Colour/Description	Price
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b></p>	<p><b>35 015 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" Universal† Outlets: 1/2" Universal†</p>	<p><b>\$ 175</b></p>
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b></p>	<p><b>★ 35 064 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†</p>	<p><b>\$ 175</b></p>
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b></p>	<p><b>★ 35 065 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†</p>	<p><b>\$ 175</b></p>
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b></p>	<p><b>★ 35 066 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†</p>	<p><b>\$ 144</b></p>

		Product #	Colour/Description	Price
	<p><b>Eurostyle</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlets, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712</p>	<p><b>19 993 003</b> <b>19 993 EN3</b></p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 123</b> <b>160</b></p>
 	<p><b>Diverter/Transfer</b> 3-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 2 Discrete, 1 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>Not recommended for use with body sprays</p>	<b>29 712 000</b>	3-Port	<b>\$ 334</b>
	<p><b>Eurostyle</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 714</p>	<p><b>19 995 003</b> <b>19 995 EN3</b></p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 134</b> <b>175</b></p>
 	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 3 Discrete, 3 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays</p>	<b>29 714 000</b>	5-Port	<b>\$ 344</b>

For matching accessories please refer to the Essentials collection starting on page 182.

GROHE  
**EUROSTYLE™ COSMOPOLITAN**



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
**20 209 00A**



Lavatory Centreset  
**23 036 00A**



Lavatory Centreset  
(without pop-up)  
**23 042 00A**

### BATH FIXTURES



Roman Tub Filler with  
Personal Hand Shower  
**23 048 003**



Diverter Tub Spout  
**13 285 002**



Tub Spout  
**13 284 002**

### SHOWER FIXTURES



Rainshower  
Cosmopolitan 160  
**27 135 000**



Euphoria Cosmopolitan 180  
**27 492 000**



Euphoria 110 Massage  
**27 247 001**



Tempesta®  
Cosmopolitan 100  
**27 591 001**



Tempesta®  
Cosmopolitan 100  
Shower Set  
**27 577 002**



Grohsafe 3.0 Pressure  
Balance Valve Trim  
**14 464 000**

### ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
**40 364 001**



Essentials  
24" Towel Bar  
**40 366 001**



Essentials  
8" Towel Ring  
**40 365 001**

















Essentials  
Paper Holder  
**40 689 001**



Nova Cosmopolitan  
Actuation Plate  
**38 765 000/P00/SH0**

# EUROSTYLE™ COSMOPOLITAN

EUROSTYLE COSMOPOLITAN

		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<b>Eurostyle Cosmopolitan</b> Lavatory Wideset	<b>20 209 00A</b> 	GROHE StarLight® Chrome	<b>\$ 433</b>
  <p>Certified by IAPMO R&amp;T</p>	<b>Eurostyle Cosmopolitan</b> Lavatory Centreset	<b>23 036 00A</b> 	GROHE StarLight® Chrome	<b>\$ 299</b>
  <p>Certified by IAPMO R&amp;T</p>	<b>Eurostyle Cosmopolitan</b> Lavatory Centreset	<b>23 042 00A</b> 	GROHE StarLight® Chrome	<b>\$ 272</b>
	<b>Eurostyle Cosmopolitan</b> Roman Tub Filler with Personal Hand Shower**	<b>23 048 003</b> 	GROHE StarLight® Chrome	<b>\$ 1,481</b>
	<b>Eurostyle Cosmopolitan</b> 6 11/16" Diverter Tub Spout	<b>13 285 002</b> 	GROHE StarLight® Chrome	<b>\$ 206</b>
	<b>Eurostyle Cosmopolitan</b> 6 11/16" Tub Spout	<b>13 284 002</b>	GROHE StarLight® Chrome	<b>\$ 175</b>

- 4 1/8" Faucet height
- 5 1/8" Spout reach
- 3 1/16" Aerator height
- Solid brass construction
- GROHE SilkMove® ceramic cartridges
- GROHE StarLight® finish
- GROHE EcoJoy™
- Metal lever handles
- Includes drain assembly
- Nylon reinforced braided flexible supplies
- Max. Flow Rate: 4.5 L/min (1.2 gpm)\*

- 7 7/8" Faucet height (when in use)
- 4" Spout reach
- 3 5/16" Aerator height
- Solid brass construction
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- GROHE EcoJoy™
- GROHE QuickFix® installation
- Single lever handle
- 23 1/2" Nylon reinforced braided flexible inlet hoses
- Includes drain assembly
- Max. Flow Rate: 4.5 L/min (1.2 gpm)\*


- 7 7/8" Faucet height (when in use)
- 4" Spout reach
- 3 5/16" Aerator height
- Solid brass construction
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- GROHE EcoJoy™
- GROHE QuickFix® installation
- Single lever handle
- 23 1/2" Nylon reinforced braided flexible inlet hoses
- Less drain, sold separately. See 65 818 or 28 754.
- Max. Flow Rate: 4.5 L/min (1.2 gpm)\*

- 8 11/16" Spout reach
  - 4" Aerator height
  - Single lever control
  - GROHE SilkMove® ceramic cartridge
  - GROHE StarLight® finish
  - CALGreen/CEC compliant
  - Euphoria® Cosmopolitan Stick hand shower, 6.6 L/min (1.75 gpm)
- Flexible braided hoses connect all components and valves to supply.





- Wall mount
- 1/2" Inlet
- GROHE StarLight® finish
- Push button diverter activation

- Wall mount
- 1/2" Inlet
- GROHE StarLight® finish

# EUROSTYLE™ COSMOPOLITAN



		Product #	Colour/Description	Price
	<b>new</b> <b>Eurostyle Cosmopolitan</b> Pressure Balance Valve Trim with Cartridge	<b>14 464 000</b> ♿	GROHE StarLight® Chrome	<b>\$ 259</b>
	<ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6L/min (5.2gpm) (bottom) and 11.3L/min (3.0gpm) (top port) at 45 psi (19 l/min)</li> </ul> <p>For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>			
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 110 000</b>	½" Universal Inlets† ½" Universal Outlets†	<b>\$ 146</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with ½" female fitting		
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 111 000</b>	½" PEX Crimp (ASTM F1807) Inlets ½" Universal Outlets†	<b>\$ 146</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with ½" female fitting		
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 112 000</b>	½" PEX Cold Expansion (ASTM F1960) Inlets ½" Universal Outlets†	<b>\$ 146</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with ½" female fitting		
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 113 000</b>	½" Stub-out Inlets ½" Stub-out Outlets	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>			
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 115 000</b>	½" PEX Crimp (ASTM F1807) Elbow Inlets ½" Universal Outlets†	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with ½" female fitting		
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 116 000</b>	½" PEX Cold Expansion (ASTM F1960) Elbow Inlets ½" Universal Outlets†	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with ½" female fitting		

# EUROSTYLE™ COSMOPOLITAN

			<b>Product #</b>	<b>Colour/Description</b>	<b>Price</b>
	<p><b>GrohFlex® Cosmopolitan</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>		<p><b>19 880 000</b> <b>19 880 ENO</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 228</b> <b>296</b></p>
	<p><b>GrohFlex® Cosmopolitan</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>		<p><b>19 869 000</b> <b>19 869 ENO</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 528</b> <b>688</b></p>
	<p><b>GrohFlex® Cosmopolitan</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>		<p><b>19 881 000</b> <b>19 881 ENO</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 299</b> <b>389</b></p>
	<p><b>GrohFlex® Cosmopolitan</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>		<p><b>19 878 000</b> <b>19 878 ENO</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 588</b> <b>764</b></p>



# EUROSTYLE™ COSMOPOLITAN

		Product #	Colour/Description	Price
	<p><b>GrohFlex® Cosmopolitan</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• ABS trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Universal Rough-In Box 35 026 000 sold separately</p>	<p><b>19 879 000</b> <b>19 879 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 440</b> <b>578</b></p>
	<p><b>GrohFlex®</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GrohFlex® Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	<p><b>35 026 000</b></p>		<p><b>\$ 187</b></p>

EUROSTYLE COSMOPOLITAN

For matching accessories please refer to the Essentials collection starting on page 182.  
For thermostatic valves and custom shower solutions please refer to GrohFlex® Cosmopolitan starting on page 208.

# GROHE GRANDERA®



# GROHE

## POPULAR COMBINATIONS



### FAUCETS



Lavatory Centreset  
23 311 00A/ENA



Lavatory Centreset  
with Swivel Spout  
21 108 00A/ENA



Lavatory Wideset  
20 419 00A/ENA



Lavatory Centreset  
for Vessel Basin  
23 314 00A/ENA

### BATH FIXTURES



Roman Tub Filler  
25 154 000/ENO



Roman Tub Filler with  
Personal Hand Shower  
19 936 000



Roman Tub Filler with  
Personal Hand Shower  
19 919 00A/ENA



Floor Standing  
Tub Filler  
23 318 00A/ENA



Tub Spout  
13 342 000/ENO

### SHOWER FIXTURES



Rainshower Grandera  
26 473 000/ENO



Rainshower Grandera  
Shower Arm 11 1/4"  
27 988 000/ENO



Hand Shower Holder  
27 969 000/ENO



Grohsafe 3.0 Pressure  
Balance Valve Trim  
14 470 000/ENO



Shower Head  
26 035 001/EN1



Rainshower Grandera  
Ceiling Shower Arm 11 1/2"  
27 984 000/ENO



Wall Union  
27 971 000/ENO



Diverter Trim  
19 942 000/ENO



Relaxa Ultra Body Spray  
27 070 000/ENO



Shower Arm 6 5/8"  
26 036 000/ENO



Grandera Stick  
26 037 001/EN1



Volume Control Trim  
19 944 000/ENO

### ACCESSORIES / ACTUATION PLATE



Robe Hook  
40 631 000/ENO



24" Towel Bar  
40 629 000/ENO



















Towel Ring  
40 630 000/ENO













Paper Holder  
40 625 000/ENO



Skate Cosmopolitan  
38 732 000

		Product #	Colour/Description	Price	
	 <p>Certified by IAPMO R&amp;T</p>	<b>Grandera</b> Low Spout Lavatory Wideset	20 418 00A 20 418 ENA  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 625 814
<ul style="list-style-type: none"> <li>• 7 1/4" Faucet height</li> <li>• 6 1/8" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handles</li> <li>• Includes drain assembly</li> <li>• Braided flexible supply lines</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>					
	 <p>Certified by IAPMO R&amp;T</p>	<b>Grandera</b> High Spout Lavatory Wideset	20 419 00A 20 419 ENA  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 709 922
<ul style="list-style-type: none"> <li>• 10 3/8" Faucet height</li> <li>• 4 15/16" Spout reach</li> <li>• 6 3/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handles</li> <li>• Includes drain assembly</li> <li>• Braided flexible supply lines</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>					
	 <p>Certified by IAPMO R&amp;T</p>	<b>Grandera</b> Low Spout Lavatory Centreset	23 311 00A 23 311 ENA  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 528 688
<ul style="list-style-type: none"> <li>• 6 7/8" Faucet height</li> <li>• 4 3/8" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handle</li> <li>• Includes drain assembly</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>					
	 <p>Certified by IAPMO R&amp;T</p>	<b>Grandera</b> Low Spout Lavatory Centreset	23 312 00A 23 312 ENA  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 482 630
<ul style="list-style-type: none"> <li>• 6 7/8" Faucet height</li> <li>• 4 3/8" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• Solid brass construction</li> <li>• Less drain</li> <li>• For pop-up drain, see page 143.</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>					









		Product #	Colour/Description	Price
 	<p><b>Grandera</b> High Spout Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 11 13/16" Faucet height</li> <li>• 6 1/8" Spout reach</li> <li>• 7 13/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handles</li> <li>• Includes drain assembly</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>21 108 00A</b> <b>21 108 ENA</b></p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 768</b> <b>1,001</b></p>
 	<p><b>Grandera</b> Lavatory Centreset for Vessel Basin</p> <ul style="list-style-type: none"> <li>• 14 3/8" Faucet height</li> <li>• 6 3/16" Spout reach</li> <li>• 9 3/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>For vessel sink pop-up drain, see 28 754 below.</p>	<p><b>23 314 00A</b> <b>23 314 ENA</b></p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 757</b> <b>984</b></p>
 	<p><b>Grandera</b> 2-Hole Wall Mount Vessel Trim</p> <ul style="list-style-type: none"> <li>• 9 1/4" Spout reach</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Solid brass construction</li> <li>• Metal lever handle</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p><b>Requires Vessel Rough-In Valve 23 320</b> <b>(see below)</b></p> <p>For vessel sink pop-up drain, see 28 754 below.</p>	<p>★ <b>19 931 00A</b> ★ <b>19 931 ENA</b></p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 566</b> <b>740</b></p>
	<p><b>2-Hole Wall Mount Vessel</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1/2" NPT female inlets</li> <li>• 4 5/16" Centre to Centre</li> <li>• Cast brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	★ <b>23 320 000</b>		<b>\$ 345</b>
	<p><b>Vessel Sink Pop-Up Drain</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finish</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	<p><b>28 754 000</b> <b>28 754 EN0</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 158</b> <b>232</b></p>













		Product #	Colour/Description	Price
	<p><b>Grandera</b> Floor Standing Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 39 5/16" - 43 3/16" Height*</li> <li>• 33 3/16" - 37 5/16" Aerator height*</li> <li>• 12 5/8" Spout reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 49" Metal hose</li> <li>• Grandera stick hand shower (26 037), 6.6 L/min (1.75 gpm)</li> </ul> <p>Requires Rough-In Set 29 038 (see below)</p>	<p>23 318 00A 23 318 ENA ♿️</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 2,646 3,439</p>
	<p><b>Rough-In Set</b> For Floor Standing Tub Filler</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold-supplies)</li> </ul>	<p>29 038 001 ♿️</p>		<p>\$ 381</p>
	<p><b>Grandera</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 1/2" Spout reach</li> <li>• 3 3/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 79" Metal shower hose</li> <li>• Grandera stick hand shower (26 037), 6.6 L/min (1.75 gpm)</li> <li>• 3/4" Copper connections</li> <li>• Metal lever handles</li> </ul>	<p>19 919 00A 19 919 ENA ♿️</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 1,851 2,407</p>
	<p><b>Grandera</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 1/2" Spout reach</li> <li>• 3 3/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 79" Metal shower hose</li> <li>• Grandera stick hand shower (26 037), 7.6 L/min (2.0 gpm)</li> <li>• 3/4" Copper connections</li> </ul>	<p>19 936 000 ♿️</p>	<p>GROHE StarLight® Chrome</p>	<p>\$ 1,798</p>
	<p><b>Grandera</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• 8 3/8" Spout reach</li> <li>• 3 3/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply</p>	<p>25 154 000 25 154 EN0 ♿️</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 1,031 1,342</p>
	<p><b>Grandera</b> 6 15/16" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall Mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<p>13 342 000 13 342 EN0</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 349 454</p>







		Product #	Colour/Description	Price
	<b>new</b> <b>Grandera</b> Pressure Balance Valve Trim with Cartridge	<b>14 470 000</b> <b>14 470 EN0</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 439</b> <b>559</b>
	<ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6L/min (5.2gpm) (bottom) and 11.3L/min (3.0gpm) (top port) at 45 psi (19 L/min)</li> </ul> <p>For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>			
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 110 000</b>	1/2" Universal Inlets† 1/2" Universal Outlets†	<b>\$ 146</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with 1/2" female fitting		
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 111 000</b>	1/2" PEX Crimp (ASTM F1807) Inlets 1/2" Universal Outlets†	<b>\$ 146</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with 1/2" female fitting		
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 112 000</b>	1/2" PEX Cold Expansion (ASTM F1960) Inlets 1/2" Universal Outlets†	<b>\$ 146</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with 1/2" female fitting		
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 113 000</b>	1/2" Stub-out Inlets 1/2" Stub-out Outlets	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>			
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 115 000</b>	1/2" PEX Crimp (ASTM F1807) Elbow Inlets 1/2" Universal Outlets†	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with 1/2" female fitting		
	<b>new</b> <b>Grohsafe® 3.0</b> Shower Rough-In Valve	<b>35 116 000</b>	1/2" PEX Cold Expansion (ASTM F1960) Elbow Inlets 1/2" Universal Outlets†	<b>\$ 177</b>
	<ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	† Male NPT thread with 1/2" female fitting		

		Product #	Colour/Description	Price
	<p><b>GrohFlex® Grandera</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Rough-In Box 35 026 000 sold separately, see below.</p>	<p><b>19 946 000</b> <b>19 946 ENO</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$487</b> <b>633</b></p>
	<p><b>GrohFlex® Grandera</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex® Rough-In Box 35 026 000 sold separately, see below.</p>	<p><b>19 935 000</b> <b>19 935 ENO</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$598</b> <b>778</b></p>
	<p><b>GrohFlex® Grandera</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex® Rough-In Box 35 026 000 sold separately, see below.</p>	<p><b>19 947 000</b> <b>19 947 ENO</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$704</b> <b>915</b></p>
	<p><b>GrohFlex® Grandera</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume controls</li> <li>• GROHE TurboStat® technology</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F/38°C</li> <li>• 53 L/min (14gpm) at 45psi</li> </ul> <p>For use with GrohFlex® Rough-In Box 35 026 000 sold separately, see below.</p>	<p><b>19 940 000</b> <b>19 940 ENO</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$657</b> <b>852</b></p>
	<p><b>GrohFlex®</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GrohFlex® Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	<p><b>35 026 000</b></p>		<p><b>\$ 187</b></p>



		Product #	Colour/Description	Price
	<p><b>Grandera</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 35 029 (see below)</p>	<p><b>19 944 000</b> <b>19 944 EN0</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 164</b> <b>214</b></p>
	<p><b>Grotherm® F</b> Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 3/4" GROHE SilkMove® ceramic cartridge, 90° turn</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 15/16" installation depth</li> <li>• 55 L/min (14.5 gpm) at 45 psi</li> </ul>	<b>35 029 000</b>		<b>\$ 188</b>
	<p><b>Grandera</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 714, (see below)</p>	<p><b>19 942 000</b> <b>19 942 EN0</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$244</b> <b>317</b></p>
	 <p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 3 Discrete, 3 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays</p>	<b>29 714 000</b>	5-Port	<b>\$ 344</b>
	<p><b>Rainshower Grandera</b> Shower Head - 1 spray</p> <ul style="list-style-type: none"> <li>• 8 1/4" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DripStop - eliminates drips once the water is off</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Spray: GROHE PureRain</p> <p>Recommended for use with any Grandera shower arms below in an open installation.</p>	<p><b>26 473 000</b> <b>26 473 EN0</b> CEC</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 698</b> <b>907</b></p>
	<p><b>Rainshower Grandera</b> 11 1/2" Ceiling Shower Arm</p> <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	<p><b>27 984 000</b> <b>27 984 EN0</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 148</b> <b>196</b></p>
	<p><b>Rainshower Grandera</b> 11 1/4" Shower Arm</p> <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	<p><b>27 988 000</b> <b>27 988 EN0</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 150</b> <b>195</b></p>

		Product #	Colour/Description	Price
	 <p><b>Euphoria® Grandera 130 Massage</b> Shower Head – 3 Sprays</p> <ul style="list-style-type: none"> <li>• 5 1/4" Face</li> <li>• 3 Spray patterns</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow by 40%)</li> <li>• Speed Clean® anti-lime system</li> <li>• CALGreen compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain / Smart Rain / Massage</p>	<p>★ 26 035 001 ★ 26 035 EN1</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 147 193
	<p><b>Grandera</b> 6 5/8" Shower Arm</p> <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 26 036 000 ★ 26 036 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 67 87
	 <p><b>Grandera</b> Hand Shower – 1 spray</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Spray: Non-Adjustable Normal Spray</p>	<p>26 037 001 26 037 EN1</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 172 225
	<p><b>Grandera</b> Wall Mount Hand Shower Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>27 969 000 27 969 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 121 155
	<p><b>Grandera</b> Wall Union</p> <ul style="list-style-type: none"> <li>• 1/2" NPT threads</li> <li>• GROHE StarLight® finish</li> <li>• Non-return valve for backflow prevention</li> </ul>	<p>27 971 000 27 971 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 196 256
	<p><b>Grandera</b> Ceramic Tumbler with Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 626 000</p>	GROHE StarLight® Chrome	\$ 296
	<p><b>Grandera</b> Ceramic Soap Dispenser with Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 627 000</p>	GROHE StarLight® Chrome	\$ 401
	<p><b>Grandera</b> Ceramic Soap Dish with Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 628 000</p>	GROHE StarLight® Chrome	\$ 365

		Product #	Colour/Description	Price
	<b>Grandera</b> 24" Towel Bar • GROHE StarLight® finish	40 629 000 40 629 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$419 545
	<b>Grandera</b> 8" Towel Ring • GROHE StarLight® finish	40 630 000 40 630 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$270 350
	<b>Grandera</b> Robe Hook • GROHE StarLight® finish	40 631 000 40 631 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$129 168
	<b>Grandera</b> 15 3/16" Grab Bar • GROHE StarLight® finish	40 633 000 40 633 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$244 317
	<b>Grandera</b> Paper Holder • GROHE StarLight® finish	40 625 000 40 625 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$334 431
	<b>Grandera</b> Toilet Brush • GROHE StarLight® finish	40 632 000	GROHE StarLight® Chrome	\$466

# GROHE KENSINGTON®



# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Wideset  
20 124 00A/ENA +  
18 087 000/ENO



Lavatory Wideset  
20 124 00A + 18 086 VP0

## BATH FIXTURES



Roman Tub Filler  
25 074 000/ENO +  
18 087 000/ENO



Roman Tub Filler with  
Personal Hand Shower  
25 073 000 + 18 086 VP0



Diverter Tub Spout  
13 194 000/ENO/VP0



Tub Spout  
13 193 000/ENO

## SHOWER FIXTURES



Rainshower Rustic 210  
26 474 000/ENO



Rainshower Retro Shower Arm  
28 383 000/ENO



Relexa Rustic  
100 Shower Set  
27 142 000/ENO



Kensington  
Pressure Balance Valve Trims  
19 268 VP0 +  
19 267 000/ENO



Rainshower Rustic 190  
27 130 000/ENO



Rainshower Ceiling Shower Arm  
28 492 000/ENO



Diverter Trims  
19 271 VP0 +  
19 272 000/ENO



Relexa Rustic 100  
27 126 001/EN1



Kensington Shower Arm  
27 034 000/ENO



Relexa Rustic 100  
27 125 000/ENO



Volume Control Trims  
19 269 VP0 +  
19 270 000/ENO

## ACCESSORIES



Robe Hook  
40 226  
000/ENO/VP0



24" Towel Bar  
40 224  
000/ENO/VP0








8" Towel Ring  
40 222  
000/ENO/VP0







Paper Holder  
40 235  
000/ENO/VP0

	Product #	Handle #	Colour/Description	Price	
<p><b>Kensington</b> Lavatory Wideset</p> <p><small>Certified by IAPMO R&amp;T</small></p> <ul style="list-style-type: none"> <li>• 6<sup>7</sup>/<sub>16</sub>" Faucet height</li> <li>• 5<sup>5</sup>/<sub>16</sub>" Spout reach</li> <li>• 4<sup>1</sup>/<sub>8</sub>" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• Includes drain assembly</li> <li>• Braided flexible supply lines</li> <li>• Less Handles - order 18 087 or 18 086 VP0 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>20 124 00A</p> <p>★ 20 124 ENA</p> <p><small>CEC</small></p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW.</p>		<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>	<p>\$ 783</p> <p><b>1,018</b></p>	
	<p><b>Same as above + Swarovski® Crystal Handles</b></p> <ul style="list-style-type: none"> <li>• 18 086 VP0 Handles (sold separately, see below)</li> </ul>	<p>20 124 00A + 18 086 VP0</p> <p><small>CEC</small></p>		<p>GROHE StarLight® Chrome /Swarovski® Crystal</p>	
	<p><b>Same as above + Lever Handles</b></p> <ul style="list-style-type: none"> <li>• 18 087 Lever Handles (sold separately, see below)</li> </ul>	<p>★ 20 124 00A + 18 087 000</p> <p>★ 20 124 ENA + 18 087 EN0</p> <p><small>CEC</small></p>		<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>	
<p><b>Kensington</b> Lever Handles (Sold In Pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 18 087 000</p> <p>★ 18 087 EN0</p> <p><small>CEC</small></p>		<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>	<p>\$ 222</p> <p><b>290</b></p>	
<p><b>Kensington</b> Swarovski® Crystal Handles (Sold In Pairs)</p> <p>Note: Set includes Swarovski® crystal accent for faucet lift rod or diverter.</p>	<p>18 086 VP0</p>		<p>GROHE StarLight® Chrome / Swarovski® Crystal</p>	<p>\$ 503</p>	






		Product #	Handle #	Colour/Description	Price
	<p><b>Kensington</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 10" Diverter Spout</li> <li>• 9 1/8" Diverter Spout reach</li> <li>• 3 1/2" Aerator height</li> <li>• Hand shower, 9.5 L/min (2.5 gpm)</li> <li>• 79" Hose</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Less Handles - order 18 087 or 18 086 VP0 (sold separately)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	★ 25 073 000		GROHE StarLight® Chrome	\$ 2,222
		★ 25 073 ENO		Brushed Nickel InfinityFinish™	2,888
	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 152				
	<p><b>Same as above + Swarovski® Crystal Handles</b></p> <ul style="list-style-type: none"> <li>• 18 086 VP0 Handles (sold separately, see page 152)</li> </ul>	★ 25 073 000 + 18 086 VP0		GROHE StarLight® Chrome /Swarovski® Crystal	
		★ 25 073 000 + 18 087 000		GROHE StarLight® Chrome	
		★ 25 073 ENO + 18 087 ENO		Brushed Nickel InfinityFinish™	
	<p><b>Kensington</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• 9 1/8" Spout reach</li> <li>• 3 1/2" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Less Handles - order 18 087 or 18 086 VP0 (sold separately)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	★ 25 074 000		GROHE StarLight® Chrome	\$ 1,798
		★ 25 074 ENO		Brushed Nickel InfinityFinish™	2,338
	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 152				
	<p><b>Same as above + Swarovski® Crystal Handles</b></p> <ul style="list-style-type: none"> <li>• 18 086 VP0 Handles (sold separately, see page 152)</li> </ul>	★ 25 074 000 + 18 086 VP0		GROHE StarLight® Chrome /Swarovski® Crystal	
		★ 25 074 000 + 18 087 000		GROHE StarLight® Chrome	
		★ 25 074 ENO + 18 087 ENO		Brushed Nickel InfinityFinish™	
		♿			

		Product #	Colour/Description	Price
	<p><b>Kensington</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Kensington Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	<p>★ 19 267 000 ★ 19 267 ENO ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 365 492</p>
	<p><b>Kensington</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Swarovski® Crystal Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	19 268 VPO	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 588
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 015 001</p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b></p>	47 996 000		\$ 83
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>★ 35 064 001</p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b></p>	47 996 000		\$ 83
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>★ 35 065 001</p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b></p>	47 996 000		\$ 83










		Product #	Colour/Description	Price
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b></p>	<p>★ <b>35 066 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†</p>	<p><b>\$ 144</b></p>
		<p>47 996 000</p>	<p><b>\$ 83</b></p>	
	<p><b>Kensington</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Kensington lever handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See next page for matching volume control trim/valve)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with Grohtherm® Rough-In Valve 34 331 or 34 397 (see below)</p>	<p>★ <b>19 266 000</b></p> <p>★ <b>19 266 ENO</b></p> <p>♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 412</b></p> <p><b>\$ 540</b></p>
	<p><b>Kensington</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Swarovski® crystal handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See next page for matching volume control trim/valve)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with Grohtherm® Rough-In Valve 34 331 or 34 397 (see below)</p>	<p><b>19 265 VP0</b></p>	<p>GROHE StarLight® Chrome / Swarovski® Crystal</p>	<p><b>\$ 598</b></p>
	<p><b>Grohtherm®</b> Thermostat Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Paraffin cartridge</li> <li>• NPT</li> <li>• Service stops</li> <li>• Built-in check valves</li> <li>• Temperature control only</li> <li>• GROHE TurboStat® Technology</li> <li>• Back-to-back installation by reversing the cartridge housing – No additional parts required</li> </ul> <p><b>Requires separate volume control</b></p> <p>Requires Twin Ell For Shower/Tub Combinations with Diverter Spout (not included, see page 282)</p> <p>34 331 - 34 L/min (9 gpm) at 45 psi (1/2" Valve) 34 397 - 61 L/min (16 gpm) at 45 psi (3/4" Valve)</p> <p><b>Meets ASSE standard 1016</b></p>	<p><b>34 331 000</b></p>	<p>1/2" Valve - with Service Stops</p>	<p><b>\$ 339</b></p>
		<p><b>34 397 000</b></p>	<p>3/4" Valve - with Service Stops</p>	<p><b>\$ 508</b></p>

KENSINGTON

		Product #	Colour/Description	Price
	<p><b>Kensington</b> 6" Shower Arm and Flange</p> <ul style="list-style-type: none"> <li>• ½" male threads</li> <li>• GROHE StarLight® finish</li> </ul>	<p>27 034 000 27 034 ENO</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 153 200</p>
	<p><b>Kensington</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Kensington Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274 (see below)</p>	<p>★ 19 270 000 ★ 19 270 ENO ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 239 340</p>
	<p><b>Kensington</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Swarovski® Crystal Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274 (see below)</p>	<p>19 269 VPO</p>	GROHE StarLight® Chrome / Swarovski® Crystal	<p>\$ 401</p>
	<p><b>Volume Control</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT connections</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	<p>29 273 000 29 274 000</p>	½" NPT ¾" NPT	<p>\$ 94 153</p>
	<p><b>Kensington</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Kensington Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712 (see below)</p>	<p>★ 19 272 000 ★ 19 272 ENO ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 358 498</p>
	<p><b>Kensington</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Swarovski® Crystal Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712 (see below)</p>	<p>19 271 VPO</p>	GROHE StarLight® Chrome / Swarovski® Crystal	<p>\$ 551</p>
 	<p><b>Diverter/Transfer</b> 3-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>Not recommended for use with body sprays</p>	<p>29 712 000</p>	3-Port	<p>\$ 334</p>

KENSINGTON

		Product #	Colour/Description	Price
	<p><b>Kensington</b> 6" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	<p>★ 13 194 000 ★ 13 194 EN0 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 425 \$ 556</p>
	<p><b>Kensington</b> 6" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• Swarovski® Crystal inset</li> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	<p>★ 13 194 VP0 ♿</p>	GROHE StarLight® Chrome / Swarovski® Crystal	<p>\$ 609</p>
	<p><b>Kensington</b> 6" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 13 193 000 ★ 13 193 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 369 \$ 482</p>
	<p><b>Kensington</b> 24" Towel Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 40 224 000 ★ 40 224 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 299 \$ 388</p>
	<p>VP0 = Swarovski® crystal inset</p>	<p>★ 40 224 VP0</p>	GROHE StarLight® Chrome / Swarovski® Crystal	<p>\$ 429</p>
	<p><b>Kensington</b> 8" Towel Ring</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 40 222 000 ★ 40 222 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 200 \$ 260</p>
	<p>VP0 = Swarovski® crystal inset</p>	<p>★ 40 222 VP0</p>	GROHE StarLight® Chrome / Swarovski® Crystal	<p>\$ 302</p>
	<p><b>Kensington</b> Robe Hook</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 40 226 000 ★ 40 226 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 161 \$ 213</p>
	<p>VP0 = Swarovski® crystal inset</p>	<p>★ 40 226 VP0</p>	GROHE StarLight® Chrome / Swarovski® Crystal	<p>\$ 276</p>
	<p><b>Kensington</b> Paper Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 40 235 000 ★ 40 235 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 195 \$ 254</p>
	<p>VP0 = Swarovski® crystal inset</p>	<p>★ 40 235 VP0</p>	GROHE StarLight® Chrome / Swarovski® Crystal	<p>\$ 317</p>

# GROHE LINEARE™



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Centreset  
23 824 00A/ENA



Lavatory Centreset  
23 794 00A/ENA



Lavatory Centreset  
23 825 00A/ENA



Lavatory Wideset  
20 578 00A/ENA

### BATH FIXTURES



Roman Tub Filler  
with Hand Shower  
19 577 001/EN1



Floor Standing Tub Filler  
with Hand Shower  
23 792 001/EN1



Tub Spout  
13 381 001/EN1



Diverter Tub Spout  
13 382 001/EN1



Eurostyle Cosmopolitan  
Diverter Tub Spout  
13 285 002

### SHOWER FIXTURES



Rainshower  
28 373 000/ENO



Power&Soul  
27 767 000/ENO



Euphoria Cosmopolitan 180  
27 492 000



Retro-Fit Bundle  
27 867 001



Sena Stick Hand Shower  
26 465 000



Pressure Balance  
Diverter Valve Trim  
29 168 001/EN1



Grohsafe 3.0 Pressure  
Balance Valve Trim  
29 330 000/ENO



3-Way Diverter Trim  
29 215 001/EN1

### ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001/EN1



Essentials  
24" Towel Bar  
40 366 001/EN1















Essentials  
8" Towel Ring  
40 365 001/EN1



Essentials  
Paper Holder  
40 689 001/EN1











Skate  
38 862 000/P00/SD0/SH0





		Product #	Colour/Description	Price
 	<p><b>Lineare</b> XS-Size, Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7<sup>3</sup>/<sub>16</sub>" Faucet height (when in use)</li> <li>• 4<sup>3</sup>/<sub>16</sub>" Spout reach</li> <li>• 3<sup>3</sup>/<sub>4</sub>" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Plus installation</li> <li>• GROHE AquaGuide adjustable aerator; 20°- 40°</li> <li>• Solid brass construction with metal lever</li> <li>• High temperature limit stop</li> <li>• Includes drain assembly</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p>23 824 00A 23 824 ENA</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 390 510</p>
 	<p><b>Lineare</b> S-Size, Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 8<sup>3</sup>/<sub>16</sub>" Faucet height</li> <li>• 5<sup>1</sup>/<sub>16</sub>" Spout reach</li> <li>• 4<sup>3</sup>/<sub>4</sub>" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Plus installation</li> <li>• GROHE AquaGuide adjustable aerator; 20°- 40°</li> <li>• Solid brass construction with metal lever</li> <li>• High temperature limit stop</li> <li>• Includes drain assembly</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p>23 794 00A 23 794 ENA</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 411 535</p>
 	<p><b>Lineare</b> L-Size, Lavatory Centreset for Vessel Basin</p> <ul style="list-style-type: none"> <li>• 9<sup>15</sup>/<sub>16</sub>" Faucet height</li> <li>• 4<sup>7</sup>/<sub>16</sub>" Spout reach</li> <li>• 9<sup>1</sup>/<sub>8</sub>" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Plus installation</li> <li>• GROHE AquaGuide adjustable aerator; 20°- 40°</li> <li>• Metal lever</li> <li>• 90° Swivel spout</li> <li>• High temperature limit stop</li> <li>• Includes drain assembly</li> <li>• 23 1/2" Flexible supply lines with compression fittings</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p>23 825 00A 23 825 ENA</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 504 654</p>
 	<p><b>Lineare</b> M-Size, Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 4<sup>3</sup>/<sub>4</sub>" Faucet height</li> <li>• 5" Spout reach</li> <li>• 3<sup>13</sup>/<sub>16</sub>" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• GROHE AquaGuide adjustable aerator; 20°- 40°</li> <li>• Includes drain assembly</li> <li>• Flexible connection hoses between spout and side valves</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p>20 578 00A 20 578 ENA</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 535 696</p>

	Product #	Colour/Description	Price
 	<p><b>Lineare</b> Roman Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 3/8" Spout reach</li> <li>• 4 1/8" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Sena Stick Hand shower (26 465), 6.6 L/min (1.75 gpm)</li> <li>• 79" Metal hose</li> <li>• Pre-assembled spout fixing</li> <li>• OHM operating element</li> <li>• Metal lever</li> <li>• Bath inlet with mousseur</li> <li>• Diverter Bath/shower</li> <li>• Flexible connection hoses</li> <li>• Connection for shower hose</li> <li>• Non-return valve for backflow prevention</li> </ul>	<p><b>19 577 001</b> <b>19 577 EN1</b></p>  <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 1,520</b> <b>1,977</b></p>
 	<p><b>Lineare</b> Floor Standing Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 31 9/16" Product height*</li> <li>• 10 11/16" Spout reach</li> <li>• 30 11/16" Aerator height*</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Sena Stick hand shower (26 465), 6.6 L/min (1.75 gpm)</li> <li>• 49" SilverFlex shower hose (28 362)</li> <li>• Automatic diverter: bath/shower</li> <li>• 1/2" Integrated non-return valve in the shower outlet</li> <li>• With hand shower holder</li> </ul> <p>Requires Rough-In Set 29 038 001</p>	<p><b>23 792 001</b> <b>23 792 EN1</b></p>  <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 1,749</b> <b>2,343</b></p>
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Filler</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT Female connections (Hot/cold-supplies)</li> </ul>	<p><b>29 038 001</b></p>	<p><b>\$ 381</b></p>
	<p><b>Lineare</b> 4 7/16" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• 4 7/16" Spout reach</li> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Pull diverter activation</li> </ul>	<p><b>13 382 001</b> <b>13 382 EN1</b></p>  <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 129</b> <b>168</b></p>
	<p><b>Lineare</b> 6 11/16" Tub Spout</p> <ul style="list-style-type: none"> <li>• 6 11/16" Spout reach</li> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<p><b>13 381 001</b> <b>13 381 EN1</b></p> <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 185</b> <b>240</b></p>

\* Overall height will depend on installation of rough-in set. | \*\* To be installed in accordance with local plumbing codes.

			Product #	Colour/Description	Price
	<b>new</b>	<p><b>Lineare</b> Pressure Balance Valve Trim with Cartridge</p> <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6L/min (5.2gpm) (bottom) and 11.3L/min (3.0gpm) (top port) at 45 psi (19 L/min)</li> </ul> <p>For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<p><b>29 330 000</b> <b>29 330 ENO</b></p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 289</b> <b>359</b></p>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 110 000</b></p> <p>† Male NPT thread with 1/2" female fitting</p>	<p>1/2" Universal Inlets† 1/2" Universal Outlets†</p>	<b>\$ 146</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 111 000</b></p> <p>† Male NPT thread with 1/2" female fitting</p>	<p>1/2" PEX Crimp (ASTM F1807) Inlets 1/2" Universal Outlets†</p>	<b>\$ 146</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 112 000</b></p> <p>† Male NPT thread with 1/2" female fitting</p>	<p>1/2" PEX Cold Expansion (ASTM F1960) Inlets 1/2" Universal Outlets†</p>	<b>\$ 146</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Flush plug included</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 113 000</b></p>	<p>1/2" Stub-out Inlets 1/2" Stub-out Outlets</p>	<b>\$ 177</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 115 000</b></p> <p>† Male NPT thread with 1/2" female fitting</p>	<p>1/2" PEX Crimp (ASTM F1807) Elbow Inlets 1/2" Universal Outlets†</p>	<b>\$ 177</b>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Includes plug for 3-port installation</li> <li>• Flush plug included</li> <li>• Valve can be rotated 180° to accommodate floor or ceiling supplies</li> <li>• Made of DZR Brass</li> <li>• Service stops</li> <li>• Cartridge ships with the trim</li> </ul>	<p><b>35 116 000</b></p> <p>† Male NPT thread with 1/2" female fitting</p>	<p>1/2" PEX Cold Expansion (ASTM F1960) Elbow Inlets 1/2" Universal Outlets†</p>	<b>\$ 177</b>



		Product #	Colour/Description	Price
	<p><b>Lineare</b> Pressure Balance Diverter Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valve with built-in diverter 35 016, 35 033</p>	<p><b>29 168 001</b> <b>29 168 EN1</b> CEC</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$267</b> <b>349</b></p>
	<p><b>Grohsafe®</b> Pressure Balance Rough-In Valve with Built-In Manual Diverter</p> <ul style="list-style-type: none"> <li>• Handle limit stop</li> <li>• Diaphragm cartridge</li> <li>• Check valves</li> <li>• Built-in diverter</li> <li>• Service stops</li> </ul> <p>Max. Flow Rate: 17 L/min (4.6 gpm) at 45 psi</p>	<p><b>35 033 000</b></p> <p>†Universal connection is ½" male by copper sweat.</p>	Inlets: ½" universal† Outlets: ½" universal†	<b>\$264</b>
	<p><b>Same as above (with automatic diverter)</b></p> <ul style="list-style-type: none"> <li>• To be used with tub/shower combination only</li> </ul> <p>Max Flow Rate: 22 L/min (5.8 gpm) at 45 psi</p>	<p><b>35 016 000</b></p> <p>†Universal connection is ½" male by copper sweat.</p>	Inlets: ½" universal† Outlets: ½" universal†	<b>\$264</b>
	<p><b>Lineare</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> </ul> <p>1 inlet, 3 outlets</p> <p>For use with Diverter Rough-In Valve 29 902 or 29 903</p>	<p><b>29 215 001</b> <b>29 215 EN1</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$169</b> <b>219</b></p>
	<p><b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet, 3 outlets</li> <li>• 3 discrete functions (non-shared)</li> <li>• ½" NPT</li> <li>• CALGreen compliant</li> </ul>	<p><b>29 902 000</b> CEC</p>	3-Way (Discrete functions)	<b>\$277</b>
	<p><b>Same as above (Shared Functions)</b> 3 discrete, 3 shared functions</p>	<p><b>29 903 000</b></p>	3-Way (Shared functions)	<b>\$277</b>

GROHE  
**PLUS**



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Centreset  
33 170 003/EN3



Lavatory Centreset  
23 956 003/EN3



Lavatory Wideset  
20 302 003/EN3

### BATH FIXTURES



Roman Tub Filler  
with Hand Shower  
29 307 003/EN3



Floor Standing Tub Filler  
with Hand Shower  
23 846 003/EN3



Diverter Tub Spout  
13 407 003/EN3



Tub Spout  
13 405 003/EN3

### SHOWER FIXTURES



Rainshower Mono 310  
Shower Head  
26 569 000 / ENO



Rainshower Mono 310  
Shower Head  
26 570 000 / ENO



Rainshower Wall Union  
26 635 000 / ENO



Rainshower 15"  
Shower Arm  
28 540 000 / ENO



Rainshower  
Shower Arm  
26 632 000 / ENO



Single Function Pressure  
Balance Valve Trim with  
Control Module  
29 331 003/EN3



Sena Stick Hand Shower  
26 465 000 / ENO  
28 341 000



Euphoria Cube  
Stick Hand Shower  
27 888 000  
26 467 000



Rainshower Wall Mount  
Hand Shower Holder  
27 074 000 / ENO



Rainshower SmartActive  
Shower Set  
26 547 000



Rainshower SmartActive  
Shower Set  
26 585 000



2-Way Diverter Trim  
29 227 003/EN3



Rainshower SmartActive  
Hand Shower  
26 545 000



Rainshower SmartActive  
Hand Shower  
26 552 000



RotaFlex Metal Longlife  
Metallic Hose  
28 417 000 / ENO



3-Way Diverter Trim  
29 222 003/EN3

### ACCESSORIES



Essentials  
Robe Hook  
40 364 001/EN1



Essentials 18" Towel Bar  
40 688 001/EN1  
Essentials 24" Towel Bar  
40 366 001/EN1  
Essentials 32" Towel Bar  
40 386 001/EN1



Essentials  
8" Towel Ring  
40 365 001/EN1



Essentials  
Paper Holder  
40 689 001/EN1












Essentials Spare Toilet  
Paper Holder  
40 385 001/EN1



Essentials  
12" Grab Bar  
40 421 001/EN1

# GROHE PLUS

GROHE PLUS








		Product #	Colour/Description	Price
  <p><b>new</b></p> <p><b>Plus</b> S-Size, Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 6¾" Faucet height</li> <li>• 4⅜" Spout reach</li> <li>• 4⅛" Aerator height</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy</li> <li>• GROHE QuickFix® installation</li> <li>• GROHE AquaGuide adjustable flow control</li> <li>• Solid brass body</li> <li>• Metal lever handles</li> <li>• CALGreen/CEC compliant</li> <li>• WaterSense certified</li> <li>• Stainless steel flex lines</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>		<b>33 170 003</b> <b>33 170 EN3</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 415</b> <b>540</b>
  <p><b>new</b></p> <p><b>Plus</b> M-Size, Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7½" Faucet height</li> <li>• 4¾" Spout reach</li> <li>• 6⅝" Aerator height</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy</li> <li>• GROHE QuickFix® installation</li> <li>• GROHE AquaGuide adjustable flow control</li> <li>• 90° Swivel spout</li> <li>• Solid brass body</li> <li>• Metal lever handles</li> <li>• CALGreen/CEC compliant</li> <li>• WaterSense certified</li> <li>• Stainless steel flex lines</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>		<b>23 956 003</b> <b>23 956 EN3</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 499</b> <b>649</b>
  <p><b>new</b></p> <p><b>Plus</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 6 7⁄8" Faucet height</li> <li>• 5 1⁄16" Spout reach</li> <li>• 6 1⁄16" Aerator height</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy</li> <li>• GROHE QuickFix® installation</li> <li>• GROHE AquaGuide adjustable flow control</li> <li>• Solid brass body</li> <li>• Metal lever handles</li> <li>• WaterSense certified</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>		<b>20 302 003</b> <b>20 302 EN3</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 529</b> <b>688</b>

# GROHE PLUS





		Product #	Colour/Description	Price
	<b>new</b> <b>Plus</b> Floor Mounted Tub Filler with Hand Shower with Joystick**  <ul style="list-style-type: none"> <li>• 35 1/16" - 38" Faucet height</li> <li>• 11 1/8" Spout reach</li> <li>• 32 15/16" - 37 1/16" Aerator height</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 49" SilverFlex shower hose (28 362)</li> <li>• 1/2" integrated non-return valve in the shower outlet</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria® Cube hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Requires Rough-In Set (29 038 001)</p> <p>Optional In-Line Remote Pressure Balance Valve (35 204)</p>	<b>23 846 003</b> <b>23 846 EN3</b> ♿ CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 1,749</b> <b>2,274</b>
	<b>Rough-In Set</b> For Floor Standing Tub Filler  <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold-supplies)</li> </ul>	<b>29 038 001</b>		<b>\$ 381</b>
	<b>new</b> <b>Plus</b> Roman Tub Filler with Hand Shower**  <ul style="list-style-type: none"> <li>• 8 5/16" Spout reach</li> <li>• 4 3/8" Aerator height</li> <li>• GROHE StarLight® finish</li> <li>• 79" Metal shower hose</li> <li>• Stainless steel flex lines</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria® Cube hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	<b>29 307 003</b> <b>29 307 EN3</b> ♿ CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 1,505</b> <b>1,957</b>
	<b>new</b> <b>Plus</b> 6 11/16" Tub Spout  <ul style="list-style-type: none"> <li>• 6 11/16" Spout reach</li> <li>• GROHE StarLight® finish</li> <li>• Wall mount</li> <li>• 1/2" NPT inlet</li> </ul>	<b>13 405 003</b> <b>13 405 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 185</b> <b>241</b>
	<b>new</b> <b>Plus</b> 7 1/8" Diverter Tub Spout  <ul style="list-style-type: none"> <li>• 7 1/8" Spout reach</li> <li>• GROHE StarLight® finish</li> <li>• Wall mount</li> <li>• Slip fit</li> <li>• Pull-up diverter activation</li> </ul>	<b>13 407 003</b> <b>13 407 EN3</b> CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 145</b> <b>189</b>

\*\* To be installed in accordance with local plumbing codes.

# GROHE PLUS

			Product #	Colour/Description	Price
	<b>new</b>	<p><b>Plus</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight® finish</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0 gpm) (top port) at 45 psi (19 L/min)</li> </ul> <p>For use with Grohsafe® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<p><b>29 331 003</b> <b>29 331 EN3</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 275</b> <b>358</b></p>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <p>Includes plug for 3-port installation Flush plug included Made of DZR Brass Service stops Cartridge ships with the trim</p>	<p><b>35 110 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" Universal Inlets† ½" Universal Outlets†</p>	<p><b>\$ 146</b></p>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <p>Includes plug for 3-port installation Flush plug included Made of DZR Brass Service stops Cartridge ships with the trim</p>	<p><b>35 111 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Crimp (ASTM F1807) Inlets ½" Universal Outlets†</p>	<p><b>\$ 146</b></p>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <p>Includes plug for 3-port installation Flush plug included Made of DZR Brass Service stops Cartridge ships with the trim</p>	<p><b>35 112 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Cold Expansion (ASTM F1960) Inlets ½" Universal Outlets†</p>	<p><b>\$ 146</b></p>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <p>Flush plug included Made of DZR Brass Service stops Cartridge ships with the trim</p>	<p><b>35 113 000</b></p>	<p>½" Stub-out Inlets ½" Stub-out Outlets</p>	<p><b>\$ 177</b></p>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <p>Includes plug for 3-port installation Flush plug included Valve can be rotated 180° to accommodate floor or ceiling supplies Made of DZR Brass Service stops Cartridge ships with the trim</p>	<p><b>35 115 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Crimp (ASTM F1807) Elbow Inlets ½" Universal Outlets†</p>	<p><b>\$ 177</b></p>
	<b>new</b>	<p><b>Grohsafe® 3.0</b> Shower Rough-In Valve</p> <p>Includes plug for 3-port installation Flush plug included Valve can be rotated 180° to accommodate floor or ceiling supplies Made of DZR Brass Service stops Cartridge ships with the trim</p>	<p><b>35 116 000</b></p> <p>† Male NPT thread with ½" female fitting</p>	<p>½" PEX Cold Expansion (ASTM F1960) Elbow Inlets ½" Universal Outlets†</p>	<p><b>\$ 177</b></p>

# GROHE PLUS

		Product #	Colour/Description	Price
	<b>new</b> <b>Plus</b> 2-Way Diverter Trim (Shower Head / Hand Shower)  • Metal lever handle • GROHE StarLight® finish  For use with Diverter Rough-In Valve (29 900) or (29 901)	<b>29 227 003</b> <b>29 227 EN3</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 159</b> <b>207</b>
	<b>Diverter/Transfer (Discrete Functions)</b> 2-Way Diverter Rough-In Valve  • 1 inlet, 2 outlets • 2 discrete functions (non-shared) • ½" NPT  <b>Same as above (Shared functions)</b> 2 Discrete, 1 shared function	<b>29 900 000</b> CEC	2-Way (Discrete functions)	<b>\$238</b>
	<b>new</b> <b>Plus</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout)  • Metal lever handle • GROHE StarLight® finish  For use with Diverter Rough-In Valve (29 902) or (29 903)	<b>29 222 003</b> <b>29 222 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 169</b> <b>220</b>
	<b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve  • 1 inlet, 3 outlets • 3 discrete functions (non-shared) • ½" NPT  <b>Same as above (Shared functions)</b> 3 Discrete, 3 shared functions	<b>29 902 000</b> CEC	3-Way (Discrete functions)	<b>\$277</b>
		<b>29 903 000</b>	3-Way (Shared functions)	<b>\$277</b>

GROHE PLUS

GROHE  
**SEABURY®**





# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 800 00A / BEA / ENA / ZBA  
+ 18 732 000 / BE0 / EN0 / ZB0



Lavatory Wideset  
20 800 00A / BEA / ENA / ZBA  
+ 18 731 000 / BE0 / EN0 / ZB0

### BATH FIXTURES



Diverter Tub Spout  
13 603 000 / BE0 / EN0 / ZB0



Tub Spout  
13 615 000 / BE0 / EN0 / ZB0

### SHOWER FIXTURES



Rainshower Rustic 210  
26 474 000 / BE0 / EN0 / ZB0



Rainshower Shower Arm  
28 540 000 / BE0 / EN0 / ZB0



Relexa Rustic 100  
27 142 000 / BE0 / EN0



Seabury Pressure Balance Valve Trims  
19 707 000 / BE0 / EN0 / ZB0 +  
19 708 000 / BE0 / EN0 / ZB0



Seabury Thermostatic Trims  
19 612 000 / BE0 / EN0 / ZB0 +  
19 614 000 / BE0 / EN0 / ZB0



Rainshower Rustic 100  
27 126 001 / BE1 / EN1 / ZB1



Rainshower Retro Shower Arm  
28 383 000 / EN0



Diverter Trims  
19 222 000 / BE0 / EN0 / ZB0 +  
19 221 000 / BE0 / EN0 / ZB0



Seabury Shower Arm & Flange  
27 011 000 / BE0 / EN0 / ZB0



Relexa Rustic 100  
Hand Shower  
27 125 000 / BE0 / EN0 / ZB0



Volume Control Trims  
19 827 000 / BE0 / EN0 / ZB0 +  
19 828 000 / BE0 / EN0 / ZB0

### ACCESSORIES



Robe Hook  
40 159  
000 / BE0 / EN0 / ZB0











24" Towel Bar  
40 157  
000 / BE0 / EN0 / ZB0













Paper Holder  
40 160  
000 / BE0 / EN0 / ZB0
















Towel Ring  
40 158  
000 / BE0 / EN0 / ZB0

	Product #	Handle #	Colour/Description	Price	
 <p><b>Seabury</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 3¼" Faucet height</li> <li>• 4¾" Spout reach</li> <li>• 1 1¼" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• Less Handles - order 18 731 or 18 732 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>20 800 00A 20 800 BEA 20 800 ENA 20 800 ZBA</p> <p>CEC</p>		<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 367 477 477 518</p>	
	<p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>				
	 <p><b>Same as above + Cross Handles</b></p> <ul style="list-style-type: none"> <li>• 18 731 Cross Handles (sold separately, see below)</li> </ul>	<p>20 800 00A + 18 731 000 20 800 BEA + 18 731 ENO 20 800 ENA + 18 731 ENO 20 800 ZBA + 18 731 ZBO</p> <p>CEC</p>		<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	
 <p><b>Same as above + Lever Handles</b></p> <ul style="list-style-type: none"> <li>• 18 732 Lever Handles (sold separately, see below)</li> </ul>	<p>20 800 00A + 18 732 000 20 800 BEA + 18 732 ENO 20 800 ENA + 18 732 ENO 20 800 ZBA + 18 732 ZBO</p> <p>CEC</p>		<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>		
 <p><b>Seabury</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 1/16" Diverter Spout reach</li> <li>• 2 1/4" Aerator height</li> <li>• 8 3/4" Diverter spout</li> <li>• 79" Hose</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Less Handles - order 18 731 or 18 732 (sold separately)</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	<p>★ 25 502 001 ★ 25 502 BE1 ★ 25 502 EN1 ★ 25 502 ZB1</p> <p>CEC</p>		<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 1,283 1,670 1,670 1,804</p>	
	<p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>				
	 <p><b>Same as above + Cross Handles</b></p> <ul style="list-style-type: none"> <li>• 18 731 Cross Handles (sold separately, see below)</li> </ul>	<p>★ 25 502 001 + 18 731 000 ★ 25 502 BE1 + 18 731 BE0 ★ 25 502 EN1 + 18 731 ENO ★ 25 502 ZB1 + 18 731 ZBO</p> <p>CEC</p>		<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	
 <p><b>Same as above + Lever Handles</b></p> <ul style="list-style-type: none"> <li>• 18 732 Lever Handles (sold separately, see below)</li> </ul>	<p>★ 25 502 001 + 18 732 000 ★ 25 502 BE1 + 18 732 BE0 ★ 25 502 EN1 + 18 732 ENO ★ 25 502 ZB1 + 18 732 ZBO</p> <p>CEC</p>		<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>		
 <p><b>Seabury</b> Cross Handles (Sold In Pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>18 731 000 18 731 BE0 18 731 ENO 18 731 ZB0</p>		<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 110 143 143 152</p>	
	 <p><b>Seabury</b> Lever Handles (Sold In Pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>18 732 000 18 732 BE0 18 732 ENO 18 732 ZB0</p> <p>CEC</p>		<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 110 143 143 152</p>

		Product #	Colour/Description	Price
	<p><b>Seabury</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Seabury Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valve 35 015, 35 064, 35 065, 35 066 (See below and page 174)</p>	<p><b>19 707 000</b> <b>19 707 BE0</b> <b>19 707 EN0</b> <b>19 707 ZB0</b></p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p><b>\$ 208</b> <b>272</b> <b>272</b> <b>289</b></p>
	<p><b>Seabury</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Seabury Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valve 35 015, 35 064, 35 065, 35 066 (See below and page 174)</p>	<p><b>19 708 000</b> <b>19 708 BE0</b> <b>19 708 EN0</b> <b>19 708 ZB0</b></p> <p>♿</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p><b>\$ 208</b> <b>272</b> <b>272</b> <b>289</b></p>
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with ½" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b></p>	<p><b>35 015 001</b></p> <p>† Universal connection is ½" male by copper sweat</p> <p><b>47 996 000</b></p>	<p>Inlets: ½" Universal† Outlets: ½" Universal†</p>	<p><b>\$ 175</b>          <b>\$ 83</b></p>
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with ½" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b></p>	<p>★ <b>35 064 001</b></p> <p>† Universal connection is ½" male by copper sweat</p> <p><b>47 996 000</b></p>	<p>Inlets: ½" PEX Expansion (1960) Outlets: ½" Universal†</p>	<p><b>\$ 175</b>          <b>\$ 83</b></p>
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b></p>	<p>★ <b>35 065 001</b></p> <p>† Universal connection is ½" male by copper sweat</p> <p><b>47 996 000</b></p>	<p>Inlets: ½" PEX Crimp/Clamp (1807) Outlets: ½" Universal†</p>	<p><b>\$ 175</b>          <b>\$ 83</b></p>

		Product #	Colour/Description	Price
	<p><b>Grohsafe®</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b></p>	<p>★ <b>35 066 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p> <p><b>47 996 000</b></p>	<p>Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†</p>	<p><b>\$ 144</b></p> <p><b>\$ 83</b></p>
	<p><b>Seabury</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Cross handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See next page for matching volume control trim/valve)</li> <li>• Temperature provided in degrees Fahrenheit</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with Grohtherm® Rough-In Valve 34 331 or 34 397 (see below)</p>	<p><b>19 612 000</b> <b>19 612 BE0</b> <b>19 612 EN0</b> <b>19 612 ZB0</b></p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p><b>\$ 303</b> <b>398</b> <b>398</b> <b>427</b></p>
	<p><b>Seabury</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Lever handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See next page for matching volume control trim/valve)</li> <li>• Temperature provided in degrees Fahrenheit</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with Grohtherm® Rough-In Valve 34 331 or 34 397 (see below)</p>	<p><b>19 614 000</b> <b>19 614 BE0</b> <b>19 614 EN0</b> <b>19 614 ZB0</b></p> <p>♿</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p><b>\$ 303</b> <b>398</b> <b>398</b> <b>427</b></p>
	<p><b>Grohtherm®</b> Thermostat Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Paraffin cartridge</li> <li>• NPT</li> <li>• Service stops</li> <li>• Built-in check valves</li> <li>• Temperature control only</li> <li>• GROHE TurboStat® Technology</li> <li>• Back-to-back installation by reversing the cartridge housing – No additional parts required</li> </ul> <p><b>Requires separate volume control</b></p> <p>Requires Twin Ell For Shower/Tub Combinations with Diverter Spout (not included, see page 282)</p> <p>34 331 - 34 L/min (9 gpm) at 45 psi (1/2" Valve) 34 397 - 61 L/min (16 gpm) at 45 psi (3/4" Valve)</p> <p><b>Meets ASSE standard 1016</b></p>	<p><b>34 331 000</b></p> <p><b>34 397 000</b></p>	<p>1/2" Valve - with Service Stops</p> <p>3/4" Valve - with Service Stops</p>	<p><b>\$ 339</b></p> <p><b>\$ 508</b></p>
	<p><b>Seabury</b> 6 1/2" Shower Arm and Flange</p> <ul style="list-style-type: none"> <li>• 1/2" Male threads</li> <li>• GROHE StarLight® finish</li> </ul>	<p><b>27 011 000</b> <b>27 011 BE0</b> <b>27 011 EN0</b> <b>27 011 ZB0</b></p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p><b>\$ 83</b> <b>109</b> <b>109</b> <b>132</b></p>

		Product #	Colour/Description	Price
	<p><b>Seabury</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Seabury Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274 (see below)</p>	<p>19 827 000 19 827 BE0 19 827 EN0 19 827 ZB0</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 161 212 212 230</p>
	<p><b>Seabury</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Seabury Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274 (see below)</p>	<p>19 828 000 19 828 BE0 19 828 EN0 19 828 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 161 212 212 230</p>
	<p><b>Volume Control</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT connections</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	<p>29 273 000 29 274 000</p>	<p>1/2" NPT 3/4" NPT</p>	<p>\$ 94 153</p>
	<p><b>Seabury</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Seabury Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712 (see below)</p>	<p>19 222 000 19 222 BE0 19 222 EN0 19 222 ZB0</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 256 332 332 350</p>
	<p><b>Seabury</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Seabury Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712 (see below)</p>	<p>19 221 000 19 221 BE0 19 221 EN0 19 221 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 256 332 332 350</p>
 	<p><b>Diverter/Transfer</b> 3-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 2 Discrete, 1 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>Not recommended for use with body sprays</p>	<p>29 712 000</p>	<p>3-Port</p>	<p>\$ 334</p>

		Product #	Colour/Description	Price
	<p><b>Seabury</b> 6" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	<p>13 603 000 13 603 BE0 13 603 EN0 13 603 ZB0 ♿</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 293 381 381 406</p>
	<p><b>Seabury</b> 6" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<p>13 615 000 13 615 BE0 13 615 EN0 13 615 ZB0</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 250 322 322 350</p>
	<p><b>Seabury</b> 24" Towel Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 157 000 40 157 BE0 40 157 EN0 40 157 ZB0</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 171 235 235 244</p>
	<p><b>Seabury</b> 8" Towel Ring</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 158 000 40 158 BE0 40 158 EN0 40 158 ZB0</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 127 165 165 180</p>
	<p><b>Seabury</b> Robe Hook</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 159 000 40 159 BE0 40 159 EN0 40 159 ZB0</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 106 139 139 149</p>
	<p><b>Seabury</b> Paper Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>40 160 000 40 160 BE0 40 160 EN0 40 160 ZB0</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 129 168 168 182</p>

# GROHE **ACCESSORIES**




# SELECTION CUBE

SELECTION CUBE















		Product #	Colour/Description	Price
	<b>Selection Cube</b> 10" Towel Ring • GROHE StarLight® finish	40 766 000	GROHE StarLight® Chrome	\$126
	<b>Selection Cube</b> 19" Towel Bar • Functional length 18" • GROHE StarLight® finish	40 767 000	GROHE StarLight® Chrome	\$190
	<b>Selection Cube</b> 15 3/4" Double Towel Bar • 2 Arms, pivotable • 40 cm (15 3/4") long • GROHE StarLight® finish	40 768 000	GROHE StarLight® Chrome	\$349
	<b>Selection Cube</b> Toilet Paper Holder • GROHE StarLight® finish	40 781 000	GROHE StarLight® Chrome	\$175
	<b>Selection Cube</b> Robe Hook • GROHE StarLight® finish	40 782 000	GROHE StarLight® Chrome	\$66
	<b>Selection Cube</b> Reserve Toilet Paper Holder • GROHE StarLight® finish	40 784 000	GROHE StarLight® Chrome	\$87
	<b>Selection Cube</b> 24" Towel Rack • Functional length 22" • GROHE StarLight® finish	40 804 000	GROHE StarLight® Chrome	\$624
	<b>Selection Cube</b> 23 5/8" Grab Bar • Functional length 54.8 cm (21 9/16") • GROHE StarLight® finish	40 807 000	GROHE StarLight® Chrome	\$369





# SELECTION CUBE








		Product #	Colour/Description	Price
	<p><b>Selection Cube</b> 7" Shaving Mirror</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Concealed fastening</li> <li>• Magnification: x 3</li> </ul>	40 808 000	GROHE StarLight® Chrome	\$296
	<p><b>Selection Cube</b> 11" Corner Basket</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 809 000	GROHE StarLight® Chrome	\$253
	<p><b>Selection Cube</b> Toilet Brush Set</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 857 000	GROHE StarLight® Chrome	\$264
	<p><b>Selection Cube</b> Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Glass Tumbler (40 783), Soap Dispenser (40 805) or Soap Dish (40 806)</p>	40 865 000	GROHE StarLight® Chrome	\$85
	<p><b>Selection Cube</b> Glass Tumbler</p> <p>Requires Holder (40 865)</p>	40 783 000	Clear Glass	\$37
	<p><b>Selection Cube</b> Soap Dispenser</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>Requires Holder (40 865)</p>	40 805 000	Clear Glass	\$87
	<p><b>Selection Cube</b> Soap Dish</p> <p>Requires Holder (40 865)</p>	40 806 000	Clear Glass	\$32


# SELECTION







			Product #	Colour/Description	Price			
SELECTION		<b>new</b> <b>Selection</b> Towel Ring • GROHE StarLight® finish	41 035 000	GROHE StarLight® Chrome	<b>\$136</b>			
			41 035 A00	Hard Graphite	<b>189</b>			
				41 035 BE0	Polished Nickel InfinityFinish™	<b>189</b>		
				41 035 EN0	Brushed Nickel InfinityFinish™	<b>189</b>		
				41 035 GN0	Brushed Cool Sunrise	<b>189</b>		
					<b>new</b> <b>Selection</b> Single Robe Hook • GROHE StarLight® finish	41 039 000	GROHE StarLight® Chrome	<b>\$73</b>
						41 039 A00	Hard Graphite	<b>98</b>
							41 039 BE0	Polished Nickel InfinityFinish™
41 039 EN0	Brushed Nickel InfinityFinish™	<b>98</b>						
41 039 GN0	Brushed Cool Sunrise	<b>98</b>						
	<b>new</b> <b>Selection</b> Double Robe Hook • GROHE StarLight® finish	41 049 000	GROHE StarLight® Chrome				<b>\$85</b>	
		41 049 A00	Hard Graphite				<b>110</b>	
			41 049 BE0				Polished Nickel InfinityFinish™	<b>110</b>
			41 049 EN0	Brushed Nickel InfinityFinish™	<b>110</b>			
			41 049 GN0	Brushed Cool Sunrise	<b>110</b>			
				<b>new</b> <b>Selection</b> 24" Towel Bar • GROHE StarLight® finish	41 056 000	GROHE StarLight® Chrome	<b>\$194</b>	
					41 056 A00	Hard Graphite	<b>261</b>	
						41 056 BE0	Polished Nickel InfinityFinish™	<b>261</b>
41 056 EN0	Brushed Nickel InfinityFinish™	<b>261</b>						
41 056 GN0	Brushed Cool Sunrise	<b>261</b>						
	<b>new</b> <b>Selection</b> 32" Towel Bar • GROHE StarLight® finish	41 058 000				GROHE StarLight® Chrome	<b>\$251</b>	
		41 058 A00				Hard Graphite	<b>338</b>	
						41 058 BE0	Polished Nickel InfinityFinish™	<b>338</b>
			41 058 EN0	Brushed Nickel InfinityFinish™	<b>338</b>			
			41 058 GN0	Brushed Cool Sunrise	<b>338</b>			
				<b>new</b> <b>Selection</b> 12" Grab Bar • GROHE StarLight® finish	41 064 000	GROHE StarLight® Chrome	<b>\$239</b>	
					41 064 A00	Hard Graphite	<b>321</b>	
						41 064 BE0	Polished Nickel InfinityFinish™	<b>321</b>
41 064 EN0	Brushed Nickel InfinityFinish™	<b>321</b>						
41 064 GN0	Brushed Cool Sunrise	<b>321</b>						
	<b>new</b> <b>Selection</b> Multi-Towel Rack • GROHE StarLight® finish	41 066 000				GROHE StarLight® Chrome	<b>\$589</b>	
		41 066 A00				Hard Graphite	<b>795</b>	
						41 066 BE0	Polished Nickel InfinityFinish™	<b>795</b>
			41 066 EN0	Brushed Nickel InfinityFinish™	<b>795</b>			
			41 066 GN0	Brushed Cool Sunrise	<b>795</b>			

# SELECTION

		Product #	Colour/Description	Price			
 <p><b>new</b></p> <p><b>Selection</b> Spare Toilet Paper Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>Available December 2020</p>	<p><b>41 067 000</b></p> <p><b>41 067 A00</b></p> <p><b>41 067 BE0</b></p> <p><b>41 067 EN0</b></p> <p><b>41 067 GN0</b></p>	<p>GROHE StarLight® Chrome</p> <p>Hard Graphite</p> <p>Polished Nickel InfinityFinish™</p> <p>Brushed Nickel InfinityFinish™</p> <p>Brushed Cool Sunrise</p>	<p><b>\$ 112</b></p> <p><b>150</b></p> <p><b>150</b></p> <p><b>150</b></p> <p><b>150</b></p>				
				 <p><b>new</b></p> <p><b>Selection</b> Toilet Paper Holder without Cover</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>Available December 2020</p>	<p><b>41 068 000</b></p> <p><b>41 068 A00</b></p> <p><b>41 068 BE0</b></p> <p><b>41 068 EN0</b></p> <p><b>41 068 GN0</b></p>	<p>GROHE StarLight® Chrome</p> <p>Hard Graphite</p> <p>Polished Nickel InfinityFinish™</p> <p>Brushed Nickel InfinityFinish™</p> <p>Brushed Cool Sunrise</p>	<p><b>\$ 118</b></p> <p><b>159</b></p> <p><b>159</b></p> <p><b>159</b></p> <p><b>159</b></p>

		Product #	Colour/Description	Price
	<b>Essentials</b> Robe Hook • GROHE StarLight® finish	40 364 001 40 364 A01 40 364 BE1 40 364 EN1 40 364 GN1	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 48 68 68 63 68
	<b>Essentials</b> 8" Towel Ring • GROHE StarLight® finish	40 365 001 40 365 A01 40 365 BE1 40 365 EN1 40 365 GN1	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 58 83 83 76 83
	<b>Essentials</b> 18" Towel Bar • 50.4 cm (19 7/8") long • Functional length 45 cm (17 2/3") • GROHE StarLight® finish	40 688 001 40 688 A01 40 688 BE1 40 688 EN1 40 688 GN1	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 66 95 95 86 95
	<b>Essentials</b> 24" Towel Bar • 65.4 cm (25 3/4") long • Functional length 60 cm (23 5/8") • GROHE StarLight® finish	40 366 001 40 366 A01 40 366 BE1 40 366 EN1 40 366 GN1	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 79 112 112 102 112
	<b>Essentials</b> 32" Towel Bar • 85.4 cm (33 5/8") long • Functional length 80 cm (31 1/2") • GROHE StarLight® finish	40 386 001 40 386 A01 40 386 BE1 40 386 EN1 40 386 GN1	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 94 134 134 123 134
	<b>Essentials</b> 24" Double Towel Bar • 65.4 cm (25 3/4") long • Functional length 60 cm (23 5/8") • GROHE StarLight® finish	40 802 001 40 802 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 109 142
	<b>Essentials</b> 22" Towel Rack • 60.4 cm long (23 3/4") x 27 cm (10 5/8") wide • Functional length 55 cm (21 2/3") • GROHE StarLight® finish	40 800 001 40 800 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 211 267
	<b>Essentials</b> 18" Two-Arm Towel Holder • 45 cm (18") long • GROHE StarLight® finish	40 371 001 40 371 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 119 155
	<b>Essentials</b> Paper Holder • GROHE StarLight® finish	40 367 001 40 367 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 72 94
	<b>Essentials</b> Toilet Paper Holder • GROHE StarLight® finish	40 689 001 40 689 A01 40 689 BE1 40 689 EN1 40 689 GN1	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 66 95 95 86 95









		Product #	Colour/Description	Price
	<b>Essentials</b> Spare Toilet Paper Holder • GROHE StarLight® finish	<b>40 385 001</b> <b>40 385 A01</b> <b>40 385 BE1</b> <b>40 385 EN1</b> <b>40 385 GN1</b>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 55</b> <b>79</b> <b>79</b> <b>71</b> <b>79</b>
	<b>Essentials</b> Toilet Brush Set • GROHE StarLight® finish	<b>40 374 001</b>	GROHE StarLight® Chrome	<b>\$ 94</b>
	<b>Essentials</b> Soap Dish Requires holder 40 369 (see below)	<b>40 368 001</b>	Clear Glass	<b>\$ 17</b>
	<b>Essentials</b> Glass Tumbler Requires holder 40 369 (see below)	<b>40 372 001</b>	Clear Glass	<b>\$ 31</b>
	<b>Essentials</b> Soap Dispenser • GROHE StarLight® finish Requires holder 40 369 (see below)	<b>40 394 001</b> <b>40 394 EN1</b>	Clear Glass Brushed Nickel InfinityFinish™	<b>\$ 48</b> <b>62</b>
	<b>Essentials</b> Holder for Glass, Soap Dish or Soap Dispenser • GROHE StarLight® finish	<b>40 369 001</b> <b>40 369 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 45</b> <b>58</b>
	<b>Essentials</b> Soap Dish with Holder • GROHE StarLight® finish	<b>40 444 001</b> <b>40 444 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 61</b> <b>79</b>
	<b>Essentials</b> Glass with Holder • GROHE StarLight® finish	<b>40 447 001</b> <b>40 447 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 75</b> <b>92</b>
	<b>Essentials</b> Soap Dispenser with Holder • GROHE StarLight® finish	<b>40 448 001</b> <b>40 448 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 90</b> <b>112</b>

		Product #	Colour/Description	Price
	<b>Essentials</b> 20" Glass Shelf <ul style="list-style-type: none"> <li>• 53 cm (20") long</li> <li>• Functional length 38 cm (15")</li> <li>• GROHE StarLight® finish</li> </ul>	40 799 001	GROHE StarLight® Chrome	\$ 338
	<b>Essentials</b> 12" Grab Bar <ul style="list-style-type: none"> <li>• 35 cm long (13 3/4")</li> <li>• Functional length 29.5 cm (11 5/8")</li> <li>• GROHE StarLight® finish</li> </ul>	40 421 001 40 421 A01 40 421 BE1 40 421 EN1 40 421 GN1 ♿	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 90 128 128 117 128
	<b>Essentials</b> 18" Grab Bar <ul style="list-style-type: none"> <li>• 50.7 cm (20") long</li> <li>• Functional length 45 cm (17 3/4")</li> <li>• GROHE StarLight® finish</li> </ul>	40 793 001 ♿	GROHE StarLight® Chrome	\$ 84
	<b>Essentials</b> 24" Grab Bar <ul style="list-style-type: none"> <li>• 65.7 cm (25 7/8") long</li> <li>• Functional length 60 cm (23 5/8")</li> <li>• GROHE StarLight® finish</li> </ul>	40 794 001 ♿	GROHE StarLight® Chrome	\$ 116
	<b>Essentials</b> 38" x 24" L-Shaped Grab Bar <ul style="list-style-type: none"> <li>• 73.7 x 99.7 cm (29" x 39 1/4")</li> <li>• Functional length 68 cm x 94 cm (26 3/4" x 37")</li> <li>• GROHE StarLight® finish</li> </ul>	40 797 001 ♿	GROHE StarLight® Chrome	\$ 338
	<b>Essentials</b> 8" Corner Basket <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 664 001	GROHE StarLight® Chrome	\$ 80
	<b>Essentials</b> 12" Corner Basket <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 663 001	GROHE StarLight® Chrome	\$ 106
	<b>Essentials</b> Guest Bathroom Set, 3-in-1 <ul style="list-style-type: none"> <li>• Toilet Paper Holder with Cover (40 367 001)</li> <li>• Robe Hook (40 364 001)</li> <li>• Toilet Brush Set (40 374 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 407 001	GROHE StarLight® Chrome	\$ 168

		Product #	Colour/Description	Price
	<b>Essentials</b> City Bathroom Set, 3-in-1 <ul style="list-style-type: none"> <li>• Toilet Paper Holder with Cover (40 367 001)</li> <li>• Robe Hook (40 364 001)</li> <li>• 24" Towel Rail (40 366 001)</li> <li>• GROHE StarLight® finish</li> </ul>	<b>40 775 001</b> <b>40 775 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 164</b> <b>214</b>
	<b>Essentials</b> City Bathroom Set, 3-in-1 <ul style="list-style-type: none"> <li>• Towel Ring (40 365 EN1)</li> <li>• Robe Hook (40 364 EN1)</li> <li>• 24" Towel Rail (40 366 EN1)</li> <li>• GROHE StarLight® finish</li> </ul>	<b>40 821 EN1</b>	Brushed Nickel InfinityFinish™	<b>\$ 211</b>
	<b>Essentials</b> Master Bathroom Set, 4-in-1 <ul style="list-style-type: none"> <li>• Towel Ring (40 365 001)</li> <li>• Robe Hook (40 364 001)</li> <li>• 24" Towel Rail (40 366 001)</li> <li>• Toilet Paper Holder with Cover (40 367 001)</li> <li>• GROHE StarLight® finish</li> </ul>	<b>40 776 001</b>	GROHE StarLight® Chrome	<b>\$ 206</b>
	<b>Essentials</b> Master Bathroom Set, 4-in-1 <ul style="list-style-type: none"> <li>• Towel Ring (40 365)</li> <li>• Robe Hook (40 364)</li> <li>• Toilet Paper Holder (40 689)</li> <li>• 24" Towel Rail (40 366)</li> <li>• GROHE StarLight® finish</li> </ul>	<b>40 823 001</b> <b>40 823 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 203</b> <b>264</b>
	<b>Essentials</b> Master Bathroom Set, 4-in-1 <ul style="list-style-type: none"> <li>• Robe Hook (40 364 001)</li> <li>• Soap Dispenser with Holder (40 448 001)</li> <li>• Glass with Holder (40 447 001)</li> <li>• 18" Double Towel Bar (40 371 001)</li> <li>• GROHE StarLight® finish</li> </ul>	<b>40 846 001</b>	GROHE StarLight® Chrome	<b>\$ 274</b>
	<b>Essentials</b> Master Bathroom Set, 5-in-1 <ul style="list-style-type: none"> <li>• Towel Ring (40 365 001)</li> <li>• Robe Hook (40 364 001)</li> <li>• 24" Towel Rail (40 366 001)</li> <li>• Toilet Paper Holder with Cover (40 367 001)</li> <li>• Soap Dish with Holder (40 444 001)</li> <li>• GROHE StarLight® finish</li> </ul>	<b>40 344 001</b> ★ <b>40 344 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 265</b> <b>345</b>










Note: Products listed with ★ (stars) are available while supplies last.

# ESSENTIALS CUBE






		Product #	Colour/Description	Price
	<p><b>Essentials Cube</b> Robe Hook</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 511 001	GROHE StarLight® Chrome	\$ 84
	<p><b>Essentials Cube</b> 8" Towel Ring</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 510 001	GROHE StarLight® Chrome	\$ 171
	<p><b>Essentials Cube</b> 18" Towel Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	122522	GROHE StarLight® Chrome	\$ 154
	<p><b>Essentials Cube</b> 24" Towel Bar</p> <ul style="list-style-type: none"> <li>• 60 cm (23<sup>5</sup>/<sub>8</sub>" long</li> <li>• Functional length 55.8 cm (22")</li> <li>• GROHE StarLight® finish</li> </ul>	40 509 001	GROHE StarLight® Chrome	\$ 171
	<p><b>Essentials Cube</b> 24" Multi-Towel Rack</p> <ul style="list-style-type: none"> <li>• 60 cm (23<sup>5</sup>/<sub>8</sub>" long x 21 cm (8<sup>1</sup>/<sub>4</sub>" wide</li> <li>• Functional length 55.8 cm (22")</li> <li>• GROHE StarLight® finish</li> </ul>	40 512 001	GROHE StarLight® Chrome	\$ 349
	<p><b>Essentials Cube</b> 18" Two-Arm Towel Holder</p> <ul style="list-style-type: none"> <li>• 44 cm (17<sup>1</sup>/<sub>4</sub>" long</li> <li>• GROHE StarLight® finish</li> </ul>	40 624 001	GROHE StarLight® Chrome	\$ 205
	<p><b>Essentials Cube</b> Toilet Paper Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 507 001	GROHE StarLight® Chrome	\$ 142
	<p><b>Essentials Cube</b> Spare Toilet Paper Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 623 001	GROHE StarLight® Chrome	\$ 84











# ESSENTIALS CUBE

		Product #	Colour/Description	Price
	<p><b>Essentials Cube</b> 12" Grab Bar</p> <ul style="list-style-type: none"> <li>• 39.2 cm (15½") long</li> <li>• Functional length 29 cm (11 ¾")</li> <li>• GROHE StarLight® finish</li> </ul>	40 514 001	GROHE StarLight® Chrome	\$ 189
	<p><b>Essentials Cube</b> Toilet Brush Set</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 513 001	GROHE StarLight® Chrome	\$ 218
	<p><b>Essentials Cube</b> Soap Dish with Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 754 001	GROHE StarLight® Chrome	\$ 113
	<p><b>Essentials Cube</b> Glass Cup with Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 755 001	GROHE StarLight® Chrome	\$ 122
	<p><b>Essentials Cube</b> Soap Dispenser with Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 756 001	GROHE StarLight® Chrome	\$ 139
	<p><b>Essentials</b> Soap Dish</p> <p>Requires 40 508 001 Wall Mount Holder (see below)</p>	40 368 001	Clear Glass	\$ 17
	<p><b>Essentials</b> Glass Tumbler</p> <p>Requires 40 508 001 Wall Mount Holder (see below)</p>	40 372 001	Clear Glass	\$ 31
	<p><b>Essentials</b> Soap Dispenser</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>Requires 40 508 001 Wall Mount Holder (see below)</p>	40 394 001	GROHE StarLight® Chrome	\$ 48
	<p><b>Essentials Cube</b> Wall Mount Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 508 001	GROHE StarLight® Chrome	\$ 92







# ESSENTIALS CUBE

		Product #	Colour/Description	Price
	<p><b>Essentials Cube</b> Guest Bathroom Set 3-in-1</p> <ul style="list-style-type: none"> <li>• Robe Hook (40 511 001)</li> <li>• Toilet Paper Holder (40 507 001)</li> <li>• Toilet Brush Set (40 513 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 757 001	GROHE StarLight® Chrome	<b>\$ 349</b>
	<p><b>Essentials Cube</b> City Bathroom Set 3-in-1</p> <ul style="list-style-type: none"> <li>• Robe Hook (40 511 001)</li> <li>• Toilet Paper Holder (40 507 001)</li> <li>• 24" Towel Rail (40 509 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 777 001	GROHE StarLight® Chrome	<b>\$ 313</b>
	<p><b>Essentials Cube</b> Master Bathroom Set 4-in-1</p> <ul style="list-style-type: none"> <li>• Robe Hook (40 511 001)</li> <li>• Toilet Paper Holder (40 507 001)</li> <li>• 24" Towel Rail (40 509 001)</li> <li>• 8" Towel Ring (40 510 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 778 001	GROHE StarLight® Chrome	<b>\$ 465</b>
	<p><b>Essentials Cube</b> Master Bathroom Set 4-in-1</p> <ul style="list-style-type: none"> <li>• Robe Hook (40 511 001)</li> <li>• Soap Dispenser with Holder (40 756 001)</li> <li>• Glass Cup with Holder (40 755 001)</li> <li>• 18" Double Towel Bar (40 624 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 847 001	GROHE StarLight® Chrome	<b>\$ 486</b>
	<p><b>Essentials Cube</b> Master Bathroom Set 5-in-1</p> <ul style="list-style-type: none"> <li>• Robe Hook (40 511 001)</li> <li>• Toilet Paper Holder (40 507 001)</li> <li>• 24" Towel Rail (40 509 001)</li> <li>• 8" Towel Ring (40 510 001)</li> <li>• Soap Dish with Holder (40 754 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 758 001	GROHE StarLight® Chrome	<b>\$ 545</b>

# ESSENTIALS AUTHENTIC

		Product #	Colour/Description	Price
	<b>Essentials Authentic</b> 24" Towel Bar <ul style="list-style-type: none"> <li>• 61 cm (24") long</li> <li>• Functional length 50.8 cm (20")</li> <li>• GROHE StarLight® finish</li> </ul>	★ 40 653 001 ★ 40 653 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 80 105
	<b>Essentials Authentic</b> 24" Double Towel Bar <ul style="list-style-type: none"> <li>• 61 cm (24") long</li> <li>• Functional length 50.8 cm (20")</li> <li>• GROHE StarLight® finish</li> </ul>	★ 40 654 001 ★ 40 654 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 106 136
	<b>Essentials Authentic</b> 23" Multi-Towel Rack <ul style="list-style-type: none"> <li>• 58.6 cm (23") long x 28 cm (11") wide</li> <li>• Functional length 54.2 cm (21 5/16")</li> <li>• GROHE StarLight® finish</li> </ul>	★ 40 660 001 ★ 40 660 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 206 270
	<b>Essentials Authentic</b> 8" Towel Ring <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 655 001 ★ 40 655 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 54 71
	<b>Essentials Authentic</b> Robe Hook <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 656 001 ★ 40 656 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 34 45
	<b>Essentials Authentic</b> 5 1/4" Soap Basket <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 659 001 ★ 40 659 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 77 100
	<b>Essentials Authentic</b> Paper Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 657 001 ★ 40 657 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 66 83
	<b>Essentials Authentic</b> Toilet Brush Set <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 658 001 ★ 40 658 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 116 146

# ESSENTIALS AUTHENTIC

		Product #	Colour/Description	Price
	<b>Essentials</b> Soap Dish Requires 40 652 Wall Mount Holder	40 368 001	Clear Glass	\$ 17
	<b>Essentials Authentic</b> Wall Mount Holder • GROHE StarLight® finish	★ 40 652 001 ★ 40 652 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 38 49
	<b>Essentials</b> Glass Tumbler Requires 40 652 Wall Mount Holder	40 372 001	Clear Glass	\$ 31
	<b>Essentials Authentic</b> Wall Mount Holder • GROHE StarLight® finish	★ 40 652 001 ★ 40 652 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 38 49
	<b>Essentials</b> Soap Dispenser Requires 40 652 Wall Mount Holder	40 394 001 40 394 EN1	Clear Glass Brushed Nickel InfinityFinish™	\$ 48 62
	<b>Essentials Authentic</b> Wall Mount Holder • GROHE StarLight® finish	★ 40 652 001 ★ 40 652 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 38 49

**Additional accessories are available within the following collections:**

Allure Brilliant (see page 60)  
Allure (see page 71)  
Atrio (see page 82)

Grandera (see page 148)  
Kensington (see page 157)  
Seabury (see page 176)

GROHE  
**SHOWER**



# What is a Safety Valve?

We've all been there before. You've just stepped under your nice hot shower when someone else in the house either turns on a faucet or flushes the toilet; suddenly the temperature of your shower plummets to freezing cold or becomes scalding hot – leaving you with soap in your eyes as you try to manually adjust the temperature back to a comfortable level. While style and versatility are important when it comes to planning a new bathroom, so is safety ... and particularly important for small children, physically disabled people, and elderly people. Safety valves prevent the temperature shocks associated with accidental scalding and falls in the shower.

GROHE offers two options in Safety Valve technology: Thermostatic Temperature Control Valves and Pressure Balance Valves. With GROHE, you can be sure of a safe and enjoyable showering experience every time.

## SHOWER SAFETY FOR THE ENTIRE FAMILY

Thermostatic temperature control valves and pressure balance valves both offer scald protection for you and your family, but there are differences. Use the following feature comparison chart to help you make the best choice for meeting your needs.

Performance Features	Thermostatic Temperature Control Valves	Pressure Balance Valves
Compensates for hot or cold water pressure fluctuations and maintains selected shower temperature. No matter how the water pressure is affected by someone washing dishes or laundry, watering the lawn, or flushing a toilet, etc., you are protected.	●	●
Protects against scalding if the cold water supply is cut off by automatically shutting off the flow of hot water.	●	●
Protects against cold water shock if the hot water supply is cut off by automatically shutting off the flow of cold water.	●	●
Automatically maintains your selected shower temperature (within 0.6 °C [1 °F]) regardless of changes in the temperature of your hot or cold water supply. Eliminates the need to manually re-adjust the temperature setting as your hot water heater empties.	●	
Allows you to precisely <u>pre-select</u> your water temperature before you step into your shower which saves water and energy.†	●	
Allows you to run multiple shower outlets simultaneously while accurately maintaining water temperature at each outlet.	●	
Ultra-quiet, low noise operation.	●	
Available in decorative finishes to compliment your decor.	●	●
Offers multiple handle options to coordinate with GROHE faucet lines.	●	●
Allows back to back installation, eliminating expensive piping.*	●	●

†...when calibrated correctly.

# CUSTOM SHOWER SYSTEMS

## Positioning Guide For Custom Shower Components

Ⓐ User height is one of the critical factors in setting the heights of shower outlets in the custom shower ... and all users should be taken into account. Children and anyone confined to a wheelchair can be accommodated with a height-adjustable hand shower bar.

Ⓑ The shower head should be set at a level above the head of the tallest user but not out of reach for shorter users (excluding children). The reasons are simple: taller users should not have to duck or crouch to rinse their hair; shorter users need to be able to reach the shower head so that they can manually adjust the spray pattern of the head and the angle of the water flow.

Ⓒ The top body spray is normally set at shoulder or back height. It should not spray horizontally into a user's face or ears.


Ⓓ The middle body spray is normally set at waist or hip level.

Ⓔ The lowest body spray is normally set at thigh or knee height.

Note: Body sprays, no matter how many are installed, are intended, primarily, to have the entire body covered by water no matter which direction the user faces. Body sprays should be installed on a different wall from the shower head, whether facing it or perpendicular to it, so that the body sprays flow from a different angle from the shower head. Do not aim body sprays at the shower door.

Ⓕ The thermostatic temperature control valve should be set at approximately waist height and should be easily accessible.

Ⓖ Volume controls (the on/off valves) should be easily accessible to anyone using the shower, usually about waist high and slightly above the thermostat valve (depending on piping requirements).






# GROHE GROHTHERM® SMARTCONTROL







## SLIM PROFILE CONTEMPORARY DESIGN

### 1 5/8" (43 mm) total depth

Whatever the installation depth of the rough-in, the total depth of the trim never exceeds 1 5/8" (43 mm). The Grohtherm® GROHE SmartControl® trim combines space-saving convenience in the shower and slim good looks.

### Thinner wall plate

With a depth of only 3/8" (10 mm), its super slim design makes the GROHE SmartControl® wall plate both elegant and compact.

### Hidden sealing system

The GROHE SmartControl® has an integrated sealing system, eliminating the possibility of water seeping in behind the wall.

### Interchangeable volume control shower outlet symbols

The volume control knobs come with a range of different symbols, representing the different shower options. These symbols are clear and recognizable and their functionality distinct. They can be individually configured and also easily changed, if required.

## LESS IS MUCH MORE – ONE TRIM DOES IT ALL

### Control up to three shower outlets with just one trim

With just one rough-in and one trim, it is possible to enjoy multiple shower options. Featuring up to three GROHE SmartControl® volume controls plus thermostat in one trim, GROHE SmartControl® means half the work for three times the showering pleasure.



Single function trim




Dual function trim



Triple function trim



Triple volume control trim



**JUST ONE ROUGH-IN AND ONE TRIM NEEDED**

## PUSH, TURN, SHOWER



Push the button to start the shower.









Turn to adjust the water volume gradually from light to full water flow.





Push again to stop or pause the shower. The volume is now preset when you restart.

# FLOW RATES






	Outlet	Flow Rate*	
<b>Single Function</b> 	B or C	7.7 gpm	29 L/min.
<b>Dual Function</b> 	B C B+C	6.3 gpm 6.9 gpm 7.7 gpm	24 L/min. 26 L/min. 29 L/min.
<b>Triple Function</b> 	A B C A+B B+C	6.1 gpm 7.1 gpm 6.1 gpm 8.7 gpm 9.5 gpm	23 L/min. 27 L/min. 23 L/min. 33 L/min. 36 L/min.
<b>Triple Volume Control</b> 	D E A D+E+A	7.4 gpm 7.4 gpm 7.4 gpm 17.2 gpm	28 L/min. 28 L/min. 28 L/min. 65 L/min.

	Outlet	Flow Rate*	
<b>Four Function</b> 	D E A C	5.5 gpm 5.5 gpm 5.5 gpm 7.7 gpm	20.8 L/min. 20.8 L/min. 20.8 L/min. 29 L/min.
	D+E+A D+E+A+C To Valve Box	7.7 gpm 9.5 gpm 9.0 gpm	29 L/min. 36 L/min. 34 L/min.




\*At 45 psi / 3 Bar, X = Cap Off Outlet

# GROHTHERM® SMARTCONTROL




		Product #	Colour/Description	Price
	<p><b>Grohtherm® SmartControl</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ¾" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead, and Tub Filler</li> <li>• Includes service stops</li> </ul> <p>For use with Grohtherm® Rapido® SmartBox 35 601 (see page 202)</p>	29 140 000	GROHE StarLight® Chrome	\$703
	<p><b>Grohtherm® SmartControl</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• Acrylic face-plate in moon white</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ¾" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead, and Tub Filler</li> <li>• Includes service stops</li> </ul> <p>For use with Grohtherm® Rapido® SmartBox 35 601 (see page 202)</p>	29 163 LS0	Moon White Acrylic	\$898
	<p><b>Grohtherm® SmartControl</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• Both outlets can be run simultaneously</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ¾" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead, and Tub Filler</li> <li>• Includes service stops</li> </ul> <p>For use with Grohtherm® Rapido® SmartBox 35 601 (see page 202)</p>	29 141 000	GROHE StarLight® Chrome	\$767

# GROHTHERM® SMARTCONTROL

GROHTHERM SMARTCONTROL




		Product #	Colour/Description	Price
	<p><b>Grotherm® SmartControl</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact 3/4" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• Both outlets can be run simultaneously</li> <li>• Acrylic face-plate in moon white</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead, and Tub Filler</li> <li>• Includes service stops</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202)</p>	29 164 LSO	Moon White Acrylic	\$ 972
	<p><b>Grotherm® SmartControl</b> Triple Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact 3/4" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• Multiple outlets can be run simultaneously</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> <li>• Includes service stops</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202)</p>	29 142 000	GROHE StarLight® Chrome	\$ 824
	<p><b>Grotherm® SmartControl</b> Triple Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact 3/4" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• Multiple outlets can be run simultaneously</li> <li>• Acrylic face-plate in moon white</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> <li>• Includes service stops</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202)</p>	29 165 LSO	Moon White Acrylic	\$ 1,057

# GROHTHERM® SMARTCONTROL




		Product #	Colour/Description	Price
 <p>Two Grotherm® Rapido® SmartBoxes required for this configuration – one for thermostatic trim and one for the triple volume control.</p>	<p><b>Grotherm® SmartControl</b> Triple Volume Control Trim</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• Multiple outlets can be run simultaneously</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ¾" Thin profile escutcheon</li> <li>• Optional flow reduce</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202) and Grotherm® SmartControl Single Function Thermostatic Trim with Control Module 29 140 000 (see page 197) to control up to four outlets.</p>	<b>29 127 000</b>	GROHE StarLight® Chrome	<b>\$507</b>
 <p>Two Grotherm® Rapido® SmartBoxes required for this configuration – one for thermostatic trim and one for the triple volume control.</p>	<p><b>Grotherm® SmartControl</b> Triple Volume Control Trim</p> <ul style="list-style-type: none"> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• Multiple outlets can be run simultaneously</li> <li>• Acrylic face-plate in moon white</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ¾" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202) and Grotherm® SmartControl Single Function Thermostatic Trim with Control Module 29 163 LS0 (see page 197) to control up to four outlets.</p>	<b>29 158 LS0</b>	Moon White Acrylic	<b>\$655</b>
	<p><b>Grotherm® SmartControl</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ¾" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead and Tub Filler</li> <li>• Includes service stops</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202)</p>	<p><b>29 136 000</b>  <b>29 136 A00</b>  <b>29 136 BE0</b>  <b>29 136 EN0</b>  <b>29 136 GN0</b></p>	<p>GROHE StarLight® Chrome  Hard Graphite  Polished Nickel InfinityFinish™  Brushed Nickel InfinityFinish™  Brushed Cool Sunrise</p>	<p><b>\$703</b>  <b>990</b>  <b>990</b>  <b>915</b>  <b>990</b></p>

# GROHTHERM® SMARTCONTROL

GROHTHERM SMARTCONTROL

		Product #	Colour/Description	Price
	<p><b>Grotherm® SmartControl</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact 3/4" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• Acrylic face-plate in moon white</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push button: Hand Shower, Showerhead and Tub Filler</li> <li>• Includes service stops</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202)</p>	<b>29 159 LSO</b>	Moon White Acrylic	<b>\$ 898</b>
	<p><b>Grotherm® SmartControl</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact 3/4" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• Multiple outlets can be run simultaneously</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead and Tub Filler</li> <li>• Includes service stops</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202)</p>	<b>29 137 000</b> <b>29 137 A00</b> <b>29 137 BE0</b> <b>29 137 EN0</b> <b>29 137 GN0</b>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 767</b> <b>1,080</b> <b>1,080</b> <b>996</b> <b>1,080</b>
	<p><b>Grotherm® SmartControl</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact 3/4" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• Multiple outlets can be run simultaneously</li> <li>• Acrylic face-plate in moon white</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes various shower fixture icons to customize push buttons</li> <li>• Includes service stops</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202)</p>	<b>29 160 LSO</b>	Moon White Acrylic	<b>\$ 972</b>

# GROHTHERM® SMARTCONTROL

		Product #	Colour/Description	Price				
	<p><b>Grotherm® SmartControl</b> Triple Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100 °F / 38 °C</li> <li>• Multiple outlets can be run simultaneously</li> <li>• 6 ¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ¾" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> <li>• Includes service stops</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202)</p>	<p><b>29 138 000</b> <b>29 138 A00</b> <b>29 138 BE0</b> <b>29 138 EN0</b> <b>29 138 GN0</b></p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise</p>	<p><b>\$ 824</b> <b>1,160</b> <b>1,160</b> <b>1,073</b> <b>1,160</b></p>				
				<p><b>29 161 LSO</b></p>	<p>Moon White Acrylic</p>	<p><b>\$ 1,057</b></p>		
						<p><b>29 122 000</b> <b>29 122 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 507</b> <b>655</b></p>
						<p><b>Grotherm® SmartControl</b> Triple Volume Control Trim</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• Multiple outlets can be run simultaneously</li> <li>• 6 ¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ¾" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see page 202) and Grotherm® SmartControl Single Function Thermostatic Trim with Control Module 29 136 (see page 199) to control up to four outlets.</p>		
						<p>Two Grotherm® Rapido® SmartBoxes required for this configuration – one for thermostatic trim and one for the triple volume control.</p>		



# GROHTHERM® SMARTCONTROL







		Product #	Colour/Description	Price
 <p>Two Grotherm® Rapido® SmartBoxes required for this configuration – one for thermostatic trim and one for the triple volume control.</p>	<p><b>Grotherm® SmartControl</b> Triple Volume Control Trim</p> <ul style="list-style-type: none"> <li>• GROHE SmartControl®: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• Multiple outlets can be run simultaneously</li> <li>• Acrylic face-plate in moon white</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ¾" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 (see below) and Grotherm® SmartControl Single Function Thermostatic Trim with Control Module 29 159 LS0 (see page 200) to control up to four outlets.</p>	29 152 LS0	Moon White Acrylic	\$ 655
	<p><b>Grotherm® Rapido® SmartBox</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• 3 outlets ½" female NPT/Sweat</li> <li>• Bottom 2 inlets, ½" female NPT/Sweat</li> <li>• Installation depth 3"-4 ½" (75-105mm)</li> <li>• Connection unit in DR brass</li> <li>• Includes integrated pre-mounted flushing plug</li> <li>• Stable built-in box / protective cover</li> <li>• Mud guard with installation template</li> <li>• Leak-proof housing</li> <li>• Max. flow rate: <ul style="list-style-type: none"> <li>– 1 or 2 outlets - 29 L/min (7.7 gpm)</li> <li>– 3 outlets - 36 L/min (9.5 gpm)</li> </ul> </li> </ul> <p><b>Service Stops for maintenance of cartridge should be ordered with trim</b></p>	35 601 000		\$ 168
	<p><b>Service Stops (2 pcs)</b></p> <ul style="list-style-type: none"> <li>• Fits Grotherm® SmartControl thermostatic trim sets for final installation in combination with Grotherm® Rapido® SmartBox</li> </ul>	14 053 00M		\$ 55
	<p><b>1" (25 mm) Universal Extension Set</b></p> <ul style="list-style-type: none"> <li>• Fits Grotherm® SmartControl thermostatic trim sets for final installation in combination with Grotherm® Rapido® SmartBox</li> </ul>	14 048 000		\$ 200
	<p><b>¾" Reversed TurboStat® Cartridge</b></p> <ul style="list-style-type: none"> <li>• For concealed Grotherm® SmartControl</li> <li>• For reversed inlets (hot water right)</li> </ul>	49 003 000		\$ 253
 <div style="display: flex; flex-wrap: wrap; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;"> Hand Shower</div> <div style="text-align: center;"> Showerhead</div> <div style="text-align: center;"> Showerhead (2nd Spray)</div> <div style="text-align: center;"> Bath Filler</div> <div style="text-align: center;"> Body Spray</div> <div style="text-align: center;"> Showerhead (3rd Spray)</div> </div>	<p><b>SmartControl Button Replacement Kit with Icon Caps</b></p> <ul style="list-style-type: none"> <li>• Includes: Set of 6 icons and 1 SmartControl Button</li> <li>• Includes 1 of each of the following: Hand Shower, Showerhead, Showerhead (2nd shower outlet), Showerhead (3rd shower outlet), Tub Filler and Body Spray</li> </ul>	48 361 000		\$ 37






# GROHE GROHTHERM® 2-HANDLE THERMOSTATS






# GROHTHERM® 2-HANDLE THERMOSTATS

		Product #	Colour/Description	Price
	<p><b>Grotherm® Rapido® SmartBox</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• 3 outlets 1/2" female NPT/Sweat</li> <li>• 2 bottom inlets, 1/2" female NPT</li> <li>• Installation depth 3"-4 1/8" (75-105 mm)</li> <li>• Connection unit in DR brass</li> <li>• Includes integrated pre-mounted flushing plug</li> <li>• Stable built-in box / protective cover</li> <li>• Mud guard with installation template</li> <li>• Leak-proof housing</li> <li>• Max. flow rate: <ul style="list-style-type: none"> <li>- 1 or 2 outlets - 29 L/min (7.7 gpm)</li> <li>- 3 outlets - 36 L/min (9.5 gpm)</li> </ul> </li> </ul> <p><b>Service Stops for maintenance of cartridge should be ordered with trim</b></p>	35 601 000	Colour/Description	\$ 168
	<p><b>Service Stops (2 pcs)</b></p> <ul style="list-style-type: none"> <li>• Fits Grotherm® thermostatic trim sets for final installation in combination with Grotherm® Rapido® SmartBox</li> </ul>	14 053 00M		\$ 55
	<p><b>Atrio</b> Single Function Thermostatic Trim with Integrated Volume Control and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100 °F / 38 °C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated volume control and On/Off</li> <li>• Includes service stops</li> <li>• 27 L/min (7.1 gpm) at 45 psi</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 000</p>	24 150 003 24 150 EN3 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 579
	<p><b>Atrio</b> Dual Function Thermostatic Trim with Integrated 2-way Diverter and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100 °F / 38 °C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated 2-way diverter (2 discrete functions)</li> <li>• Includes service stops</li> <li>• 27 L/min (7.1 gpm) at 45 psi</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 000</p>	24 151 003 24 151 EN3 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 639
	<p><b>Optional AquaDimmer Stop Ring for Shared Function</b></p> <ul style="list-style-type: none"> <li>• Special stop ring for AquaDimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul>	14 060 000		\$ 47

# GROHTHERM® 2-HANDLE THERMOSTATS

		Product #	Colour/Description	Price
	<p><b>Grotherm® Cube</b> Single Function Thermostatic Trim with Integrated Volume Control and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100 °F / 38 °C</li> <li>• 6¼" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated volume control and On/Off</li> <li>• Includes service stops</li> <li>• 27 L/min (7.1 gpm) at 45 psi</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 000</p>	<p><b>24 157 000</b> <b>24 157 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 539</b> <b>765</b></p>
	<p><b>Grotherm® Cube</b> Dual Function Thermostatic Trim with Integrated 2-Way Diverter and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100 °F / 38 °C</li> <li>• 6¼" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated 2-way diverter (2 discrete functions)</li> <li>• Includes service stops</li> <li>• 27 L/min (7.1 gpm) at 45 psi</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 000</p> <p><b>Optional AquaDimmer Stop Ring for Shared Function</b></p> <ul style="list-style-type: none"> <li>• Special stop ring for AquaDimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul>	<p><b>24 158 000</b> <b>24 158 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 639</b> <b>829</b></p>
	<p><b>Optional AquaDimmer Stop Ring for Shared Function</b></p> <ul style="list-style-type: none"> <li>• Special stop ring for AquaDimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul>	<p><b>14 060 000</b></p>		<p><b>\$ 47</b></p>
	<p><b>Grotherm® Round</b> Single Function Thermostatic Trim with Integrated Volume Control and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100 °F / 38 °C</li> <li>• 6¼" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated volume control and On/Off</li> <li>• Includes service stops</li> <li>• 27 L/min (7.1 gpm) at 45 psi</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 000</p>	<p><b>24 107 000</b> <b>24 107 EN0</b> ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 512</b> <b>667</b></p>

# GROHTHERM® 2-HANDLE THERMOSTATS

		Product #	Colour/Description	Price
	<p><b>Grotherm® Round</b> Dual Function Thermostatic Trim with Integrated 2-Way Diverter and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100 °F / 38 °C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated 2-way diverter (2 discrete functions)</li> <li>• Includes service stops</li> <li>• 27 L/min (7.1 gpm) at 45 psi</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 000</p>	<p><b>24 133 000</b> <b>24 133 ENO</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 570</b> <b>741</b></p>
	<p><b>Optional AquaDimmer Stop Ring for Shared Function</b></p> <ul style="list-style-type: none"> <li>• Special stop ring for AquaDimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul>	<b>14 060 000</b>		<b>\$ 47</b>
	<p><b>Grotherm® Square</b> Single Function Thermostatic Trim with Integrated Volume Control and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100 °F / 38 °C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated volume control and On/Off</li> <li>• Includes service stops</li> <li>• 27 L/min (7.1 gpm) at 45 psi</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 000</p>	<p><b>24 110 000</b> <b>24 110 ENO</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 539</b> <b>699</b></p>
	<p><b>Grotherm® Square</b> Dual Function Thermostatic Trim with Integrated 2-Way Diverter and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100 °F / 38 °C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated 2-way diverter (2 discrete functions)</li> <li>• Includes service stops</li> <li>• 27 L/min (7.1 gpm) at 45 psi</li> </ul> <p>For use with Grotherm® Rapido® SmartBox 35 601 000</p>	<p><b>24 111 000</b> <b>24 111 ENO</b> ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$599</b> <b>779</b></p>
	<p><b>Optional AquaDimmer Stop Ring for Shared Function</b></p> <ul style="list-style-type: none"> <li>• Special stop ring for AquaDimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul>	<b>14 060 000</b>		<b>\$ 47</b>

# GROHE GROHFLEX®


## ONE ROUGH-IN DOES IT ALL

Easy to install, easy to upgrade, and easy to maintain.

A better universal valve system.


Multiple functions/multiple trims – all designed to fit in one universal rough-in box. GrohFlex® provides the groundwork for any shower or tub/shower installation, making complex planning, ordering and installation easy and efficient. It simplifies rough-in construction – allowing work to proceed, even without final function or trim selection. Plus, integrated service stops and an enhanced flushing system make for fast and easy installation/maintenance.

### Universal Rough-In



Box

### Bathroom Solution Kit




Control Module





















Trim

Single Function	Dual Function	Custom Shower
<p><b>Pressure Balance or Thermostatic</b></p> <p>Ideal for Secondary Baths</p> <p><b>Applications</b></p> <ul style="list-style-type: none"> <li>• Shower only (one outlet) or</li> <li>• Shower/tub with diverter spout</li> </ul>	<p><b>Pressure Balance or Thermostatic</b></p> <p>Ideal for Master Baths</p> <p><b>Applications</b></p> <ul style="list-style-type: none"> <li>• Shower with 2 outlets or</li> <li>• Shower/tub with non-diverter spout</li> </ul> <p><b>NB – By using a diverter tub spout and Twin elbow 03 671 000 (p. 282), three outlets are possible.</b></p>	<p><b>Thermostatic</b></p> <p>Ideal for Master Baths</p> <p><b>Applications</b></p> <ul style="list-style-type: none"> <li>• High-flow custom shower, separate volume controls are required</li> </ul>













	Product #	Colour/Description	Price
 <p><b>GrohFlex®</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GrohFlex® Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	<b>35 026 000</b>		<b>\$ 187</b>

# SINGLE FUNCTION PRESSURE BALANCE

			Product #	Colour/Description	Price
		<b>GrohFlex® Allure Brilliant</b> Single Function Pressure Balance Trim with Control Module <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	★ 19 790 000 	GROHE StarLight® Chrome	\$ 476
		<b>GrohFlex® Cosmopolitan Square</b> Single Function Pressure Balance Trim with Control Module <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	★ 19 924 000 	GROHE StarLight® Chrome	\$ 387
		<b>GrohFlex® Grandera</b> Single Function Pressure Balance Valve Trim with Control Module <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	★ 19 933 000 ★ 19 933 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 382 496
		<b>GrohFlex® Essence</b> Single Function Pressure Balance Trim with Control Module <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	★ 19 347 001 ★ 19 347 A01 ★ 19 347 BE1 ★ 19 347 EN1 ★ 19 347 GN1 	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 243 345 345 316 345
		<b>GrohFlex® Authentic</b> Single Function Pressure Balance Trim with Control Module <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	★ 19 843 000 ★ 19 843 BE0 ★ 19 843 EN0 ★ 19 843 ZB0 	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 214 280 280 300
		<b>GrohFlex® Cosmopolitan</b> Single Function Pressure Balance Trim with Control Module <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	19 880 000 19 880 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 228 296

ALL SINGLE FUNCTION PRESSURE BALANCE TRIMS REQUIRE GROHFLEX® UNIVERSAL ROUGH-IN BOX 35 026

# DUAL FUNCTION PRESSURE BALANCE

		Product #	Colour/Description	Price	
		<b>GrohFlex® Allure Brilliant</b> Dual Function Pressure Balance Trim with Control Module	19 786 000	GROHE StarLight® Chrome	<b>\$ 551</b>
<ul style="list-style-type: none"><li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li><li>• Integrated volume control</li><li>• GROHE StarLight® finish</li><li>• 2-way diverter function</li><li>• 1 axis operation</li><li>• Metal trim plate</li><li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li><li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li></ul>					
		<b>GrohFlex® Cosmopolitan Square</b> Dual Function Pressure Balance Trim with Control Module	19 925 000	GROHE StarLight® Chrome	<b>\$ 450</b>
<ul style="list-style-type: none"><li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li><li>• GROHE StarLight® finish</li><li>• Integrated volume control</li><li>• 2-way diverter function</li><li>• 1 axis operation</li><li>• Metal trim plate</li><li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li><li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li></ul>					
		<b>GrohFlex® Grandera</b> Dual Function Pressure Balance Trim with Control Module	19 946 000 19 946 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 487 633</b>
<ul style="list-style-type: none"><li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li><li>• GROHE StarLight® finish</li><li>• Integrated volume control</li><li>• 2-way diverter function</li><li>• 1 axis operation</li><li>• Metal trim plate</li><li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li><li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li></ul>					
		<b>GrohFlex® Essence</b> Dual Function Pressure Balance Trim with Control Module	19 494 001 19 494 EN1 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 338 439</b>
<ul style="list-style-type: none"><li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li><li>• GROHE StarLight® finish</li><li>• Integrated volume control</li><li>• 2-way diverter function</li><li>• 1 axis operation</li><li>• Concealed installation (no screws visible)</li><li>• ABS trim plate</li><li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li><li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li></ul>					
		<b>GrohFlex® Authentic</b> Dual Function Pressure Balance Trim with Control Module	★ 19 844 000 ★ 19 844 BE0 ★ 19 844 EN0 ★ 19 844 ZB0 ♿	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 287 374 374 401</b>
<ul style="list-style-type: none"><li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li><li>• GROHE StarLight® finish</li><li>• Integrated volume control</li><li>• 2-way diverter function</li><li>• 1 axis operation</li><li>• Metal trim plate</li><li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li><li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li></ul>					
		<b>GrohFlex® Cosmopolitan</b> Dual Function Pressure Balance Trim with Control Module	19 881 000 19 881 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 299 389</b>
<ul style="list-style-type: none"><li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li><li>• GROHE StarLight® finish</li><li>• Integrated volume control</li><li>• 2-way diverter function</li><li>• 1 axis operation</li><li>• ABS trim plate</li><li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li><li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li></ul>					










GROHFLEX

**ALL DUAL FUNCTION PRESSURE BALANCE TRIMS REQUIRE GROHFLEX® UNIVERSAL ROUGH-IN BOX 35 026**

Note: Products listed with ★ (stars) are available while supplies last.





# SINGLE FUNCTION THERMOSTATIC

		Product #	Colour/Description	Price
		<b>GrohFlex® Allure Brilliant</b> Single Function Thermostatic Trim with Control Module	<b>19 793 000</b>	GROHE StarLight® Chrome <b>\$ 846</b>
<ul style="list-style-type: none"><li>• For shower only or shower/tub with diverter applications</li><li>• GROHE StarLight® finish</li><li>• GROHE TurboStat® technology</li><li>• Integrated volume control</li><li>• Integrated bypass option when used with diverter tub spout</li><li>• 1 axis operation</li><li>• SafeStop at 100 °F / 38 °C</li><li>• Metal trim plate</li><li>• 24 L/min (6.3 gpm) at 45 psi</li></ul>				
		<b>GrohFlex® Cosmopolitan Square</b> Single Function Thermostatic Trim with Control Module	<b>19 926 000</b>	GROHE StarLight® Chrome <b>\$ 718</b>
<ul style="list-style-type: none"><li>• For shower only or shower/tub with diverter applications</li><li>• GROHE StarLight® finish</li><li>• GROHE TurboStat® technology</li><li>• Integrated volume control</li><li>• Integrated bypass option when used with diverter tub spout</li><li>• 1 axis operation</li><li>• SafeStop at 100 °F / 38 °C</li><li>• Metal trim plate</li><li>• 24 L/min (6.3 gpm) at 45 psi</li></ul>				
		<b>GrohFlex® Grandera</b> Single Function Thermostatic Trim with Control Module	<b>19 935 000</b> <b>19 935 ENO</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ <b>\$598</b> <b>778</b>
<ul style="list-style-type: none"><li>• For shower only or shower/tub with diverter applications</li><li>• GROHE StarLight® finish</li><li>• GROHE TurboStat® Technology</li><li>• Integrated volume control</li><li>• Integrated bypass option when used with diverter tub spout</li><li>• 1 axis operation</li><li>• Metal trim plate</li><li>• SafeStop at 100 °F / 38 °C</li><li>• 24 L/min (6.3 gpm) at 45 psi</li></ul>				
		<b>GrohFlex® Authentic</b> Single Function Thermostatic Trim with Control Module	<b>★ 19 822 000</b> <b>★ 19 822 ENO</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ <b>\$ 511</b> <b>673</b>
<ul style="list-style-type: none"><li>• For shower only or shower/tub with diverter applications</li><li>• GROHE StarLight® finish</li><li>• GROHE TurboStat® Technology</li><li>• Integrated volume control</li><li>• Integrated bypass option when used with diverter tub spout</li><li>• 1 axis operation</li><li>• Metal trim plate</li><li>• SafeStop at 100 °F / 38 °C</li><li>• 24 L/min (6.3 gpm) at 45 psi</li></ul>				

ALL SINGLE FUNCTION THERMOSTATIC TRIMS REQUIRE GROHFLEX® UNIVERSAL ROUGH-IN BOX 35 026











# SINGLE FUNCTION THERMOSTATIC

	Product #	Colour/Description	Price
	<p><b>GrohFlex® Cosmopolitan</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul>	<p><b>19 869 000</b> <b>19 869 EN0</b></p> <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 528</b> <b>688</b></p>
	<p><b>GrohFlex® Essence</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul>	<p><b>19 987 001</b> <b>19 987 EN1</b> ♿</p> <p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 477</b> <b>621</b></p>





ALL SINGLE FUNCTION THERMOSTATIC TRIMS REQUIRE GROHFLEX® UNIVERSAL ROUGH-IN BOX 35 026

# DUAL FUNCTION THERMOSTATIC

		Product #	Colour/Description	Price	
		<b>GroFlex® Allure Brilliant</b> Dual Function Thermostatic Trim with Control Module	19 794 000	GROHE StarLight® Chrome	\$ 899
		<ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2gpm) at 45 psi (top outlet)</li> </ul>			
		<b>GroFlex® Cosmopolitan Square</b> Dual Function Thermostatic Trim with Control Module	19 927 000	GROHE StarLight® Chrome	\$ 783
		<ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>			
		<b>GroFlex® Grandera</b> Dual Function Thermostatic Trim with Control Module	19 947 000 19 947 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 704 915
		<ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>			
		<b>GroFlex® Authentic</b> Dual Function Thermostatic Trim with Control Module	★ 19 825 000 ★ 19 825 ENO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 582 751
		<ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>			

ALL DUAL FUNCTION THERMOSTATIC TRIMS REQUIRE GROHFLEX® UNIVERSAL ROUGH-IN BOX 35 026







# DUAL FUNCTION THERMOSTATIC

		Product #	Colour/Description	Price
		<b>GrohFlex® Cosmopolitan</b> Dual Function Thermostatic Trim with Control Module  <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>	<b>19 878 000</b> <b>19 878 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  <b>\$ 588</b> <b>764</b>
		<b>GrohFlex® Essence</b> Dual Function Thermostatic Trim with Control Module  <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>	<b>19 988 001</b> <b>19 988 EN1</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  <b>\$ 555</b> <b>721</b>

GROHFLEX

ALL DUAL FUNCTION THERMOSTATIC TRIMS REQUIRE GROHFLEX® UNIVERSAL ROUGH-IN BOX 35 026

# CUSTOM SHOWER THERMOSTATIC


			Product #	Colour/Description	Price
GROHFLEX		<b>GrohFlex® Grotherm® F</b> Custom Shower Thermostatic Trim with Control Module	<b>27 620 000</b>	GROHE StarLight® Chrome	<b>\$ 878</b>
		<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Metal handle for temperature control</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>			
		<b>GrohFlex® Allure Brilliant</b> Custom Shower Thermostatic Trim with Control Module	<b>19 795 000</b>	GROHE StarLight® Chrome	<b>\$ 793</b>
		<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>			
		<b>GrohFlex® Cosmopolitan Square</b> Custom Shower Thermostatic Trim with Control Module	<b>19 928 000</b>	GROHE StarLight® Chrome	<b>\$ 657</b>
		<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>			
		<b>GrohFlex® Grandera</b> Custom Shower Thermostatic Trim with Control Module	<b>19 940 000</b> <b>19 940 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 657</b> <b>852</b>
	<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume controls</li> <li>• GROHE TurboStat® technology</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>				
	<b>GrohFlex® Authentic</b> Custom Shower Thermostatic Trim with Control Module	<b>19 839 000</b> <b>19 839 EN0</b> <b>19 839 ZB0</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 441</b> <b>577</b> <b>620</b>	
	<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Metal trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>				
	<b>GrohFlex® Cosmopolitan</b> Custom Shower Thermostatic Trim with Control Module	<b>19 879 000</b> <b>19 879 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 440</b> <b>578</b>	
	<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• ABS trim plate</li> <li>• SafeStop at 100 °F / 38 °C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>				

**ALL CUSTOM SHOWER THERMOSTATIC TRIMS REQUIRE GROHFLEX® UNIVERSAL ROUGH-IN BOX 35 026**

# GROHSAFE® 3.0 ROUGH VALVES


## 6 SMART SOLUTIONS

Quick, easy installations are essential to meet goals, increase profits and save time. The GrohSAFE® 3.0 Pressure Balance Valves are available in 6 configurations to meet your need for efficiency whether you are working with copper, iron or PEX.




GROHSAFE

## CONNECTION OPTIONS



# GROHSAFE® 3.0 TRIM OVERVIEW

Full assortment of trims to choose from. All trims ship with the cartridge to make installation quicker and easier. The new double ceramic cartridge incorporates the newest technology to meet lower flow rates while providing the maximum performance, comfort and safety.



## DOUBLE CERAMIC TECHNOLOGY

### SAFETY



#### Ceramic Pressure Balancing Spool

- Quick reaction to pressure changes
- Reduces the risk of scalding
- Resists lime and calcium build-up from harsh water conditions



#### One-Piece Pressure Balance Cartridge With Double Ceramic Technology

Combination of ceramic mixing discs and ceramic pressure balancing spool in a one-piece cartridge

### LONGEVITY




#### Ceramic Mixing Discs


- Precise mixing of hot and cold water
- Leak-free performance for life
- Smooth handle operation
- Resists lime and calcium build-up from harsh water conditions

# GROHSAFE® 3.0 CROSS REFERENCE GUIDE

## GROHSAFE® 2.0 PRESSURE BALANCE VALVES AND TRIMS




## GROHSAFE® 3.0 PRESSURE BALANCE VALVES AND TRIMS



FAMILY	OLD SKU	GROHSAFE® 2.0 DESCRIPTION	NEW SKU	GROHSAFE® 3.0 DESCRIPTION	*REQUIRED SHOWER COMPONENTS		
					SHOWER HEAD	SHOWER ARM	TUB SPOUT
GrohSafe®	35 015 001	PBV rough - universal	35 110 000	PBV rough - universal			
	35 064 001	PBV rough - expansion PEX	35 112 000	PBV rough - expansion PEX			
	35 065 001	PBV rough - crimp PEX	35 111 000	PBV rough - crimp PEX			
	35 066 001	PBV rough - universal (no stops)	35 110 000	PBV rough - universal			
Atrio®	19 866 003	PBV trim	14 467 000	PBV trim			
	19 866 EN3	PBV trim	14 467 EN0	PBV trim			
Concetto™	19 457 001	PBV trim	14 468 000	PBV trim			
	19 457 EN1	PBV trim	14 468 EN0	PBV trim			
	29 100 001	PBV trim	14 468 000	PBV trim			
	29 100 EN1	PBV trim	14 468 EN0	PBV trim			
	35 073 10A	PBV bath/shower trim	14 468 000	PBV trim*	26 043 001	27 414 000	13 366 000
	35 073 ENA	PBV bath/shower trim	14 468 EN0	PBV trim*	26 043 EN1	27 414 EN0	13 366 EN0
	35 075 10A	PBV shower trim	14 468 000	PBV trim*	26 043 001	27 414 000	
Eurocube®	19 899 000	PBV trim	14 469 000	PBV trim			
	23 148 000	PBV shower trim	14 469 000	PBV trim*	27 705 000	27 710 000	
	35 027 000	PBV bath/shower trim	14 469 000	PBV trim*	27 705 000	27 710 000	13 307 000
	19 458 002	PBV trim	14 462 000	PBV trim			
Eurosmart®	19 458 EN2	PBV trim	14 462 EN0	PBV trim			
	35 012 20A	PBV bath/shower trim	14 462 000	PBV trim*	26 050 001	27 414 000	13 356 002
	35 014 20A	PBV shower trim	14 462 000	PBV trim*	26 050 001	27 414 000	
	19 411 000	PBV trim	14 463 000	PBV trim			
Eurosmart® Cosmopolitan	35 019 000	PBV bath/shower trim	14 463 000	PBV trim*	27 247 001	27 414 000	13 273 000
	35 020 000	PBV shower trim	14 463 000	PBV trim*	27 247 001	27 414 000	
	19 572 002	PBV trim	14 464 000	PBV trim			
Eurostyle™ Cosmopolitan	35 023 002	PBV shower trim	14 464 000	PBV trim*	27 247 001	27 414 000	
	35 025 002	PBV bath/shower trim	14 464 000	PBV trim*	27 247 001	27 414 000	13 285 002
	23 826 001	PBV shower trim	29 330 000	PBV trim*	26 043 001	27 414 000	
Lineare™	23 826 EN1	PBV shower trim	29 330 EN0	PBV trim*	26 043 EN1	27 414 EN0	
	29 167 001	PBV trim	29 330 000	PBV trim			
	29 167 EN1	PBV trim	29 330 EN0	PBV trim			

## GROHFLEX® PRESSURE BALANCE VALVE AND TRIMS



## GROHSAFE® 3.0 PRESSURE BALANCE VALVE AND TRIMS









FAMILY	OLD SKU	GROHFLEX® DESCRIPTION	NEW SKU	GROHSAFE® 3.0 DESCRIPTION
GrohFlex®	35 026 000	Universal rough valve	35 110 000	PBV rough - universal
Allure Brilliant™	19 790 000	Single function PBV trim	14 471 000	PBV trim
Essence™	19 347 001	Single function PBV trim	14 472 000	PBV trim
	19 347 A01	Single function PBV trim	14 472 A00	PBV trim
	19 347 BE1	Single function PBV trim	14 472 BE0	PBV trim
	19 347 EN1	Single function PBV trim	14 472 EN0	PBV trim
	19 347 GN1	Single function PBV trim	14 472 GN0	PBV trim
Eurocube®	19 924 000	Single function PBV trim	14 469 000	PBV trim
Europlus®	19 880 000	Single function PBV trim	29 331 003	PBV trim
	19 880 EN0	Single function PBV trim	29 331 EN3	PBV trim
Grandera®	19 933 000	Single function PBV trim	14 470 000	PBV trim
	19 933 EN0	Single function PBV trim	14 470 EN0	PBV trim

# GROHSAFE® 3.0 SHOWER ROUGH-IN VALVES

			Product #	Colour/Description	Price
	<b>new</b>	<b>GrohSAFE® 3.0</b> Shower Rough-In Valve	<b>35 110 000</b>	½" Universal Inlets† ½" Universal Outlets†  † Male NPT thread with ½" female fitting	<b>\$ 146</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Shower Rough-In Valve	<b>35 111 000</b>	½" PEX Crimp (ASTM F1807) Inlets ½" Universal Outlets†  † Male NPT thread with ½" female fitting	<b>\$ 146</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Shower Rough-In Valve	<b>35 112 000</b>	½" PEX Cold Expansion (ASTM F1960) Inlets ½" Universal Outlets†  † Male NPT thread with ½" female fitting	<b>\$ 146</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Shower Rough-In Valve	<b>35 113 000</b>	½" Stub-out Inlets ½" Stub-out Outlets	<b>\$ 177</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Shower Rough-In Valve	<b>35 115 000</b>	½" PEX Crimp (ASTM F1807) Elbow Inlets ½" Universal Outlets†  † Male NPT thread with ½" female fitting	<b>\$ 177</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Shower Rough-In Valve	<b>35 116 000</b>	½" PEX Cold Expansion (ASTM F1960) Elbow Inlets ½" Universal Outlets†  † Male NPT thread with ½" female fitting	<b>\$ 177</b>









# GROHSAFE® 3.0 PRESSURE BALANCE VALVE TRIM

		Product #	Colour/Description	Price
	<b>new</b> <b>Allure Brilliant</b> Pressure Balance Valve Trim with Cartridge	<b>14 471 000</b> ♿	GROHE StarLight® Chrome	<b>\$ 499</b>
	<ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0gpm) (top port) at 45 psi</li> </ul>			
	<b>new</b> <b>Atrio</b> Pressure Balance Valve Trim with Cartridge	<b>14 467 000</b> <b>14 467 EN0</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 399</b> <b>499</b>
	<ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0 gpm) (top port) at 45 psi</li> </ul>			
	<b>new</b> <b>Concetto</b> Pressure Balance Valve Trim with Cartridge	<b>14 468 000</b> <b>14 468 EN0</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 185</b> <b>239</b>
	<ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0 gpm) (top port) at 45 psi</li> </ul>			
	<b>new</b> <b>Essence</b> Pressure Balance Valve Trim with Cartridge	<b>14 472 000</b> <b>14 472 A00</b> <b>14 472 BE0</b> <b>14 472 EN0</b> <b>14 472 GN0</b> ♿	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 279</b> <b>379</b> <b>379</b> <b>349</b> <b>379</b>
	<ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0gpm) (top port) at 45 psi</li> </ul>			
	<b>new</b> <b>Eurocube</b> Pressure Balance Valve Trim with Cartridge	<b>14 469 000</b> ♿	GROHE StarLight® Chrome	<b>\$ 349</b>
	<ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight®</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0gpm) (top port) at 45 psi</li> </ul>			
	<b>new</b> <b>Eurosmart®</b> Pressure Balance Valve Trim with Cartridge	<b>14 462 000</b> <b>14 462 EN0</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 169</b> <b>209</b>
	<ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0 gpm) (top port) at 45 psi</li> </ul>			

GROHSAFE

**ALL GROHSAFE® 3.0 PRESSURE BALANCE VALVE TRIMS REQUIRE GROHSAFE® 3.0 ROUGH-IN VALVES (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)**

# GROHSAFE® 3.0 PRESSURE BALANCE VALVE TRIM

		Product #	Colour/Description	Price
	<b>new</b> <b>Eurosmart Cosmopolitan</b> Pressure Balance Valve Trim with Cartridge  <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0gpm) (top port) at 45 psi (19 l/min)</li> </ul>	<b>14 463 000</b> ♿	GROHE StarLight® Chrome	<b>\$ 189</b>
	<b>new</b> <b>Eurostyle Cosmopolitan</b> Pressure Balance Valve Trim with Cartridge  <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0gpm) (top port) at 45 psi (19 l/min)</li> </ul>	<b>14 464 000</b> ♿	GROHE StarLight® Chrome	<b>\$ 259</b>
	<b>new</b> <b>Grandera</b> Pressure Balance Valve Trim with Cartridge  <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0gpm) (top port) at 45 psi (19 L/min)</li> </ul>	<b>14 470 000</b> <b>14 470 EN0</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 439</b> <b>559</b>
	<b>new</b> <b>Lineare</b> Pressure Balance Valve Trim with Cartridge  <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> <li>• GROHE SilkMove®</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0gpm) (top port) at 45 psi (19 L/min)</li> </ul>	<b>29 330 000</b> <b>29 330 EN0</b> ♿ 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 289</b> <b>359</b>
	<b>new</b> <b>Plus</b> Pressure Balance Valve Trim  <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight® finish</li> <li>• Metal trim plate with GROHE QuickFix®</li> <li>• Includes pressure balance cartridge with double ceramic technology</li> <li>• 19.6 L/min (5.2 gpm) (bottom) and 11.3 L/min (3.0 gpm) (top port) at 45 psi (19 L/min)</li> </ul>	<b>29 331 003</b> <b>29 331 EN3</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 275</b> <b>358</b>

**ALL GROHSAFE® 3.0 PRESSURE BALANCE VALVE TRIMS REQUIRE GROHSAFE® 3.0 ROUGH-IN VALVES (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)**






# GROHSAFE® 2.0 PRESSURE BALANCE VALVE TRIM

		Product #	Colour/Description	Price
	<b>Allure</b> Pressure Balance Valve Trim  • Metal lever handle • GROHE StarLight® finish  For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066	<b>19 375 000</b>  	GROHE StarLight® Chrome	<b>\$ 444</b>
	<b>Atrio</b> Pressure Balance Trim  • GROHE StarLight® finish • Metal lever handle  For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066	★ <b>19 866 003</b> ★ <b>19 866 EN3</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 298</b> <b>388</b>
	<b>BauLoop</b> Pressure Balance Valve Trim  • Single lever handle • GROHE StarLight® finish  For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066	<b>19 595 000</b> 	GROHE StarLight® Chrome	<b>\$ 164</b>
	<b>Concetto</b> Pressure Balance Valve Trim  • Lever handle • GROHE StarLight® finish  For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066	★ <b>19 457 001</b> ★ <b>19 457 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 164</b> <b>213</b>
	<b>Eurostyle</b> Pressure Balance Valve Trim  • Metal loop handle • GROHE StarLight® finish • Brushed nickel version features chrome accents  For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066	<b>19 989 003</b> <b>19 989 EN3</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 126</b> <b>164</b>
	<b>Kensington</b> Pressure Balance Valve Trim  • Kensington Lever Handle • GROHE StarLight® finish  For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066	★ <b>19 267 000</b> ★ <b>19 267 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 365</b> <b>492</b>
	<b>Kensington</b> Pressure Balance Valve Trim  • Swarovski® Crystal Handle • GROHE StarLight® finish  For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066	<b>19 268 VP0</b>	GROHE StarLight® Chrome / Swarovski® Crystal	<b>\$ 588</b>
	<b>Seabury</b> Pressure Balance Valve Trim  • Seabury Cross Handle • GROHE StarLight® finish  For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066	<b>19 707 000</b> <b>19 707 BE0</b> <b>19 707 EN0</b> <b>19 707 ZB0</b>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 208</b> <b>272</b> <b>272</b> <b>289</b>
	<b>Seabury</b> Pressure Balance Valve Trim  • Seabury Lever Handle • GROHE StarLight® finish  For use with Grohsafe® Rough-In Valves 35 015, 35 064, 35 065, 35 066	<b>19 708 000</b> <b>19 708 BE0</b> <b>19 708 EN0</b> <b>19 708 ZB0</b> 	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 208</b> <b>272</b> <b>272</b> <b>289</b>







# GROHE GROHSAFÉ® ACCESSORIES

		Product #	Colour/Description	Price		
	<b>new</b>	<b>GrohSAFE® 3.0</b> Pressure Balance Valve Extension Kit	<ul style="list-style-type: none"> <li>• For use with all GrohSAFE® 3.0 trims</li> <li>• Provides additional 3/4" (19mm) rough-in depth</li> <li>• Includes two extension pieces, two 4" (102 mm) screws for trim kit installation and handle adaptor screw</li> </ul> <p>For use with GrohSAFE® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<b>49 121 000</b>		<b>\$ 49</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Double Ceramic Pressure Balance Cartridge	<ul style="list-style-type: none"> <li>• For use with all GrohSAFE® 3.0 trims</li> <li>• Includes removal ring to aid in removing cartridge from valve</li> <li>• Cartridge ships standard with all GrohSAFE® 3.0 Pressure Balance Trims</li> </ul> <p>For use with GrohSAFE® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<b>48 491 000</b>		<b>\$ 79</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Retaining Ring	<ul style="list-style-type: none"> <li>• Made of stainless steel</li> <li>• Secures cartridge/flush plug to valve body</li> </ul> <p>For use with GrohSAFE® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<b>49 123 000</b>		<b>\$ 22</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Service Stops	<ul style="list-style-type: none"> <li>• Set of two</li> </ul> <p>For use with GrohSAFE® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<b>49 122 000</b>		<b>\$ 39</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Flush Plug	<ul style="list-style-type: none"> <li>• Allows the installer to flush the hot and cold lines simultaneously without risk of cross flow</li> <li>• Can be left in valve under pressure until cartridge is installed</li> <li>• Ships standard with all GrohSAFE® 3.0 Rough-in valves</li> </ul> <p>For use with GrohSAFE® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<b>14 127 000</b>		<b>\$ 11</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Adaptor Kit for GrohSAFE® 3.0 Pressure Balance Trims to GrohSAFE® 2.0 Valves	<ul style="list-style-type: none"> <li>• Converts GrohSAFE® 3.0 Pressure Balance Trims to mount onto GrohSAFE® 2.0 valves</li> <li>• Includes cartridge adaptor and screw</li> <li>• For use with all GrohSAFE® 3.0 Pressure Balance Trims</li> </ul> <p>For use with GrohSAFE® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<b>14 140 000</b>		<b>\$ 12</b>
	<b>new</b>	<b>GrohSAFE® 3.0</b> Socket Spanner Wrench	<ul style="list-style-type: none"> <li>• Tool to help remove retaining ring from GrohSAFE® 3.0 Shower Valves</li> <li>• Includes screwdriver holes</li> </ul> <p>For use with GrohSAFE® 3.0 Rough-in Valves (35 110), (35 111), (35 112), (35 113), (35 115), (35 116)</p>	<b>14 139 000</b>		<b>\$ 59</b>



# PRESSURE BALANCE VALVE TRIM WITH DIVERTER

		Product #	Colour/Description	Price
	<b>Grohsafe®</b> Pressure Balance Rough-In Valve with Built-In Manual Diverter	<b>35 033 000</b>	Inlets: ½" Universal† Outlets: ½" Universal†	<b>\$ 264</b>
	<ul style="list-style-type: none"> <li>• Handle limit stop</li> <li>• Diaphragm cartridge</li> <li>• Check valves</li> <li>• Service stops</li> <li>• Allows for easy diversion between two outlets. Recommended for shower head and hand shower installations.</li> </ul> <p>Max Flow Rate: 17 L/min (4.6 gpm) at 45 psi</p> <p>†Universal connection is ½" male by copper sweat.</p>	<b>35 016 000</b>	Inlets: ½" Universal† Outlets: ½" Universal†	<b>\$ 264</b>
	<b>Same as above            (with automatic diverter)</b> <ul style="list-style-type: none"> <li>• To be used with tub/shower combination only</li> </ul> <p>Max Flow Rate: 22 L/min (5.8 gpm) at 45 psi</p>			
	<b>Allure</b> Pressure Balance Diverter Valve Trim	<b>19 376 000</b>	GROHE StarLight® Chrome	<b>\$ 508</b>
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valve with Built-In Diverter 35 033 or 35 016</p>			
	<b>Atrio</b> Pressure Balance Diverter Valve Trim	<b>19 867 003</b> <b>19 867 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 463</b> <b>602</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> </ul> <p>For use with Grohsafe® Rough-In Valve with Built-In Diverter 35 033 or 35 016</p>			
	<b>Concetto</b> Pressure Balance Diverter Valve Trim	<b>29 102 001</b> <b>29 102 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 206</b> <b>271</b>
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• Red / blue hot and cold markings</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valve with Built-In Diverter 35 033 or 35 016</p>			
	<b>Lineare</b> Pressure Balance Diverter Valve Trim	<b>29 168 001</b> <b>29 168 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 267</b> <b>349</b>
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe® Rough-In Valve with built-in diverter 35 016, 35 033</p>			

# THERMOSTATIC TEMPERATURE CONTROL TRIM

		Product #	Colour/Description	Price
	<b>Grotherm®</b> Thermostat Rough-In Valve	<b>34 331 000</b>	1/2" Valve - with Service Stops	<b>\$ 339</b>
	<ul style="list-style-type: none"> <li>• Paraffin cartridge</li> <li>• NPT</li> <li>• Service stops</li> <li>• Built-in check valves</li> <li>• Temperature control only</li> <li>• GROHE TurboStat® Technology</li> <li>• Back-to-back installation by reversing the cartridge housing – No additional parts required</li> </ul> <p><b>Requires separate volume control</b></p> <p>Requires Twin Ell For Shower/Tub Combinations with Diverter Spout (not included, see page 282)</p> <p>34 331 - 34 L/min (9 gpm) at 45 PSI (1/2" Valve)                      34 397 - 61 L/min (16 gpm) at 45 PSI (3/4" Valve)</p> <p><b>Meets ASSE standard 1016</b></p>	<b>34 397 000</b>	3/4" Valve - with Service Stops	<b>\$ 508</b>
	<b>Allure</b> Thermostat Trim	<b>19 305 000</b>	GROHE StarLight® Chrome	<b>\$ 605</b>
	<ul style="list-style-type: none"> <li>• Grip handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 230–231)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with Grotherm® Rough-In Valve 34 331 or 34 397</p>			
	<b>Kensington</b> Thermostat Trim	★ <b>19 266 000</b> ★ <b>19 266 EN0</b> ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 412</b> <b>540</b>
	<ul style="list-style-type: none"> <li>• Kensington lever handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 230–231)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with Grotherm® Rough-In Valve 34 331 or 34 397</p>			
	<b>Kensington</b> Thermostat Trim	<b>19 265 VPO</b>	GROHE StarLight® Chrome / Swarovski® Crystal	<b>\$ 598</b>
	<ul style="list-style-type: none"> <li>• Swarovski® crystal handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 230–231)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with Grotherm® Rough-In Valve 34 331 or 34 397</p>			
	<b>Seabury</b> Thermostat Trim	<b>19 612 000</b> <b>19 612 BE0</b> <b>19 612 EN0</b> <b>19 612 ZB0</b>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 303</b> <b>398</b> <b>398</b> <b>427</b>
	<ul style="list-style-type: none"> <li>• Cross handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 230–231)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with Grotherm® Rough-In Valve 34 331 or 34 397</p>			
	<b>Seabury</b> Thermostat Trim	<b>19 614 000</b> <b>19 614 BE0</b> <b>19 614 EN0</b> <b>19 614 ZB0</b> ♿	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 303</b> <b>398</b> <b>398</b> <b>427</b>
	<ul style="list-style-type: none"> <li>• Lever handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 230–231)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100 °F / 38 °C</li> </ul> <p>For use with Grotherm® Rough-In Valve 34 331 or 34 397</p>			

# EXPOSED THERMOSTATS

		Product #	Colour/Description	Price
	<p><b>Grohtherm® 1000</b> Thermostatic Bath/Shower Valve</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch®</li> <li>• GROHE TurboStat®</li> <li>• GROHE EcoJoy™</li> <li>• Metal Grip ergonomic handle</li> <li>• SafeStop® at 100 °F / 38 °C</li> <li>• AquaDimmer Eco with multi-function: flow control, bath/shower diverter and integrated GROHE EcoButton</li> <li>• Integrated mixed water shut off</li> <li>• ½" Male shower bottom outlet</li> <li>• Built-in non-return valves</li> <li>• Dirt strainers</li> <li>• S-union ½" NPT</li> <li>• Wall mounted</li> <li>• Max. Flow Rate: 21 L/min (5.5 gpm) at 45 psi</li> </ul>	<p><b>34 159 003</b> CEC</p>	GROHE StarLight® Chrome	<b>\$457</b>
	<p><b>Grohtherm® 1000</b> Thermostatic Shower Valve</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch®</li> <li>• GROHE TurboStat®</li> <li>• GROHE EcoJoy™</li> <li>• Metal Grip ergonomic handle</li> <li>• SafeStop® at 100 °F / 38 °C</li> <li>• EcoButton for flow adjustment</li> <li>• Integrated mixed water shut off</li> <li>• Ceramic cartridge ½", 180°</li> <li>• ½" Male shower bottom outlet</li> <li>• Built-in non-return valves</li> <li>• Dirt strainers</li> <li>• S-union ½" NPT</li> <li>• Wall mounted</li> <li>• Max. Flow Rate: 21 L/min (5.5 gpm) at 45 psi</li> </ul>	<p><b>34 150 003</b></p>	GROHE StarLight® Chrome	<b>\$416</b>

EXPOSED THERMOSTATS











# 3-PORT DIVERTER VALVE AND TRIMS

		Product #	Colour/Description	Price
		<b>Diverter/Transfer</b> 3-Port Rough-In Valve	29 712 000	3-Port \$ 334
		<ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 2 Discrete, 1 shared function</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> 1 Inlet, 2 Outlets Not recommended for use with body sprays		
		<b>Eurosmart</b> 2-Way Diverter Trim	19 970 002 19 970 EN2 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ \$ 109 142
		<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712		
		<b>Eurostyle</b> 2-Way Diverter Trim	19 993 003 19 993 EN3 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ \$ 123 160
		<ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712		
		<b>Kensington</b> 2-Way Diverter Trim	★ 19 272 000 ★ 19 272 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ \$ 358 498
		<ul style="list-style-type: none"> <li>• Kensington Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712		
		<b>Kensington</b> 2-Way Diverter Trim	19 271 VP0	GROHE StarLight® Chrome / Swarovski® Crystal \$ 551
		<ul style="list-style-type: none"> <li>• Swarovski® Crystal Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712		
		<b>Seabury</b> 2-Way Diverter Trim	19 222 000 19 222 BE0 19 222 EN0 19 222 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze \$ 256 332 332 350
		<ul style="list-style-type: none"> <li>• Seabury Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712		
		<b>Seabury</b> 2-Way Diverter Trim	19 221 000 19 221 BE0 19 221 EN0 19 221 ZB0 ♿	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze \$ 256 332 332 350
		<ul style="list-style-type: none"> <li>• Seabury Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712		

DIVERTERS












# 3-PORT DIVERTER VALVE AND TRIMS









		Product #	Colour/Description	Price
	<b>Diverter/Transfer (Discrete Functions)</b> 2-Way Diverter Rough-In Valve	<b>29 900 000</b> 	2-Way (Discrete functions)	<b>\$ 238</b>
	<ul style="list-style-type: none"> <li>• 1 inlet /2 outlets</li> <li>• 2 discrete functions (Non-shared)</li> <li>• ½" NPT</li> </ul>			
	<b>Same as above (Shared functions)</b> • 2 Discrete /1 shared function	<b>29 901 000</b>	2-Way (Shared functions)	<b>\$ 238</b>
	<b>Concetto</b> 2-Way Diverter Trim (Shower Head / Hand Shower)	<b>29 108 001</b> <b>29 108 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 122</b> <b>158</b>
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/hand shower</li> </ul> For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901			
	<b>Concetto</b> 2-Way Diverter Trim (Shower Head / Tub Spout)	<b>29 104 001</b> <b>29 104 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 122</b> <b>158</b>
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/tub spout</li> </ul> For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901			
	<b>Eurocube</b> 2-Way Diverter Trim (Shower Head / Hand Shower)	<b>29 218 001</b> 	GROHE StarLight® Chrome	<b>\$ 185</b>
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/hand shower</li> </ul> For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901			
	<b>new</b> <b>Plus</b> 2-Way Diverter Trim (Shower Head / Hand Shower)	<b>29 227 003</b> <b>29 227 EN3</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 159</b> <b>207</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• Metal lever handle</li> </ul> For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901			

# 5-PORT DIVERTER VALVE AND TRIMS

DIVERTERS

		Product #	Colour/Description	Price
 	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 3 Discrete, 3 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays</p>	29 035 000	5-Port	\$ 344
	<p><b>Allure Brilliant</b> 3-Way Diverter Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 035</p>	19 799 000	GROHE StarLight® Chrome	\$ 434
	<p><b>Allure</b> 3-Way Diverter Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 035</p>	19 591 000 ♿	GROHE StarLight® Chrome	\$ 360
 	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 3 Discrete, 3 shared functions</li> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays</p>	29 714 000	5-Port	\$ 344
	<p><b>Eurosmart</b> 3-Way Diverter Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 714</p>	19 972 002 19 972 EN2 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 120 156
	<p><b>Eurostyle</b> 3-Way Diverter Trim</p> <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 714</p>	19 995 003 19 995 EN3 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 134 175
	<p><b>Grandera</b> 3-Way Diverter Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 714</p>	19 942 000 19 942 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 244 317








# 4-PORT DIVERTER VALVE AND TRIMS

		Product #	Colour/Description	Price
	<b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve <ul style="list-style-type: none"> <li>• 1 inlet/3 outlets</li> <li>• 3 discrete functions (Non-shared)</li> <li>• 1/2" NPT</li> <li>• CALGreen/CEC compliant</li> </ul>	<b>29 902 000</b> 	3-Way (Discrete functions)	<b>\$277</b>
	<b>Same as above (Shared functions)</b> • 3 Discrete /3 shared functions	<b>29 903 000</b>	3-Way (Shared functions)	<b>\$277</b>
	<b>Atrio</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout) <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> For use with Diverter Rough-In Valve 29 902 or 29 903	<b>29 216 001</b> <b>29 216 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 208</b> <b>269</b>
	<b>Concetto</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout) <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> For use with 3-Way Diverter Rough-In Valves 29 902 or 29 903	<b>29 106 001</b> <b>29 106 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$146</b> <b>190</b>
	<b>Essence</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout) <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> For use with Diverter Rough-In Valve 29 902 or 29 903	<b>29 203 001</b> <b>29 203 A01</b> <b>29 203 BE1</b> <b>29 203 EN1</b> <b>29 203 GN1</b> 	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 169</b> <b>249</b> <b>249</b> <b>219</b> <b>249</b>
	<b>Eurocube</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout) <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> For use with 3-way Diverter Rough-In Valve 29 902 or 29 903	<b>29 217 001</b> 	GROHE StarLight® Chrome	<b>\$ 197</b>
	<b>Lineare</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout) <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> For use with 3-way Diverter Rough-In Valve 29 902 or 29 903	<b>29 215 001</b> <b>29 215 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$169</b> <b>219</b>
	<b>new</b> <b>Plus</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout) <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• Metal lever handle</li> </ul> For use with 3-way Diverter Rough-In Valve 29 902 or 29 903	<b>29 222 003</b> <b>29 222 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 169</b> <b>220</b>

# VOLUME CONTROLS

		Product #	Colour/Description	Price
	<b>Grotherm® F</b> Volume Control Rough-In Set <ul style="list-style-type: none"> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• ¾" GROHE SilkMove® ceramic cartridge, 90° turn</li> <li>• ½" NPT connection</li> <li>• 2¾" – 3<sup>15</sup>/<sub>16</sub>" installation depth</li> <li>• 55 L/min (14.5 gpm) at 45 psi</li> </ul>	35 029 000	½" NPT	\$ 188
	<b>Allure Brilliant</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-in Valve 35 029  When using the ¾" volume control valve (29 274) you must follow the rough in dimensions from the valve (35 029)	19 797 000	GROHE StarLight® Chrome	\$ 317
	<b>Allure</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Allure lever handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-in Valve 35 029  When using the ¾" volume control valve (29 274) you must follow the rough in dimensions from the valve (35 029)	19 385 000 ♿	GROHE StarLight® Chrome	\$ 370
	<b>Grandera</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-in Valve 35 029  When using the ¾" volume control valve (29 274) you must follow the rough in dimensions from the valve (35 029)	19 944 000 19 944 ENO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 164 214
	<b>Grotherm® F</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-in Valve 35 029	27 623 000	GROHE StarLight® Chrome	\$ 316
	<b>Volume Control</b> Rough-In Valve <ul style="list-style-type: none"> <li>• NPT connections</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	29 273 000 29 274 000	½" NPT ¾" NPT	\$ 94 153
	<b>Eurocube</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Grip handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274	19 910 000	GROHE StarLight® Chrome	\$ 95
	<b>Kensington</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Kensington lever handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274	★ 19 270 000 ★ 19 270 ENO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 239 340

# VOLUME CONTROLS

		Product #	Colour/Description	Price
	<p><b>Kensington</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Swarovski® crystal handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274</p>	<b>19 269 VP0</b>	GROHE StarLight® Chrome / Swarovski® Crystal	<b>\$ 401</b>
	<p><b>Seabury</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Seabury cross handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274</p>	<p><b>19 827 000</b> <b>19 827 BE0</b> <b>19 827 EN0</b> <b>19 827 ZB0</b></p>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<p><b>\$ 161</b> <b>212</b> <b>212</b> <b>230</b></p>
	<p><b>Seabury</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Seabury lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274</p>	<p><b>19 828 000</b> <b>19 828 BE0</b> <b>19 828 EN0</b> <b>19 828 ZB0</b></p> <p>♿</p>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<p><b>\$ 161</b> <b>212</b> <b>212</b> <b>230</b></p>
	<p><b>Grotherm® F</b> Triple Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with GrohFlex® Grotherm® F system</li> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• ¾" GROHE SilkMove® ceramic cartridges, 90° turn</li> <li>• 1 inlet, 3 outlets</li> <li>• ½" NPT connection</li> <li>• 2 ¾" – 3 15/16" installation depth</li> </ul> <p>Flow rates: 1 shut-off valve open - 55 L/min (14.5 gpm) 2 shut-off valve open - 110 L/min (29 gpm) 3 shut-off valves open - 140 L/min (37 gpm)</p>	<b>35 032 000</b>	½" NPT	<b>\$ 544</b>
	<p><b>Grotherm® F</b> Triple Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handles</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grotherm® F Triple Volume Control Rough-In Set 35 032 000, sold separately</p>	<b>27 625 000</b>	GROHE StarLight® Chrome	<b>\$ 815</b>
	<p><b>Inline Remote</b> Pressure Balance Valve</p> <p>TO BE INSTALLED UPSTREAM OF THE MIXING VALVE(S)</p> <ul style="list-style-type: none"> <li>• ½" Female inlets</li> </ul> <p>For use with non-safety mixing valves</p> <p>20.1 L/min (5.3 gpm) at 45 psi</p> 	<b>35 204 000</b>		<b>\$ 228</b>

# GROHE EUPHORIA® SMARTCONTROL SHOWER SYSTEM

We've put a lot of thought into our new GROHE Euphoria® SmartControl Shower System. The result is a technologically advanced design that allows you to enjoy multiple shower head sprays and a hand shower, individually or all at once, with push-button ease. It promises the most exhilarating shower you've ever experienced in a style that enhances every bathroom.

## GROHE SMARTCONTROL® TECHNOLOGY

Provides water source and water force selection at the push of a button and turn of a knob, and stores the setting until next time.



## GROHE TURBOSTAT® TECHNOLOGY

Delivers water at the desired temperature within a fraction of a second, and keeps it constant for the duration of shower.



## GROHE COOLTOUCH®

Surface stays cool-to-the-touch to eliminate scalding.




## SWIVEL SHOWER ARM

Shower head rotates 180° to achieve the perfect angle.



## ADJUSTABLE SHOWER GLIDER

Allows the hand shower to be positioned at the ideal height.



## GROHE QUICKFIX® SHOWER RAIL

Movable upper bracket allows use of existing drilled holes.







Jet spray



SmartRain spray



Rain spray

### EUPHORIA® 260 SHOWER HEAD

With the innovative button in the spray plate, it's easy to choose from a wide rain spray to a concentrate jet spray. (Shower head and hand shower sold separately)



### GROHE QUICKFIX®

For a 40% faster install, position upper bracket to use existing drilled hole.



### GROHE STARLIGHT®

Brilliant chrome finish is enduring and easy to clean.



### GROHE EASYREACH® TRAY

Removable, easy-clean tray keeps shampoo and soap handy.




### GROHE SMARTCONTROL®

Choose water source and intensity of water flow with ease.





### GROHE TURBOSTAT®

Maintains desired temperature for duration of shower.












# EUPHORIA® SMARTCONTROL SHOWER SYSTEM

SHOWER SYSTEMS – SMARTCONTROL

		Product #	Colour/Description	Price
	<p><b>GROHE Euphoria SmartControl Shower System</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SmartControl® push buttons for ON-OFF, and turn for volume adjustment</li> <li>• GROHE QuickFix® adjustable upper mounting bracket</li> <li>• Exposed thermostatic temperature control with SafeStop at 100 °F / 38 °C</li> <li>• Max shower head weight: 2 kg (4.4 lb)</li> <li>• Shower arm rotation angle 180°</li> <li>• Swivel shower arm length: 45 cm (17 ¾")</li> <li>• Overall rail height: 110 cm (43 7/16")</li> <li>• Adjustable hand shower holder height</li> <li>• 69" Rotaflex metal shower hose (28 025)</li> <li>• Integrated GROHE EasyReach shower tray</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• Showerhead and hand shower are NOT included (sold separately). See page 235 for recommendations.</li> </ul>	26 511 000	GROHE StarLight® Chrome	\$ 999
	<p><b>GROHE Euphoria SmartControl Tub/Shower System</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SmartControl® push button for ON-OFF, and turn for volume adjustment</li> <li>• GROHE QuickFix® adjustable upper mounting bracket</li> <li>• Exposed thermostatic temperature control with SafeStop at 100 °F / 38 °C</li> <li>• Max shower head weight: 2 kg (4.4 lb)</li> <li>• Shower arm rotation angle 180°</li> <li>• Swivel shower arm length: 45 cm ( 17 ¾")</li> <li>• Overall rail height: 156 cm (61 1/16")</li> <li>• 5 5/16" Tub Spout reach</li> <li>• Adjustable hand shower holder height</li> <li>• 69" Rotaflex metal shower hose (28 025)</li> <li>• Integrated GROHE EasyReach shower tray</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• Tub spout flow rate: 20 L/min (5.3 gpm) at 45 psi</li> <li>• Showerhead and hand shower are NOT included (sold separately). See page 235 for recommendations.</li> </ul>	26 512 000	GROHE StarLight® Chrome	\$ 1,199



# EUPHORIA® SMARTCONTROL SHOWER SYSTEM

		Product #	Colour/Description	Price
	<b>Euphoria 260</b> Shower Head - 3 Sprays	<b>26 457 000</b> <b>26 457 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 218</b> <b>287</b>
	<ul style="list-style-type: none"> <li>• 10" Face</li> <li>• 3 Spray patterns</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Jet, SmartRain, Rain			
	<b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	<b>26 456 000</b> <b>26 456 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 218</b> <b>287</b>
   				
	<b>Euphoria Cosmopolitan</b> Hand Shower - 1 Spray	<b>27 400 000</b>	GROHE StarLight® Chrome	<b>\$ 80</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Non-adjustable normal spray			
	<b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	<b>26 466 000</b> 	GROHE StarLight® Chrome	<b>\$ 80</b>
	<b>Euphoria 110 Massage</b> Hand Shower - 3 Sprays	<b>27 239 001</b>	GROHE StarLight® Chrome	<b>\$ 97</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• Speed Clean® anti-lime system</li> <li>• 4 5/8" Face</li> <li>• White spray face</li> <li>• Inner WaterGuide for a longer life</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain, SmartRain, Massage			
	<b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	<b>26 513 000</b> 	GROHE StarLight® Chrome	<b>\$ 97</b>

# GROHE RAINSHOWER SMARTCONTROL SHOWER SYSTEM

SHOWER SYSTEMS – SMARTCONTROL

## XXL pleasure with 100% control.

You can enjoy your shower with intuitive flow control – revitalizing or relaxing, stimulating or soothing. With the exact desired temperature at all times.



### GROHE CoolTouch®

No scalding on hot surfaces thanks to 100% GROHE CoolTouch®



### XL EasyReach tray to store shampoo and soap

Easy cleaning and maintenance with removable tray



### GROHE SafeStop®

Set for 38° C / 100° F





### GROHE TurboStat®

GROHE TurboStat® ensures the water is always at the desired temperature




### GROHE SmartControl®

Push the button to start the shower



Push the button to start the shower.



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.

# GROHE SMARTCONTROL® SHOWER SYSTEM

		Product #	Colour/Description	Price
	<p><b>GROHE SmartControl®</b> Shower System (Bare)</p> <ul style="list-style-type: none"> <li>• Dual functionality</li> <li>• Overall height: 42 15/16"</li> <li>• Shower arm length: 19 5/8"</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat®</li> <li>• GROHE CoolTouch®</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• GROHE SmartControl® technology - volume control</li> <li>• Exposed thermostatic temperature control with SafeStop at 38 °C / 100 °F</li> <li>• 69" RotaFlex shower hose (28 025)</li> <li>• Hand shower holder with adjustable angle included</li> <li>• Head and hand shower are NOT included (sold separately)</li> </ul> <p>Rainshower Cosmopolitan 400 jumbo shower head (28 783) CANNOT be installed on this unit.</p>	26 379 000	GROHE StarLight® Chrome	\$ 1,585
	<p><b>Rainshower Veris 300</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 5 7/8" x 11 3/4" face</li> <li>• 152 spray nozzles</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 261–263) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: GROHE PureRain</p>	★ 27 471 000	GROHE StarLight® Chrome	\$ 752
	<p><b>Euphoria® Cosmopolitan 180</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 7 1/16" Chrome face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Rain</p>	27 492 000	GROHE StarLight® Chrome	\$ 186
	<p><b>Power&amp;Soul Contemporary 130</b> Hand Shower - 4 Sprays</p> <ul style="list-style-type: none"> <li>• 5" Face</li> <li>• One-Click showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet</p>	27 673 000	GROHE StarLight® Chrome	\$ 167
	<p><b>Euphoria® 110 Mono</b> Hand Shower - 1 Spray</p> <ul style="list-style-type: none"> <li>• 4 5/8" Face</li> <li>• 1 spray pattern - Rain</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> <p><b>Same as above</b> Max. Flow Rate: 5.7 L/min (1.5 gpm)</p>	<p>27 809 000</p>	GROHE StarLight® Chrome	\$ 58
		<p>27 265 00E</p>	GROHE StarLight® Chrome	\$ 58



SHOWER SYSTEMS – SMARTCONTROL

Note: Products listed with ★ (stars) are available while supplies last.






# EUPHORIA® SHOWER SYSTEMS

		Product #	Colour/Description	Price
	<b>Euphoria® Cube</b> Thermostatic Shower System (Bare)	26 420 000	GROHE StarLight® Chrome	\$ 1,109
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™ technology for less water and perfect flow</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop® at 38 °C / 100 °F</li> <li>• Overall height 116 cm (45 ¾")</li> <li>• 40 cm (15 ¾") Shower arm projection</li> <li>• Exposed thermostatic shower with AquaDimmer function diverts between hand shower and showerhead</li> <li>• 59" metal shower hose (28 417)</li> <li>• Includes adapters for easy installation (depth adjustable)</li> </ul>			
	<b>Optional Spacer Disc ¼"</b>	27 933 000		\$ 143
	<b>Euphoria®</b> Thermostatic Shower System (Bare)	26 419 000 26 419 ENO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 804 1,046
	<ul style="list-style-type: none"> <li>• Wall-mounted diverter shower system</li> <li>• 45 cm (17 11/16") Swivel shower arm with 45° rotation</li> <li>• Switch between hand shower and shower head via built-in AquaDimmer diverter</li> <li>• Two discrete functions (non-shared)</li> <li>• Adjustable hand shower gliding element</li> <li>• 59" Metal hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop® at 38 °C / 100 °F</li> <li>• Exposed thermostatic temperature control</li> <li>• (113 cm) 44 ½" Overall height</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• ADA compliant handles</li> </ul>			
	<b>Optional EasyReach Accessory Tray</b>	26 362 LNO		\$ 47
	<b>Optional Spacer Disc ¼"</b>	27 180 000		\$ 105
	<b>Optional Longer Rail 46" (1166 mm)</b>	48 053 000		\$ 142
	<b>Optional Shorter Rail 34" (866 mm)</b>	48 054 000		\$ 100
	<b>Optional Service Stop</b>	12 400 000		\$ 59
	<b>Euphoria®</b> Thermostatic Tub / Shower System (Bare)	26 490 000 26 490 ENO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,057 1,374
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• Exposed thermostatic temperature control with GROHE SafeStop® at 38 °C / 100 °F</li> <li>• Switch between hand shower and shower head via built-in AquaDimmer diverter</li> <li>• Two discrete functions (non-shared)</li> <li>• 45 cm (17 11/16") shower arm</li> <li>• Optional fixed or 45° swivel shower arm</li> <li>• Bar with adjustable height hand shower holder</li> <li>• 59" metal shower hose (28 417)</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• Includes manual tub/shower diverter</li> <li>• 17 cm (6 5/8") Tub spout reach</li> <li>• 159 cm (62 ½") Overall rail height</li> <li>• 147 cm (58") Rail length between upper bracket and thermostat</li> <li>• Tub spout flow rate: 20 L/min (5.3 gpm) at 45 psi</li> <li>• ADA compliant handles</li> </ul>			
	<b>Optional EasyReach Accessory Tray</b>	26 362 LNO		\$ 47
	<b>Optional Spacer Disc ¼"</b>	27 180 000		\$ 105
	<b>Optional Service Stop</b>	12 400 000		\$ 59

# EUPHORIA® SHOWER SYSTEMS

		Product #	Colour/Description	Price
	<b>Euphoria®</b> ThermoStatic Shower System	<b>26 128 001</b> <b>26 128 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 1,046</b> <b>1,360</b>
	<ul style="list-style-type: none"> <li>• Wall-mounted diverter shower system</li> <li>• 45 cm (17<sup>11/16</sup>" ) Swivel shower arm with 45° rotation</li> <li>• Switch between hand shower and shower head via built-in AquaDimmer diverter</li> <li>• Two discrete functions (non-shared)</li> <li>• Euphoria® 260 shower head (26 457), 9.5 L/min (2.5 gpm)</li> <li>• Euphoria® Duo hand shower (27 238) with normal / eco spray, 9.5 L/min (2.5 gpm)</li> <li>• Bar with adjustable height hand shower holder</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• 59" Metal hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE Dreamspray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• GROHE SafeStop® at 38 °C / 100 °F</li> <li>• Exposed thermostatic temperature control</li> <li>• 113 cm (44 ½") Overall height</li> </ul>			
	<b>Optional EasyReach Accessory Tray</b>	<b>26 362 LN0</b>		<b>\$ 47</b>
	<b>Optional Spacer Disc ¼"</b>	<b>27 180 000</b>		<b>\$ 105</b>
	<b>Optional Longer Rail 46" (1166 mm)</b>	<b>48 053 000</b>		<b>\$ 142</b>
	<b>Optional Shorter Rail 34" (866 mm)</b>	<b>48 054 000</b>		<b>\$ 100</b>
	<b>Optional Service Stop</b>	<b>12 400 000</b>		<b>\$ 59</b>
	<b>Euphoria®</b> ThermoStatic Tub/Shower System	<b>26 177 001</b>	GROHE StarLight® Chrome	<b>\$ 1,258</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• Speed Clean® anti-lime system</li> <li>• Exposed thermostatic temperature control with SafeStop® at 100 °F / 38 °C</li> <li>• Switch between hand shower and shower head via built-in AquaDimmer diverter</li> <li>• Two discrete functions (non-shared)</li> <li>• 45 cm (17<sup>11/16</sup>" ) Shower arm</li> <li>• Optional fixed or 45° swivel shower arm</li> <li>• Adjustable height hand shower holder</li> <li>• Euphoria® shower head (26 457), 9.5 L/min (2.5 gpm)</li> <li>• Euphoria® Duo hand shower (27 238), 9.5 L/min (2.5 gpm)</li> <li>• 59" metal shower hose (28 417)</li> <li>• Includes manual tub/shower diverter</li> <li>• 17 cm (6<sup>5/8</sup>" ) Tub spout reach</li> <li>• 159 cm (62<sup>1/2</sup>" ) Overall rail height</li> <li>• 147 cm (58") Rail length between upper bracket and thermostat</li> <li>• Tub spout flow rate: 20 L/min (5.3 gpm) at 45 psi</li> </ul>			
	<b>Optional EasyReach Accessory Tray</b>	<b>26 362 LN0</b>		<b>\$ 47</b>
	<b>Optional Spacer Disc ¼"</b>	<b>27 180 000</b>		<b>\$ 105</b>
	<b>Optional Service Stop</b>	<b>12 400 000</b>		<b>\$ 59</b>

# EUPHORIA® / TEMPESTA SHOWER SYSTEMS


		Product #	Colour/Description	Price
	<b>Tempesta</b> Thermostatic Shower System (Bare)	<b>26 421 000</b> 	GROHE StarLight® Chrome	<b>\$ 581</b>
	<ul style="list-style-type: none"> <li>• 120 cm (47 1/4") Overall height</li> <li>• 28 cm (10 13/16") Shower arm projection</li> <li>• Exposed thermostatic shower with AquaDimmer function diverts between hand shower and showerhead</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™ technology for less water and perfect flow</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• 59" metal shower hose (28 417)</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• ADA compliant handles</li> </ul>			
	<b>Optional EasyReach Accessory Tray</b>	<b>26 362 LN0</b>		<b>\$ 47</b>
	<b>Optional Longer Rail 46" (1166mm)</b>	<b>48 053 000</b>		<b>\$ 142</b>
	<b>Optional Shorter Rail 34" (866mm)</b>	<b>48 054 000</b>		<b>\$ 100</b>
	<b>Optional Service Stop</b>	<b>12 400 000</b>		<b>\$ 59</b>
	<b>Optional Shower System Rails</b>			
	<b>Longer Rail</b> <ul style="list-style-type: none"> <li>• Increases rail height to 46" (1166 mm) for a higher shower head mounting position</li> <li>• GROHE StarLight® finish</li> <li>• Works with all Euphoria® and Tempesta shower systems EXCEPT Euphoria® Cube (26 420 000)</li> </ul>	<b>48 053 000</b>	GROHE StarLight® Chrome <b>\$ 142</b>	
	<b>Shorter Rail</b> <ul style="list-style-type: none"> <li>• Decreases rail height to 34" (866 mm) for a lower shower head mounting position</li> <li>• GROHE StarLight® finish</li> <li>• Works with all Euphoria® and Tempesta shower systems EXCEPT Euphoria® Cube (26 420 000)</li> </ul>	<b>48 054 000</b>	GROHE StarLight® Chrome <b>\$ 100</b>	
	<b>Euphoria®/Tempesta</b> Easy Reach Tray	<b>26 362 LN0</b>	White	<b>\$ 47</b>
	<ul style="list-style-type: none"> <li>• Works with all Euphoria® and Tempesta shower systems EXCEPT Euphoria® Cube (26 420 000)</li> </ul>			
	<b>Service Stop</b> S-Union (Lockable)	<b>12 400 000</b>	GROHE StarLight® Chrome	<b>\$ 59</b>
	<ul style="list-style-type: none"> <li>• 1/2" x 3/4"</li> <li>• 3/8" Adjustment range</li> <li>• GROHE StarLight® finish</li> <li>• Escutcheon</li> <li>• Lockable for service</li> <li>• Set of 2</li> </ul>			

# GROHE RETRO-FIT SHOWER SYSTEM

## Transform a standard shower into a multifunctional, luxury shower

Ideal for retrofit or renovation, the GROHE Retro-Fit Shower System transforms an existing shower head installation into a luxurious shower system with a shower head plus the added convenience of a hand shower. The upgrade is quick and easy to install. Simply replace the existing shower arm – no need to change the tiles or alter any in-wall plumbing. Once installed, it's easy to use; simply turn the six-position diverter to switch the water flow from shower head to hand shower, or have both outlets on simultaneously. As an additional feature, the diverter includes Eco Mode options for water savings.

GROHE offers a range of shower kits with the shower head and hand shower included. The base (or bare) models let you choose the style of hand shower and shower head that suits your needs and bathroom decor. A renovation upgrade without the renovation price tag.



# RETRO-FIT SHOWER SYSTEMS

SHOWER SYSTEMS – RETRO-FIT

		Product #	Colour/Description	Price
	<p><b>GROHE Retro-Fit</b> 25" Shower System (Bare)</p> <p>Designed for new installations or retrofit to replace an existing shower arm</p> <ul style="list-style-type: none"> <li>• Wall-mounted diverter shower system</li> <li>• 45 cm (17 11/16") Swivel shower arm with 180° rotation</li> <li>• Switch between hand shower and shower head shower via built-in 6-position diverter</li> <li>• Adjustable gliding element</li> <li>• 59" Metal hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch® technology</li> <li>• Supply elbow connection</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p><b>Valve sold separately.</b></p> <p>Optional 6" height extension bar (26 464) sold separately, see page 245.</p> <p>Optional 8 mm (5/16") spacer (26 030) for installations where mounting brackets are on uneven surfaces such as tiled wall to drywall. Sold separately, see page 245.</p> <p>Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 245.</p>	<p><b>26 485 000</b> <b>26 485 ENO</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 644</b> <b>837</b></p>
	<p><b>GROHE Retro-Fit</b> 18" Shower System (Bare)</p> <p>Designed for new installations or retrofit to replace an existing shower arm</p> <ul style="list-style-type: none"> <li>• Wall mounted diverter shower system</li> <li>• 45 cm (17 3/4") horizontal swivel shower arm with 180° rotation</li> <li>• Switch between hand shower and shower head via 6-position built-in diverter</li> <li>• Adjustable height bar with gliding element</li> <li>• 59" metal shower hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch® technology</li> <li>• Supply elbow connection</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Wall spacer for upper bracket (26 030) and shower system 6" height extension (26 464) available to be purchased separately</p> <p>Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 245.</p>	<p><b>26 486 000</b> <b>★ 26 486 ENO</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 623</b> <b>814</b></p>



# RETRO-FIT SHOWER SYSTEMS

		Product #	Colour/Description	Price
	<p><b>GROHE Retro-Fit</b> 25" Shower System (Bare)</p> <p>Designed for new installations or retrofit to replace an existing shower arm</p> <ul style="list-style-type: none"> <li>• Wall mounted diverter shower system</li> <li>• 26 cm (10 1/4") Optional fixed or swivel standard shower arm</li> <li>• Switch between hand shower and shower head or dual function via built-in 6-position diverter</li> <li>• Adjustable height bar with gliding element</li> <li>• 59" metal shower hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch® technology</li> <li>• Supply elbow connection</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Wall spacer for upper bracket (26 030) and shower system 6" height extension (26 464) available to be purchased separately</p> <p>Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 245.</p>	<p><b>26 487 000</b> <b>26 487 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 602</b> <b>782</b></p>
	<p><b>GROHE Retro-Fit</b> 18" Shower System (Bare)</p> <p>Designed for new installations or retrofit to replace an existing shower arm</p> <ul style="list-style-type: none"> <li>• Wall mounted diverter shower system</li> <li>• 26 cm (10 1/4") Optional fixed or swivel standard shower arm</li> <li>• Switch between hand shower and shower head or dual function via built-in 6-position diverter</li> <li>• Adjustable height bar with gliding element</li> <li>• 59" metal shower hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch® technology</li> <li>• Supply elbow connection</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Wall spacer for upper bracket (26 030) and shower system 6" height extension (26 464) available to be purchased separately</p> <p>Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 245.</p>	<p><b>26 488 000</b> <b>★ 26 488 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 559</b> <b>729</b></p>

# RETRO-FIT SHOWER SYSTEMS

SHOWER SYSTEMS – RETRO-FIT



**GROHE Retro-Fit Bundle**  
25" Euphoria - 9.5 L/min (2.5 gpm)

Designed for new installations or retrofit to replace an existing shower arm

- Wall-mounted diverter shower system
- 45 cm (17 11/16") Horizontal 180° swivel shower arm
- Switch between hand shower and shower head shower via built-in 6-position diverter
- Euphoria 260 shower head (26 457) with rain spray with ball joint, turning angle ± 20°, 9.5 L/min (2.5 gpm)
- Euphoria hand shower (27 493) with normal / SmartRain / massage spray, 9.5 L/min (2.5 gpm)
- Adjustable height bar with gliding element
- 59" Metal hose (28 417)
- Supply elbow connection
- GROHE StarLight® finish
- GROHE Dreamspray® technology
- GROHE CoolTouch® technology
- Speed Clean® anti-lime system
- Max. Flow Rate: 9.5 L/min (2.5 gpm) at 60 psi

**Valve sold separately.**

Optional 6" height extension bar (26 464) sold separately, see page 245.

Optional 8 mm (5/16") spacer (26 030) for installations where mounting brackets are on uneven surfaces such as tiled wall to drywall. Sold separately, see page 245.

Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 245.

Product #

**27 867 001**  
**27 867 EN1**

Colour/Description

GROHE StarLight® Chrome  
Brushed Nickel InfinityFinish™

Price

**\$ 740**  
**962**



**GROHE Retro-Fit Bundle**  
25" Tempesta - 6.6 L/min (1.75 gpm)

- Wall mounted diverter shower system
- 45 cm (17 11/16") Optional fixed or 180° swivel Rainshower™ shower arm
- Switch between hand shower and shower head or dual function via built-in diverter
- GROHE StarLight® finish
- GROHE CoolTouch®
- GROHE Dreamspray® technology
- Speed Clean® anti-lime system
- Adjustable height bar with gliding element
- Supply elbow connection
- 59" metal shower hose (28 417)
- Tempesta 210 shower head (26 409), 6.6 L/min (1.75 gpm)
- Tempesta 100 hand shower (26 047), 6.6 L/min (1.75 gpm)
- GROHE Retro-Fit shower system (26 485), 6.6 L/min (1.75 gpm)

Wall spacer for upper bracket (26 030) and shower system 6" height extension (26 464) available to be purchased separately

Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 245.





**26 123 001**  
**26 123 EN1**



GROHE StarLight® Chrome  
Brushed Nickel InfinityFinish™

**\$ 720**  
**936**

# RETRO-FIT SHOWER SYSTEMS

		Product #	Colour/Description	Price
	<b>GROHE Retro-Fit</b> 6" Bar Height Extension <ul style="list-style-type: none"> <li>• Extends rail height by 6" for a higher shower head mounting position</li> <li>• GROHE StarLight® finish</li> </ul>	<b>26 464 000</b> <b>26 464 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 129</b> <b>168</b>
	<b>GROHE Retro-Fit</b> Spacer <ul style="list-style-type: none"> <li>• 8 mm (5/16") spacer for upper bracket (use if the top bracket is installed on a bare wall and the bottom on a tiled wall)</li> <li>• GROHE StarLight® finish</li> </ul>	<b>26 030 000</b> <b>26 030 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 69</b> <b>90</b>
	<b>EasyReach Accessory Tray</b>	<b>27 596 000</b>	Acrylic	<b>\$ 18</b>
	<b>EasyReach Accessory Tray</b>	<b>26 362 LN0</b>	White	<b>\$ 47</b>

SHOWER SYSTEMS – RETRO-FIT

# GROHE SHOWER KITS

## **Convenience and unbeatable value**

These all-in-one kits take the guesswork out of designing your shower, and include the most popular features for shower systems. At the heart of each shower kit is GROHE valve technology, recognized in the industry for reliability and optimum performance. Kit options are available from one outlet to multiple outlets, and include both pressure balance and thermal valve options. Available in a range of design styles, there are options to suit any decor. Your shower, your way – everything you need in one convenient kit.




# SHOWER KITS

	Product #	Colour/Description	Price
Square THM Custom Shower Kit	★ 117163	GROHE StarLight® Chrome	\$ 3,067

### Kit Includes:

- Rainshower "F" Series shower head, 10" (27 285 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 6" ceiling shower arm (27 486 000)
- Allure thermostat trim (19 305 000)
- Grohtherm® thermostat rough-in valve (34 397 000)
  - Built-in check valves and service stops
  - Max. Flow Rate: 61 L/min (16 gpm) at 45 psi
- Allure volume control trim (3 x 19 385 000)
- Volume control rough-in valve (3 x 35 029 000)
- Rainshower "F" Series body spray 5" (3 x 27 252 000)
  - Spray: normal
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Euphoria Cube 24" shower set (27 891 000)
  - Euphoria Cube hand shower (27 888 000)
  - Spray: normal
  - 69" Metal hose (28 025 000)
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Allure Brilliant wall union with ½" NPT threads (27 708 000)



### SmartControl Square THM Dual Function Shower Kit


34 752 000

GROHE StarLight® Chrome

\$ 1,990

### Kit Includes:

- Rainshower Allure 230 Shower Head (27 480 000)
  - Spray: GROHE PureRain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Eurocube 6" Ceiling Shower Arm (27 712 000)
- Grohtherm® SmartControl Dual Function Thermostatic Trim with Control Module (29 141 000)
- Grohtherm® Rapido® SmartBox (35 601 000)
- Euphoria Cube 24" shower set (27 891 000)
  - Euphoria Cube hand shower (27 888 000)
  - Spray: Non-adjustable normal spray
  - 24" Shower bar
  - 69" Metal hose (28 025)
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Allure Brilliant wall union with ½" NPT threads (27 708 000)



### Grohtherm® Cube THM Dual Function Shower Kit


34 747 000

GROHE StarLight® Chrome

\$ 1,499

### Kit Includes:

- Euphoria Cube shower head 6" (26 468)
  - Spray: Rain
  - Max. Flow rate: 6.6 L/min (1.75 gpm)
- Eurocube 11 ¼" shower arm with square flange (27 710)
- Grohtherm® Rapido® SmartBox universal rough-in box (35 601)
- Grohtherm® Cube dual function thermostatic trim with control module (24 158)
  - Includes control module and trim
  - Integrated volume control
  - 2-way diverter function
  - Max. Flow Rate: 27 L/min (7.1 gpm) at 45 psi
- Euphoria Cube 24" shower bar (27 892)
- 59" RotaFlex metal hose (28 417)
- Euphoria Cube hand shower (26 467)
  - Spray: Non-adjustable normal spray
  - Max. Flow Rate: 6.6 L/min (1.75 gpm)
- Allure Brilliant wall union with ½" NPT threads (27 708)



# SHOWER KITS

	Product #	Colour/Description	Price
Modern Square THM Dual Function Shower Kit	118050	GROHE StarLight® Chrome	\$ 1,268

**Kit Includes:**

- Euphoria Cube shower head, 6" (27 705 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 6" ceiling shower arm (27 486 000)
- GrohFlex® universal rough-in box (35 026 000)
  - ½" inlets and outlets
  - Integrated service stops
- GrohFlex® Cosmopolitan square dual function THM trim (19 927 000)
  - Includes control module and trim
  - Integrated volume control
  - 2-way diverter function
  - Max. Flow Rate: 24 L/min (6.3 gpm) at 45 psi
- Euphoria Cube 24" shower set (27 891 000)
  - Euphoria Cube hand shower (27 888 000)
  - Spray: Normal
  - 69" Metal hose (28 025 000)
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Allure Brilliant wall union with ½" NPT threads (27 708 000)



SmartControl RainShower THM Triple Function Shower Kit	34 753 000	GROHE StarLight® Chrome	\$ 2,349
---	------------	-------------------------	----------

**Kit Includes:**

- Rainshower Cosmopolitan 12" shower head (27 478 000)
  - Spray: GROHE PureRain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 12" Shower Arm (28 577 000)
- Grohtherm® SmartControl Triple Function Thermostatic Trim with Control Module (29 138 000)
- Grohtherm® Rapido® SmartBox (35 601 000)
- Power&Soul Contemporary 130 Hand Shower (27 673 000)
  - Sprays: GROHE Rain O<sup>2</sup>, Rain, GROHE Bokoma Spray™, Jet
  - Max. Flow Rate: 9.5 L/min. (2.5 gpm)
- Power&Soul 24" Shower Bar (27 784 000)
- 59" Metal Hose (28 417 000)
- Wall union with ½" NPT threads (28 672 000)
- Relaxa Ultra Body Sprays (27 070 000) (x2)
  - Sprays: Normal, Massage
  - Max. Flow Rate: 9.5 L/min. (2.5 gpm)



Timeless THM Custom Shower Kit	★ 117162	GROHE StarLight® Chrome	\$ 2,073
--------------------------------	----------	-------------------------	----------

**Kit Includes:**

- Rainshower shower head 8" face (28 373 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 12" shower arm (28 577 000)
- GrohFlex® universal rough-in box (35 026 000)
  - ½" Inlets and outlets
  - Integrated service stops
- GrohFlex® Timeless custom shower THM trim (19 865 000)
  - Includes control module and trim
  - Max. Flow Rate: 53 L/min. (14 gpm) at 45 psi
- Atrio volume control trim (3 x 19 182 000)
- Volume control rough-in valve (3 x 29 273 000)
- Relaxa body spray (3 x 27 070 000)
- Tempesta Cosmopolitan 24" shower bar (27 521 000)
- Tempesta Cosmopolitan hand shower 100 (27 575 002)
  - Spray: GROHE Rain O<sup>2</sup>, Rain, Massage, Jet
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- 59" Metal twist free hose (28 417 000)
- Wall union with ½" NPT threads (28 672 000)






# SHOWER KITS

	Product #	Colour/Description	Price
SmartControl Rainshower THM Dual Function Shower Kit	34 750 000	GROHE StarLight® Chrome	\$ 2,100

**Kit Includes:**


- Rainshower Cosmopolitan 12" shower head (27 478 000)
  - Spray: GROHE PureRain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 12" Shower Arm (28 577 000)
- Grohtherm® SmartControl Dual Function Thermostatic Trim with Control Module (29 137 000)
- Grohtherm® Rapido® SmartBox (35 601 000)
- Power&Soul Contemporary 130 Hand Shower (27 673 000)
  - Spray: GROHE Rain O<sup>2</sup> / Rain / GROHE Bokoma Spray / Jet
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Power&Soul 24" Shower Bar (27 784 000)
- 59" Metal hose (28 417 000)
- Wall union with ½" NPT threads (28 672 000)



SmartControl Euphoria THM Dual Function Shower Kit	34 751 000	GROHE StarLight® Chrome	\$ 1,350
--	------------	-------------------------	----------

**Kit Includes:**

- Euphoria 10" shower head (26 457 000)
  - Spray: Jet, SmartRain, Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 12" Shower Arm (28 577 000)
- Grohtherm® SmartControl Dual Function Thermostatic Trim with Control Module (29 137 000)
- Grohtherm® Rapido® SmartBox (35 601 000)
- Euphoria 110 Massage Hand Shower (27 239 000)
  - Spray: Rain, SmartRain, Massage
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Euphoria 24" Shower Bar (27 499 000)
- 59" Metal hose (28 417 000)
- Wall union with ½" NPT threads (28 672 000)



Grandera THM Dual Function Shower Kit	★ 122700	GROHE StarLight® Chrome	\$ 1,967
---------------------------------------	----------	-------------------------	----------

**Kit Includes:**

- Grandera shower head, 8" face (27 976 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- 11 ½" Grandera ceiling shower arm (27 984 000)
- GrohFlex® universal rough-in box (35 026 000)
  - ½" inlets and outlets
  - Integrated service stops
- GrohFlex® Grandera dual function THM trim (19 947 000)
  - Includes control module and trim
  - Integrated volume control
  - 2-way diverter function
  - Max. Flow Rate: 24 L/min (6.3 gpm) at 45 psi
- Power&Soul Contemporary Shower Set (27 736 000)
  - Power&Soul hand shower (27 664 000)
  - Spray: GROHE Rain O<sup>2</sup>, Rain, GROHE Bokoma Spray, Jet
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
  - 24" Shower bar (27 784 000)
  - 69" SilverFlex shower hose (28 388 000)
- Grandera wall union with ½" NPT threads (27 971 000)



# SHOWER KITS

	Product #	Colour/Description	Price
Timeless THM Dual Function Shower Kit	★ 117161	GROHE StarLight® Chrome	\$ 1,194

**Kit Includes:**

- Rainshower shower head, 8" face (28 373 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 12" shower arm (28 577 000)
- GrohFlex® universal rough-in box (35 026 000)
  - ½" inlets and outlets
  - Integrated service stops
- GrohFlex® Timeless dual function THM trim (19 849 000)
  - Includes control module and trim
  - Integrated volume control
  - 2-way diverter function
  - Max. Flow Rate: 24 L/min (6.3 gpm) at 45 psi
- Tempesta Cosmopolitan 24" shower bar (27 521 000)
- Tempesta Cosmopolitan hand shower IV (27 575 002)
  - Spray: GROHE Rain O<sup>2</sup>, Rain, Massage, Jet
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- 59" Metal twist free hose (28 417 000)
- Wall union with ½" NPT threads (28 672 000)



Grohtherm® Round THM Dual Function Shower Kit	34 745 000 34 745 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,099 1,349
---	--------------------------	---	-------------------

**Kit Includes:**

- Tempesta 8" shower head (26 409)
  - Spray: rain
  - Max. Flow rate: 6.6 L/min (1.75gpm)
- Rainshower 12" shower arm (28 577)
- Grohtherm® Rapido® SmartBox universal rough-in box (35 601)
- Grohtherm® Round dual function thermostatic trim with control module (24 133)
  - Includes control module and trim
  - Integrated volume control
  - 2-way diverter function
  - Max. Flow Rate: 27 L/min (7.1 gpm) at 45psi
- Tempesta Cosmopolitan 24" shower bar (27 521)
- 59" RotaFlex metal hose (28 417)
- Tempesta Cosmopolitan 100 hand shower (26 046)
  - Spray: Rain, Jet
  - Max. Flow Rate: 6.6 L/min (1.75gpm)
- Wall union with ½" NPT female threads (28 627)



Timeless PBV Dual Function Shower Kit	★ 117167	GROHE StarLight® Chrome	\$ 985
---------------------------------------	----------	-------------------------	--------

**Kit Includes:**

- Rainshower shower head 6 ¼" face (27 135 000)
  - Spray: Rain, Jet, Champagne, Laminar
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 12" shower arm (28 577 000)
- GrohFlex® universal rough-in box (35 026 000)
  - ½" inlets and outlets
  - Integrated service stops
- GrohFlex® Timeless dual function PBV trim (19 867 000)
  - Includes control module and trim
  - Integrated volume control
  - Two-way diverter function
  - Max. Flow Rate: 20 L/min (5.3 gpm) at 45 psi
- Tempesta Cosmopolitan 24" shower bar (27 521 000)
- Tempesta Cosmopolitan hand shower IV (27 575 001)
  - Spray: GROHE Rain O<sup>2</sup>, Rain, Massage, Jet
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- 59" Metal twist free hose (28 417 000)
- Wall union with ½" NPT threads (28 672 000)





# SHOWER KITS












	Product #	Colour/Description	Price
<b>Cosmopolitan PBV Dual Function Shower Kit</b> <b>Kit Includes:</b> <ul style="list-style-type: none"> <li>• Euphoria Cosmopolitan shower head                             <ul style="list-style-type: none"> <li>– 7 1/16" face (27 492 000)</li> <li>– Spray: Rain</li> <li>– Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• Rainshower 12" shower arm (28 577 000)</li> <li>• GrohFlex® universal rough-in box (35 026 000)                             <ul style="list-style-type: none"> <li>– 1/2" inlets and outlets</li> <li>– Integrated service stops</li> </ul> </li> <li>• GrohFlex® Cosmopolitan dual function PBV trim (19 881 000)                             <ul style="list-style-type: none"> <li>– Includes control module and trim</li> <li>– Integrated volume control</li> <li>– Two-way diverter function</li> <li>– Max. Flow Rate: 20 L/min (5.3 gpm) at 45 psi</li> </ul> </li> <li>• Euphoria 24" shower bar (27 499 000)                             <ul style="list-style-type: none"> <li>– Variable height with adjustable top mounting bracket</li> </ul> </li> <li>• Euphoria hand shower (27 809 000)                             <ul style="list-style-type: none"> <li>– Spray: Normal</li> <li>– Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> </li> <li>• 59" Metal twist free hose (28 417 000)</li> <li>• Wall union with 1/2" NPT threads (28 672 000)</li> </ul>	117166	GROHE StarLight® Chrome	\$ 983



<b>Grotherm® 1000 Exposed THM Single Function Shower Kit</b> <b>Kit Includes:</b> <ul style="list-style-type: none"> <li>• Grotherm® 1000 exposed shower mixer (34 150 003)                             <ul style="list-style-type: none"> <li>– Max. Flow Rate: 21 L/min (5.5 gpm) at 45 psi</li> </ul> </li> <li>• Tempesta Cosmopolitan 24" shower bar (27 521 000)</li> <li>• Tempesta Cosmopolitan hand shower 100 (27 575 002)                             <ul style="list-style-type: none"> <li>– Spray: Rain O<sup>2</sup>, Rain, Massage, Jet</li> <li>– Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• 59" Metal twist-free hose (28 417 000)</li> </ul>	122629	GROHE StarLight® Chrome	\$ 528
--	--------	-------------------------	--------










# SHOWER HEADS










		Product #	Colour/Description	Price
 	<b>Rainshower F-Series</b> Ceiling Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 20" x 20"</li> <li>• Flush mount installation</li> <li>• 252 spray nozzles</li> <li>• ½" NPT female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Spray: Rain	<b>26 471 000</b> 	GROHE StarLight® Chrome	<b>\$ 2,588</b>
	<b>Rainshower 310 SmartActive Cube</b> Shower Head - 2 Sprays <ul style="list-style-type: none"> <li>• 12" face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• Speed Clean® anti-lime system</li> <li>• Includes shower arm</li> <li>• Includes non-shared diverter</li> <li>• Includes rough-in valve</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: PureRain / ActiveRain	<b>26 504 000</b> 	GROHE StarLight® Chrome	<b>\$ 999</b>
 	<b>Rainshower Mono 310</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 12" Face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• Speed Clean® anti-lime system</li> <li>• Recommended Rainshower™ arm: 26 632</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Spray: Rain	<b>26 570 000</b> <b>26 570 ENO</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 600</b> <b>780</b>
  <p><b>new</b></p> <p>Available July 2020</p>	<b>Rainshower™ 310 SmartConnect</b> Shower Head - 2 Sprays <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• Speed Clean® anti-lime system</li> <li>• Chrome face plate</li> <li>• Angle adjustable ±10°</li> <li>• ½" NPT</li> <li>• Wireless remote control changes or combines spray patterns</li> <li>• Remote holder can be screwed or glued to wall</li> <li>• Includes (3) AAA batteries and (1) remote control</li> <li>• Remote control water resistant rated IP57</li> <li>• Flow Rate 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: PureRain, ActiveRain	<b>26 645 000</b>	GROHE StarLight® Chrome	<b>\$ 778</b>
 <p><b>new</b></p> <p>Available July 2020</p>	<b>Rainshower™ SmartConnect</b> Remote Control <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Used to change and combine spray patterns</li> <li>• Wireless and water resistant (IP57)</li> <li>• LED indicator for pairing and battery change</li> <li>• Installation can be done with included screws or adhesive to wall</li> <li>• Includes 1 x remote control</li> </ul>	<b>26 646 000</b>	GROHE StarLight® Chrome	<b>\$ 198</b>

SHOWER HEADS









# SHOWER HEADS

		Product #	Colour/Description	Price
	<b>Rainshower F-Series</b> Ceiling Shower Head -1 Spray <ul style="list-style-type: none"> <li>• 10" x 10"</li> <li>• Flush mount installation</li> <li>• 120 spray nozzles</li> <li>• ½" Female threads</li> <li>• Overhead applications only</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain	<b>27 468 000</b>	GROHE StarLight® Chrome	<b>\$ 969</b>
	<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<b>27 816 001</b> 	GROHE StarLight® Chrome	<b>\$ 969</b>
	<b>Rainshower F-Series</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 10" x 10"</li> <li>• 120 spray nozzles</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• Speed Clean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 261–263) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain	<b>27 285 000</b>	GROHE StarLight® Chrome	<b>\$ 717</b>
	<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<b>27 815 001</b> 	GROHE StarLight® Chrome	<b>\$ 717</b>
	<b>Rainshower Allure 230</b> Ceiling Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 8½" Face</li> <li>• Flush mount installation</li> <li>• Concealed installation (no screws visible)</li> <li>• 121 spray nozzles</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® Technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Spray: Rain	<b>26 470 000</b> 	GROHE StarLight® Chrome	<b>\$ 940</b>
				
	<b>Rainshower Allure 230</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 8½" Face</li> <li>• 121 spray nozzles</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 261–263) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain	<b>27 480 000</b>	GROHE StarLight® Chrome	<b>\$ 753</b>
	<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<b>26 469 000</b> 	GROHE StarLight® Chrome	<b>\$ 753</b>

# SHOWER HEADS

		Product #	Colour/Description	Price
	<b>Euphoria Cube 150</b> Shower Head - 1 Spray	27 705 000	GROHE StarLight® Chrome	\$ 232
	<ul style="list-style-type: none"> <li>• 6" Face</li> <li>• 121 spray nozzles</li> <li>• 1/2" Female Threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 261–263) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Rain			
	<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	26 468 000	GROHE StarLight® Chrome	\$ 232
	<b>Rainshower F-Series</b> Shower Head with Integrated Mounting Connection - 1 Spray	27 254 000	GROHE StarLight® Chrome	\$ 388
	<ul style="list-style-type: none"> <li>• No shower arm required</li> <li>• 5" x 5"</li> <li>• 1/2" NPT Female threads</li> <li>• Spray plate with ball joint (12.5° rotation)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE FlowBalance (a regulating screw to adjust flow rate and spray performance of shower head) – have perfect water flow even in customized multiple shower installations</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Normal			
	<b>Rainshower™ 310 SmartConnect</b> Shower Head - 2 Sprays	26 644 000	GROHE StarLight® Chrome	\$ 778
	<ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• Speed Clean® anti-lime system</li> <li>• Chrome face plate</li> <li>• Angle adjustable ±10°</li> <li>• 1/2" NPT</li> <li>• Wireless remote control changes or combines spray patterns</li> <li>• Remote holder can be screwed or glued to wall</li> <li>• Includes (3) AAA batteries and (1) remote control</li> <li>• Remote control water resistant rated IP57</li> <li>• Flow Rate 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: PureRain, ActiveRain			
				
<b>Available July 2020</b>				
	<b>Rainshower™ SmartConnect</b> Remote Control	26 646 000	GROHE StarLight® Chrome	\$ 198
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Used to change and combine spray patterns</li> <li>• Wireless and water resistant (IP57)</li> <li>• LED indicator for pairing and battery change</li> <li>• Installation can be done with included screws or adhesive to wall</li> <li>• Includes 1 x remote control</li> </ul>			
<b>Available July 2020</b>				
	<b>Rainshower 310 SmartActive</b> Shower Head - 2 Sprays	26 502 000 26 502 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 899 1,149
	<ul style="list-style-type: none"> <li>• 12" face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• Speed Clean® anti-lime system</li> <li>• Includes shower arm</li> <li>• Includes non-shared diverter</li> <li>• Includes rough-in valve</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: PureRain / ActiveRain			

# SHOWER HEADS

		Product #	Colour/Description	Price
	<b>Rainshower Cosmopolitan 400</b> Jumbo Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 16" Face</li> <li>• 252 spray nozzles</li> <li>• ½" NPT female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Rain <p>Recommended for use with 28 983 Rainshower Jumbo Shower Arm or 28 492 Rainshower Ceiling Mount Shower Arm in an open installation</p>	<b>28 783 000</b> <b>28 783 ENO</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 1,903</b> <b>2,474</b>
	<b>Rainshower Mono 310</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 12" Face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• Speed Clean® anti-lime system</li> <li>• Recommended Rainshower arm: 28 540</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Spray: Rain 	<b>26 569 000</b> <b>26 569 A00</b> <b>26 569 BE0</b> <b>26 569 ENO</b> <b>26 569 GNO</b>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 532</b> <b>771</b> <b>771</b> <b>692</b> <b>771</b>
	<b>Rainshower Cosmopolitan 310</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 12" Face</li> <li>• 208 spray nozzles</li> <li>• ½" Female Threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• Speed Clean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 261–263) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain 	<b>27 478 000</b>	GROHE StarLight® Chrome	<b>\$ 834</b>
	<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<b>26 472 000</b>	GROHE StarLight® Chrome	<b>\$ 834</b>
	<b>Rainshower Veris 300</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 5 7/8" x 11 3/4" face</li> <li>• 152 spray nozzles</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• Speed Clean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 261–263) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain	★ <b>27 471 000</b>	GROHE StarLight® Chrome	<b>\$ 752</b>
	<b>Rainshower Cosmopolitan 210</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 8" Face</li> <li>• 120 spray nozzles</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• Speed Clean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 261–263) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain 	<b>28 373 000</b> <b>28 373 BE0</b> <b>28 373 ENO</b>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™	<b>\$ 551</b> <b>716</b> <b>716</b>
	<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<b>27 814 001</b> <b>27 814 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 551</b> <b>716</b>

SHOWER HEADS

Note: Products listed with ★ (stars) are available while supplies last.

# SHOWER HEADS

SHOWER HEADS

		Product #	Colour/Description	Price
 	<b>Rainshower Rustic 210</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 8" Face</li> <li>• 120 Spray nozzles</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• Speed Clean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 261–263) in an open installation</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Spray: Rain	<b>26 474 000</b> <b>26 474 BE0</b> <b>26 474 EN0</b> <b>26 474 ZB0</b> 	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 589</b> <b>767</b> <b>767</b> <b>831</b>
 	<b>Rainshower Grandera 210</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 8 1/4" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Spray: GROHE PureRain  Recommended for use with any of the Rainshower Grandera shower arms in an open installation.	<b>26 473 000</b> <b>26 473 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 698</b> <b>907</b>
	<b>Rainshower Cosmopolitan 160</b> Shower Head - 4 Sprays <ul style="list-style-type: none"> <li>• 6 1/4" Face</li> <li>• 4 Spray patterns</li> <li>• 1/2" Female Threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet / Champagne / Laminar	<b>27 135 000</b> <b>27 135 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 311</b> <b>404</b>
	<b>Rainshower Rustic 160</b> Shower Head - 4 Sprays <ul style="list-style-type: none"> <li>• 6 1/4" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet / Champagne / Laminar	<b>27 130 000</b> <b>27 130 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 273</b> <b>355</b>
	<b>Relaxa Deluxe</b> Shower Head - 4 Sprays <ul style="list-style-type: none"> <li>• 5 1/16" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Wide Champagne/Narrow Champagne/ Wide Rain/Needle Jet  Use with Shower Arms: 28 983 and 28 535 (p. 261) or 28 492 and 27 217 (p. 263)	<b>27 530 000</b>	GROHE StarLight® Chrome	<b>\$ 810</b>










# SHOWER HEADS

		Product #	Colour/Description	Price
	<b>Power&amp;Soul Cosmopolitan 190</b> Shower Head - 4 Sprays <ul style="list-style-type: none"> <li>• 7½" Face</li> <li>• 4 spray patterns</li> <li>• One-Click Showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet	<b>27 765 000</b> <b>27 765 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$265</b> <b>349</b>
	<b>Power&amp;Soul Contemporary 190</b> Shower Head - 4 Sprays <ul style="list-style-type: none"> <li>• 7½" Face</li> <li>• 4 spray patterns</li> <li>• One-Click Showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet	<b>27 767 000</b>	GROHE StarLight® Chrome	<b>\$253</b>
	<b>Euphoria® 260</b> Shower Head - 3 Sprays <ul style="list-style-type: none"> <li>• 10" Face</li> <li>• 3 Spray patterns</li> <li>• Rotate 360° centre dial to change sprays</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Jet, SmartRain, Rain	<b>26 457 000</b> <b>26 457 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$218</b> <b>287</b>
   	<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<b>26 456 000</b> <b>26 456 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$218</b> <b>287</b>
	<b>Euphoria® Cosmopolitan 180</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 7 ½" Chrome face</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Rain	<b>27 492 000</b>	GROHE StarLight® Chrome	<b>\$186</b>
	<b>Euphoria® Cosmopolitan 160</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 6 5/16" Face</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Rain	<b>28 233 000</b>	GROHE StarLight® Chrome	<b>\$121</b>
	<b>Tempesta 210</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 8" Face</li> <li>• 1 Spray pattern</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• ½" Female threads</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Rain	<b>26 410 000</b> <b>26 410 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$168</b> <b>218</b>
	<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<b>26 409 000</b> <b>26 409 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$168</b> <b>218</b>



# SHOWER HEADS

SHOWER HEADS


















		Product #	Colour/Description	Price
	 Certified by IAPMO R&T	<b>Euphoria® Grandera 130</b> Shower Head - 3 Sprays  <ul style="list-style-type: none"> <li>• 5 1/4" Face</li> <li>• 3 Spray patterns</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow by 40%)</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: Rain / Smart Rain / Massage	★ 26 035 001 ★ 26 035 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  <b>\$ 147 193</b>
		<b>Movario 100</b> Movario 5 Shower Head - 5 Sprays  <ul style="list-style-type: none"> <li>• 3 15/16" Face</li> <li>• 5 spray patterns</li> <li>• Euro style with gray bellows</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Normal / Rain / Jet / Massage / Champagne	28 448 000 28 448 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  <b>\$ 232 302</b>
		<b>Relaxa Rustic 100</b> Shower Head - 5 Sprays  <ul style="list-style-type: none"> <li>• 3 15/16" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Normal / Rain / Jet / Massage / Champagne	27 126 001 ★ 27 126 BE1 27 126 EN1 ★ 27 126 ZB1	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze  <b>\$ 200 261 261 280</b>
		<b>Euphoria® 110</b> Shower Head - 3 Sprays  <ul style="list-style-type: none"> <li>• 4 5/8" Face</li> <li>• 3 Spray patterns</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow by 40%)</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / SmartRain / Massage	27 247 001 27 247 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  <b>\$ 136 183</b>
	 Certified by IAPMO R&T	<b>Euphoria® 110</b> Mono Shower Head - 1 Spray  <ul style="list-style-type: none"> <li>• 4 5/8" Face</li> <li>• 1 Spray pattern</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> Spray: Normal	27 810 001 ★ 27 810 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  <b>\$ 127 158</b>



# SHOWER HEADS

		Product #	Colour/Description	Price
		<b>Tempesta Cosmopolitan 100</b> Shower Head - 4 Sprays	<b>27 591 001</b>	GROHE StarLight® Chrome <b>\$ 99</b>
		<ul style="list-style-type: none"> <li>• 4" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>		
	  Certified by IAPMO R&T	<b>Tempesta Cosmopolitan 100</b> Shower Head - 4 Sprays	<b>26 043 001</b> <b>26 043 A01</b> <b>26 043 BE1</b> <b>26 043 EN1</b> <b>26 043 GN1</b> 	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise <b>\$ 99</b> <b>139</b> <b>139</b> <b>128</b> <b>139</b>
		<ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome – White spray face</li> <li>• Brushed Nickel – Graphite spray face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>		
	  Certified by IAPMO R&T	<b>Tempesta Cosmopolitan 100</b> Shower Head - 1 Spray	<b>26 366 001</b> 	GROHE StarLight® Chrome <b>\$ 64</b>
		<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• 1 Spray pattern</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray®</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Spray: Rain</p>		
	  Certified by IAPMO R&T	<b>Tempesta Cosmopolitan 100</b> Shower Head - 1 Spray	<b>26 051 001</b> 	GROHE StarLight® Chrome <b>\$ 64</b>
		<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• 1 Spray pattern</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray®</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> <p>Spray: Rain</p>		
		<b>Tempesta Contemporary 100</b> Shower Head - 4 Sprays	<b>27 606 001</b>	GROHE StarLight® Chrome <b>\$ 83</b>
		<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>		

# SHOWER HEADS

		Product #	Colour/Description	Price	
	  Certified by IAPMO RST	<b>Tempesta Contemporary 100</b> Shower Head - 4 Sprays  <ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome (001) – White spray face</li> <li>• Brushed nickel (EN1) – Graphite spray face</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE EcoJoy™</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / Massage / Jet	<b>26 044 001</b> <b>26 044 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 83</b> <b>109</b>
	  Certified by IAPMO RST	<b>Tempesta Contemporary 100</b> Shower Head - 1 Spray  <ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• 1 Spray pattern</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray®</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> Spray: Rain	<b>26 050 001</b> 	GROHE StarLight® Chrome	<b>\$ 52</b>
		<b>Tempesta Rustic 100</b> Shower Head - 4 Sprays  <ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• 4 Spray patterns</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / Massage / Jet	<b>27 610 001</b>	GROHE StarLight® Chrome	<b>\$ 99</b>
	  Certified by IAPMO RST	<b>Tempesta Rustic 100</b> Shower Head - 4 Sprays  <ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome (001) – White spray face</li> <li>• Brushed nickel (EN1) – Graphite spray face</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE EcoJoy™</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / Massage / Jet	<b>26 045 001</b> <b>26 045 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 99</b> <b>128</b>
	 Certified by IAPMO RST	<b>Non-Adjustable Shower Head</b>  <ul style="list-style-type: none"> <li>• 2 7/16" Face</li> <li>• ½" female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Normal  <b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul>	<b>28 342 000</b> <b>★ 28 342 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 73</b> <b>96</b>
		<b>28 342 00E</b> 	GROHE StarLight® Chrome	<b>\$ 73</b>	







# SHOWER ARMS

		Product #	Colour/Description	Price
	<p><b>Rainshower Jumbo</b> 16" Shower Arm</p> <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul> <p><b>For use with Rainshower Cosmopolitan Jumbo (28 783) and Relexa Deluxe (27 530)</b></p> <p>Arm and inlet pipe must be properly braced in the wall to support the weight of the shower head</p>	<p><b>28 983 000</b> <b>28 983 EN0</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 414</b> <b>539</b></p>
	<p><b>Rainshower</b> 16" Shower Arm</p> <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relexa Deluxe (27 530)</li> </ul>	<p><b>28 540 000</b> <b>28 540 A00</b> <b>28 540 BE0</b> <b>28 540 EN0</b> <b>28 540 GN0</b> <b>28 540 ZB0</b></p>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise Oil Rubbed Bronze	<p><b>\$ 185</b> <b>261</b> <b>234</b> <b>241</b> <b>261</b> <b>268</b></p>
	<p><b>Rainshower</b> 15" Shower Arm</p> <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relexa Deluxe (27 530)</li> </ul>	<p><b>26 632 000</b> <b>26 632 EN0</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 200</b> <b>260</b></p>
	<p><b>Rainshower</b> 12" Shower Arm</p> <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relexa Deluxe (27 530)</li> </ul>	<p><b>28 577 000</b> <b>28 577 EN0</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 134</b> <b>175</b></p>
	<p><b>Rainshower</b> 12" Shower Arm with Square Flange</p> <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relexa Deluxe (27 530)</li> </ul>	<p><b>27 489 000</b></p>	GROHE StarLight® Chrome	<p><b>\$ 134</b></p>
	<p><b>Eurocube</b> 11 ¼" Shower Arm with Square Flange</p> <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relexa Deluxe (27 530)</li> </ul>	<p><b>27 710 000</b></p>	GROHE StarLight® Chrome	<p><b>\$ 141</b></p>
	<p><b>Rainshower</b> 10" Retro Shower Arm</p> <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relexa Deluxe (27 530)</li> </ul>	<p><b>28 383 000</b> <b>28 383 EN0</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 275</b> <b>358</b></p>

# SHOWER ARMS






		Product #	Colour/Description	Price
	<b>Rainshower Grandera</b> 1 1/4" Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 988 000 27 988 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 150 195
	<b>Grandera</b> 6 5/8" Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	★ 26 036 000 ★ 26 036 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 67 87
	<b>6" Shower Arm</b> <ul style="list-style-type: none"> <li>• Cast Brass</li> <li>• 1/2" NPT female threads</li> <li>• GROHE StarLight® finish</li> </ul>	28 535 000 28 535 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 275 357
	<b>Kensington</b> 6" Shower Arm and Flange <ul style="list-style-type: none"> <li>• 1/2" male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 034 000 27 034 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 153 200
	<b>Seabury</b> 6 1/4" Shower Arm & Flange <ul style="list-style-type: none"> <li>• 1/2" Male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 011 000 27 011 BE0 27 011 ENO 27 011 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 83 109 109 132
	<b>Relaxa</b> 6 1/4" Shower Arm with Square Flange <ul style="list-style-type: none"> <li>• 1/2" Male threads</li> <li>• Square escutcheon</li> <li>• GROHE StarLight® finish</li> </ul>	26 633 000	GROHE StarLight® Chrome	\$ 59
	<b>6 1/4" Tubular Shower Arm</b> <ul style="list-style-type: none"> <li>• 1/2" Male inlet threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 412 000 27 412 A00 27 412 BE0 27 412 ENO 27 412 GNO	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 97 136 136 127 136
	<b>5 5/8" Tubular Shower Arm</b> <ul style="list-style-type: none"> <li>• 1/2" Male inlet threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 414 000 27 414 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 45 60

# SHOWER ARMS

		Product #	Colour/Description	Price
	<b>Rainshower</b> 12" Ceiling Shower Arm with Square Flange  <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head including Rainshower Cosmopolitan Jumbo (28 783)</li> </ul>	<b>27 487 000</b>	GROHE StarLight® Chrome	<b>\$ 126</b>
	<b>Rainshower</b> 12" Ceiling Shower Arm  <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head including Rainshower Cosmopolitan Jumbo (28 783) and Relaxa Deluxe (27 530)</li> </ul>	<b>28 492 000</b> <b>28 492 BE0</b> <b>28 492 EN0</b> <b>28 492 ZB0</b>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 126</b> <b>179</b> <b>179</b> <b>190</b>
	<b>Rainshower Grandera</b> 11½" Ceiling Shower Arm  <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	<b>27 984 000</b> <b>27 984 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 148</b> <b>196</b>
	<b>Eurocube</b> 6" Ceiling Shower Arm  <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	<b>27 712 000</b>	GROHE StarLight® Chrome	<b>\$ 129</b>
	<b>Rainshower</b> 6" Ceiling Shower Arm with Square Flange  <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head including Rainshower Cosmopolitan Jumbo (28 783)</li> </ul>	<b>27 486 000</b>	GROHE StarLight® Chrome	<b>\$ 126</b>
	<b>Rainshower</b> 6" Ceiling Shower Arm  <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head including Rainshower Cosmopolitan Jumbo (28 783) and Relaxa Deluxe (27 530)</li> </ul>	<b>27 217 000</b> <b>27 217 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 105</b> <b>136</b>




# SHOWER SETS

SHOWER SETS

		Product #	Colour/Description	Price
	<p><b>Relexa Rustic 100</b> Shower Set 5 – 5 Sprays</p> <ul style="list-style-type: none"> <li>• Relexa Rustic Hand-Held (27 125)</li> <li>• 3<sup>15</sup>/<sub>16</sub>" face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• 24" Adjustable height shower bar</li> <li>• 69" Metal shower hose (28 025)</li> <li>• Bar diameter 1"</li> <li>• Universal tray</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Normal / Rain / Jet / Massage / Champagne</p>	<p><b>27 142 000</b> ★ <b>27 142 BE0</b> <b>27 142 EN0</b></p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™</p>	<p><b>\$ 527</b> <b>687</b> <b>687</b></p>
	<p><b>Relexa Ultra 100</b> Shower Set 5 – 5 Sprays</p> <ul style="list-style-type: none"> <li>• Relexa Ultra Hand Shower (28 897)</li> <li>• 3<sup>15</sup>/<sub>16</sub>" face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Variable fixing point mounting brackets for easy retrofit and corner mounting</li> <li>• Multi-function mounting brackets also serve as a hose guide</li> <li>• 69" Metal shower hose</li> <li>• Bar diameter 1"</li> <li>• 24" Adjustable height shower bar</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Normal / Rain / Jet / Massage / Champagne</p>	<p><b>28 917 000</b> <b>28 917 EN0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 545</b> <b>709</b></p>
 	<p><b>Rainshower SmartActive 130</b> Shower Set – Square, 3 Sprays</p> <ul style="list-style-type: none"> <li>• 5" Square face</li> <li>• 24" Shower bar</li> <li>• 69" Rotaflex Longlife metal shower hose (28 025)</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• QuickFix Plus - adjustable upper and lower bracket height (1.5 cm up or down)</li> <li>• GROHE DripStop - no water drops once the water is turned off</li> <li>• GROHE EasyReach Tray</li> <li>• GROHE TileFix - adjustable upper bracket depth (1.6 cm)</li> <li>• Spray selector conveniently located on backside of hand spray</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain, Jet, ActiveMassage</p>	<p><b>26 585 000</b> <b>26 585 EN0</b> </p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 470</b> <b>611</b></p>

ENO Available September 2020





# SHOWER SETS

		Product #	Colour/Description	Price
 <p><b>WaterSense</b> Certified by MPVIC R&amp;T</p> <p><b>ENO Available September 2020</b></p>	<p><b>Rainshower SmartActive 130</b> Shower Set – Round, 3 Sprays</p> <ul style="list-style-type: none"> <li>• 5" Round face</li> <li>• 24" Shower bar</li> <li>• 69" Rotaflex Longlife metal shower hose (28 025)</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• QuickFix Plus - adjustable upper and lower bracket height (1.5 cm up or down)</li> <li>• GROHE DripStop - no water drops once the water is turned off</li> <li>• GROHE EasyReach Tray</li> <li>• GROHE TileFix - adjustable upper bracket depth (1.6 cm)</li> <li>• Spray selector conveniently located on backside of hand spray</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain, Jet, ActiveMassage</p>	<p><b>26 547 000</b> <b>26 547 ENO</b></p> <p><b>CEC</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 455</b> <b>592</b></p>
	<p><b>Power&amp;Soul Cosmopolitan 130</b> Shower Set – 4 Sprays</p> <ul style="list-style-type: none"> <li>• Power&amp;Soul hand shower (27 664)</li> <li>• 5" Face</li> <li>• 4 spray patterns</li> <li>• One-Click showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• 24" Shower bar (27 784)</li> <li>• 69" SilverFlex shower hose (28 388)</li> <li>• Bar diameter 1"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Variable fixing point mounting brackets for easy retrofit and corner mounting</li> <li>• Multi-function mounting brackets also serve as a hose guide</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet</p>	<p><b>27 732 000</b></p>	<p>GROHE StarLight® Chrome</p>	<p><b>\$ 354</b></p>
	<p><b>Power&amp;Soul Contemporary 130</b> Shower Set – 4 Sprays</p> <ul style="list-style-type: none"> <li>• Power&amp;Soul hand shower (27 673)</li> <li>• 5" Face</li> <li>• 4 Spray patterns</li> <li>• One-Click showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• 24" Shower bar (27 784)</li> <li>• 69" SilverFlex shower hose (28 388)</li> <li>• Bar diameter 1"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Variable fixing point mounting brackets for easy retrofit and corner mounting</li> <li>• Multi-function mounting brackets also serve as a hose guide</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet</p>	<p><b>27 736 000</b></p>	<p>GROHE StarLight® Chrome</p>	<p><b>\$ 334</b></p>

SHOWER SETS













# SHOWER SETS

SHOWER SETS







		Product #	Colour/Description	Price
	<p><b>Euphoria® Cube</b> Shower Set – 1 Spray</p> <ul style="list-style-type: none"> <li>• Euphoria® Cube hand shower (27 888)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• 24" Shower bar</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Metal shower hose (28 025)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Non-adjustable normal spray</p>	27 891 000	GROHE StarLight® Chrome	\$ 330
	<p><b>Euphoria® 110</b> Shower Set – 3 Sprays</p> <ul style="list-style-type: none"> <li>• Euphoria® hand shower (27 239)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow)</li> <li>• Speed Clean® anti-lime system</li> <li>• GROHE EasyReach™ tray</li> <li>• 24" adjustable height shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Shower bar features adjustable top mounting bracket</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Soap dish (27 596)</li> <li>• 69" SilverFlex shower hose (28 388)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable spray: Normal / Massage / Eco</p>	27 243 001	GROHE StarLight® Chrome	\$ 208
	<p><b>Euphoria® 110 Duo</b> Shower Set – 2 Sprays</p> <ul style="list-style-type: none"> <li>• Euphoria® hand shower (27 238)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow)</li> <li>• Speed Clean® anti-lime system</li> <li>• GROHE EasyReach™ tray</li> <li>• 24" adjustable height shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Shower bar features adjustable top mounting bracket</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Soap dish (27 596)</li> <li>• 69" SilverFlex shower hose (28 388)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable spray: Normal / Eco</p>	27 242 001	GROHE StarLight® Chrome	\$ 179
	<p><b>Euphoria® 110 Mono</b> Shower Set – 1 Spray</p> <ul style="list-style-type: none"> <li>• Euphoria® hand shower (27 265 00E)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE EcoJoy™</li> <li>• Speed Clean® anti-lime system</li> <li>• GROHE EasyReach™ tray</li> <li>• 24" adjustable height shower bar with adjustable top bracket</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Soap dish (27 596)</li> <li>• 69" SilverFlex shower hose (28 388)</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> <p>Spray: Normal</p>	27 266 00E <small>DEC</small>	GROHE StarLight® Chrome	\$ 168
















# SHOWER SETS

		Product #	Colour/Description	Price
		<b>27 577 002</b>	GROHE StarLight® Chrome	<b>\$ 158</b>
		<ul style="list-style-type: none"> <li>• Tempesta hand shower (27 575)</li> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• 24" Shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Plastic shower hose (28 154 001)</li> <li>• Soap dish (27 596)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>		
	 	<b>26 076 002</b> 	GROHE StarLight® Chrome	<b>\$ 126</b>
		<ul style="list-style-type: none"> <li>• Tempesta Hand Shower (26 046)</li> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® Technology</li> <li>• Speed Clean® Anti-Lime System</li> <li>• 24" Shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Plastic shower hose (28 154 001)</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain / Jet</p>		
	 	<b>27 578 20E</b> 	GROHE StarLight® Chrome	<b>\$ 126</b>
		<ul style="list-style-type: none"> <li>• Tempesta Hand Shower (27 571 20E)</li> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® Technology</li> <li>• Speed Clean® Anti-Lime System</li> <li>• 24" Shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Plastic shower hose (28 154 001)</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> <p>Adjustable Spray: Rain / Jet</p>		
		<b>28 436 002</b>	GROHE StarLight® Chrome	<b>\$ 126</b>
		<ul style="list-style-type: none"> <li>• Tempesta hand shower (28 421)</li> <li>• 4" White spray face</li> <li>• 4 Spray patterns</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• 24" Shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Plastic shower hose (28 154 001)</li> <li>• Soap dish (27 596)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>		

# SHOWER SETS

		Product #	Colour/Description	Price	
	 	<b>Tempesta Contemporary 100</b> Shower Set – 2 Sprays	27 598 10E	GROHE StarLight® Chrome	\$ 99
		<ul style="list-style-type: none"> <li>• Tempesta Hand Shower (27 597 10E)</li> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• 24" Shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Plastic shower hose (28 154 001)</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet			
	 	<b>Tempesta Rustic 100</b> Shower Set – 4 Sprays	27 609 001	GROHE StarLight® Chrome	\$ 146
		<ul style="list-style-type: none"> <li>• Tempesta hand shower (27 608)</li> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• 24" Shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Plastic shower hose (28 154 001)</li> <li>• Soap dish (27 596)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / Massage / Jet			

# HAND SHOWERS

		Product #	Colour/Description	Price
	<p><b>Movario Five</b> Hand Shower - 5 Sprays</p> <ul style="list-style-type: none"> <li>• 3 15/16" Face</li> <li>• 8-Position RotaHead™ System to adjust spray angle and position</li> <li>• RotaHead™ System allows hand shower to function as a shower head or a body spray when used with a shower bar</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Normal / Rain / Jet / Massage / Champagne</p>	<p><b>28 444 000</b> <b>28 444 EN0</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 265</b> <b>344</b></p>
	<p> Certified by IAPMO R&amp;T</p> <p><b>Rainshower SmartActive 130</b> Shower Set – Square, 3 Sprays</p> <ul style="list-style-type: none"> <li>• 5" Square face</li> <li>• 59" Metal shower hose (28 417)</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DripStop - no water drops once the water is turned off</li> <li>• Rear spray selector</li> <li>• Speed Clean® anti-lime system</li> <li>• Hand shower bracket</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain, Jet, ActiveMassage</p>	<p><b>26 605 000</b> <b>26 605 EN0</b></p> <p></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 350</b> <b>455</b></p>
	<p> Certified by IAPMO R&amp;T</p> <p><b>Rainshower SmartActive 130</b> Shower Set – Round, 3 Sprays</p> <ul style="list-style-type: none"> <li>• 5" Round face</li> <li>• 59" Metal shower hose (28 417)</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DripStop - no water drops once the water is turned off</li> <li>• Rear spray selector</li> <li>• Speed Clean® anti-lime system</li> <li>• Hand shower bracket</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain, Jet, ActiveMassage</p>	<p><b>26 604 000</b> <b>26 604 EN0</b></p> <p></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 338</b> <b>439</b></p>
	<p> Certified by IAPMO R&amp;T</p> <p><b>Rainshower SmartActive 130</b> Hand Shower - 3 Sprays</p> <ul style="list-style-type: none"> <li>• 5" Square face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DripStop - No water drops once the water is turned off</li> <li>• Rear spray selector</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain, Jet, ActiveMassage</p>	<p><b>26 552 000</b> <b>26 552 EN0</b></p> <p></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p><b>\$ 203</b> <b>264</b></p>
	<p> Certified by IAPMO R&amp;T</p> <p><b>Rainshower SmartActive 130</b> Hand Shower - 3 Sprays</p> <ul style="list-style-type: none"> <li>• 5" Round face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DripStop - No water drops once the water is turned off</li> <li>• Rear spray selector</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain, Jet, ActiveMassage</p>	<p><b>26 545 000</b> <b>26 545 A00</b> <b>26 545 BE0</b> <b>26 545 EN0</b> <b>26 545 GN0</b></p> <p></p>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<p><b>\$ 191</b> <b>277</b> <b>277</b> <b>248</b> <b>277</b></p>

HAND SHOWERS

# HAND SHOWERS

		Product #	Colour/Description	Price
	<b>Rainshower Cosmopolitan 160</b> Hand Shower - 4 Sprays  <ul style="list-style-type: none"> <li>• 6 1/4" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet / Champagne / Laminar	★ 27 085 000 ★ 27 085 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 297 387
	<b>Rainshower Rustic 130</b> Hand Shower - 3 Sprays  <ul style="list-style-type: none"> <li>• 5" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet / Laminar	★ 27 129 BE0 ★ 27 129 ENO	Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™	293 293
	<b>Relaxa Rustic 100</b> Hand Shower - 5 Sprays  <ul style="list-style-type: none"> <li>• 3 15/16" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Normal / Rain / Jet / Massage / Champagne	27 125 000 ★ 27 125 BE0 27 125 ENO ★ 27 125 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 221 287 287 310
	<b>Power&amp;Soul Cosmopolitan 130</b> Hand Shower - 4 Sprays  <ul style="list-style-type: none"> <li>• 5" Face</li> <li>• 4 spray patterns</li> <li>• One-Click showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet	27 664 000 27 664 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 190 246
	<b>Power&amp;Soul Contemporary 130</b> Hand Shower - 4 Sprays  <ul style="list-style-type: none"> <li>• 5" Face</li> <li>• 4 spray patterns</li> <li>• One-Click showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet	27 673 000	GROHE StarLight® Chrome	\$ 167
	<b>Relaxa Ultra 100</b> Hand Shower - 5 Sprays  <ul style="list-style-type: none"> <li>• 3 15/16" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Normal / Rain / Jet / Massage / Champagne	28 897 000 28 897 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 228 296













# HAND SHOWERS

		Product #	Colour/Description	Price	
		<b>Euphoria® 110 Massage</b> Hand Shower - 3 Sprays	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 97</b> <b>127</b>	
		<ul style="list-style-type: none"> <li>• 4 5/8" Face</li> <li>• Grey spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow by 40%)</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / SmartRain / Massage	<b>27 239 000</b> <b>27 239 EN0</b>		
		<b>Same as above</b> • White spray face	<b>27 239 001</b>	GROHE StarLight® Chrome	<b>\$ 97</b>
		<b>Same as above</b> • White spray face • Max. Flow Rate: 6.6 L/min (1.75 gpm)	GROHE StarLight® Chrome	<b>\$ 97</b>	
		<b>Euphoria® 110 Mono</b> Hand Shower - 1 Spray	GROHE StarLight® Chrome	<b>\$ 58</b>	
		<ul style="list-style-type: none"> <li>• 4 5/8" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> Spray: Normal			
		<b>Same as above</b> Max. Flow Rate: 5.7 L/min (1.5 gpm)	GROHE StarLight® Chrome	<b>\$ 58</b>	
		<b>Tempesta Cosmopolitan 100</b> Hand Shower - 4 Sprays	GROHE StarLight® Chrome	<b>\$ 80</b>	
		<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sub>2</sub> / Rain/Massage / Jet			
		<b>Tempesta Cosmopolitan 100</b> Hand Shower - 2 Sprays	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 47</b> <b>66</b>	
		<ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome - white spray face</li> <li>• Brushed Nickel - charcoal spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: Rain / Jet	<b>26 046 002</b> <b>26 046 EN2</b>		
		<b>Tempesta Cosmopolitan 100</b> Hand Shower - 2 Sprays	GROHE StarLight® Chrome	<b>\$ 47</b>	
		<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet	<b>27 571 20E</b>		






# HAND SHOWERS

		Product #	Colour/Description	Price
		<b>28 421 002</b>	GROHE StarLight® Chrome	<b>\$ 63</b>
			<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>	
	  Certified by IAPMO R&T	<b>26 047 001</b> <b>26 047 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 38</b> <b>50</b>
			<ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome - white spray face</li> <li>• Brushed Nickel - charcoal spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain / Jet</p>	
	  Certified by IAPMO R&T	<b>27 597 10E</b> 	GROHE StarLight® Chrome	<b>\$ 38</b>
			<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> <p>Adjustable Spray: Rain / Jet</p>	
		<b>27 608 001</b> <b>27 608 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 80</b> <b>102</b>
			<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>	
	  Certified by IAPMO R&T	<b>26 048 001</b> <b>26 048 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 47</b> <b>66</b>
			<ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome - white spray face</li> <li>• Brushed Nickel - charcoal spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain / Jet</p>	

# HAND SHOWERS












		Product #	Colour/Description	Price
		<b>Grandera</b> Hand Shower - 1 Spray  • GROHE StarLight® finish • GROHE DreamSpray® technology • Speed Clean® anti-lime system • Max. Flow Rate: 6.6 L/min (1.75 gpm)  Spray: Non-Adjustable Normal Spray	<b>26 037 001</b> <b>26 037 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  <b>\$ 172</b> <b>225</b>
		<b>Sena</b> Hand Shower - 1 Spray  • GROHE StarLight® finish • GROHE DreamSpray® technology • Speed Clean® anti-lime system • Max. Flow Rate: 9.5 L/min (2.5 gpm)  Spray: Non-Adjustable Normal Spray	<b>28 341 000</b>	GROHE StarLight® Chrome  <b>\$ 193</b>
		<b>28 389 - Adapter Elbow</b> For use with hand shower holder or shower bar	<b>26 465 000</b> <b>26 465 A00</b> <b>26 465 BE0</b> <b>26 465 EN0</b> <b>26 465 GN0</b> 	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise  <b>\$ 193</b> <b>271</b> <b>271</b> <b>250</b> <b>271</b>
		<b>Euphoria® Cube</b> Hand Shower - 1 Spray  • GROHE StarLight® finish • GROHE DreamSpray® technology • Speed Clean® anti-lime system • Max. Flow Rate: 9.5 L/min (2.5 gpm)  Spray: Non-adjustable normal spray	<b>27 888 000</b>	GROHE StarLight® Chrome  <b>\$ 143</b>
		<b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	<b>26 467 000</b> 	GROHE StarLight® Chrome  <b>\$ 143</b>
		<b>Euphoria® Cosmopolitan</b> Hand Shower - 1 Spray  • GROHE StarLight® finish • GROHE DreamSpray® technology • Speed Clean® anti-lime system • Max. Flow Rate: 9.5 L/min (2.5 gpm)  Spray: Non-adjustable normal spray	<b>27 400 000</b> <b>27 400 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  <b>\$ 80</b> <b>115</b>
		<b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	<b>26 466 000</b> <b>26 466 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  <b>\$ 80</b> <b>115</b>

# SHOWER BARS


		Product #	Colour/Description	Price
	<b>Rainshower</b> 24" Shower Bar <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Variable fixing point metal mounting brackets for easy retrofit and corner mounting</li> <li>• Multi-function mounting brackets also serve as a hose guide</li> <li>• Bar diameter 1"</li> </ul>	★ 28 797 001 ★ 28 797 BE1 ★ 28 797 EN1 ★ 125913	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 231 316 316 334
	<b>Same as above</b> 36" Shower Bar	★ 28 819 001 ★ 28 819 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 276 419
	<b>Rainshower</b> 24" Shower Bar <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• Adjustable hand shower holder</li> <li>• Adjustable height</li> <li>• Soap tray</li> </ul>	26 602 000	GROHE StarLight® Chrome	\$ 219
	<b>Same as above</b> 36" Shower Bar	26 603 000 26 603 A00 26 603 BE0 26 603 EN0 26 603 GNO	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 264 383 383 343 383
<b>A00, BE0, EN0, GNO</b> Available September 2020				
	<b>Relaxa</b> 24" Shower Bar <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 1 1/8"</li> </ul>	28 620 000	GROHE StarLight® Chrome	\$ 193
	 <b>Soap Dish</b> For use with 28 620 Shower Bar	28 631 000	GROHE StarLight® Chrome	\$ 71
	<b>Power&amp;Soul</b> 36" Shower Bar <ul style="list-style-type: none"> <li>• Bar diameter 1"</li> <li>• GROHE StarLight® finish</li> <li>• Adjustable angle and height of hand shower</li> <li>• Variable fixing point mounting brackets for easy retrofit and corner mounting</li> <li>• Multi-function mounting brackets also serve as a hose guide</li> </ul>	27 785 000	GROHE StarLight® Chrome	\$ 210
	<b>Same as above</b> 24" Shower Bar	27 784 000	GROHE StarLight® Chrome	\$ 165






# SHOWER BARS

		Product #	Colour/Description	Price
	<b>Euphoria® Cube</b> 24" Shower Bar	<b>27 892 000</b>	GROHE StarLight® Chrome	<b>\$ 182</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Adjustable angle and height of hand shower</li> </ul>			
	<b>Same as above</b> 36" Shower Bar	<b>27 841 000</b>	GROHE StarLight® Chrome	<b>\$ 242</b>
 	<b>Euphoria®</b> 24" Shower Bar	<b>27 499 000</b>	GROHE StarLight® Chrome	<b>\$ 87</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Adjustable height shower bar with adjustable top mounting bracket</li> <li>• Swivel hand shower holder</li> <li>• Bar diameter 7/8"</li> </ul>			
	<b>Same as above – 36" Shower Bar</b>	<b>27 500 000</b>	GROHE StarLight® Chrome	<b>\$ 102</b>
	<b>Soap Dish</b> Exclusively for use with Euphoria® Shower Bar	<b>27 206 000</b>		<b>\$ 26</b>
  	 <b>Tempesta Cosmopolitan</b> 24" Shower Bar	<b>27 521 000</b> <b>27 521 ENO</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 82</b> <b>108</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 7/8"</li> </ul>			
	<b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>27 596 000</b>	Acrylic	<b>\$ 18</b>
	<b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>26 362 LN0</b>	White	<b>\$ 47</b>
  	 <b>Tempesta Cosmopolitan</b> 36" Shower Bar	<b>27 522 000</b>	GROHE StarLight® Chrome	<b>\$ 105</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 7/8"</li> </ul>			
	<b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>27 596 000</b>	Acrylic	<b>\$ 18</b>
	<b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>26 362 LN0</b>	White	<b>\$ 47</b>





# SHOWER BARS

		Product #	Colour/Description	Price
 	<b>Tempesta Contemporary</b> 24" Shower Bar <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 7/8"</li> </ul>	<b>27 523 000</b> <b>27 523 ENO</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 76</b> <b>100</b>
	 <b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>27 596 000</b>	Acrylic	<b>\$ 18</b>
	 <b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>26 362 LNO</b>	White	<b>\$ 47</b>
 	<b>Tempesta Contemporary</b> 36" Shower Bar <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 7/8"</li> </ul>	<b>27 524 000</b>	GROHE StarLight® Chrome	<b>\$ 99</b>
	 <b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>27 596 000</b>	Acrylic	<b>\$ 18</b>
	 <b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>26 362 LNO</b>	White	<b>\$ 47</b>
 	<b>Tempesta Rustic</b> 24" Shower Bar <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 7/8"</li> </ul>	<b>27 519 000</b> <b>★ 27 519 ENO</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 82</b> <b>108</b>
	 <b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>27 596 000</b>	Acrylic	<b>\$ 18</b>
	 <b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>26 362 LNO</b>	White	<b>\$ 47</b>
 	<b>Tempesta Rustic</b> 36" Shower Bar <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 7/8"</li> </ul>	<b>27 520 000</b>	GROHE StarLight® Chrome	<b>\$ 105</b>
	 <b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>27 596 000</b>	Acrylic	<b>\$ 18</b>
	 <b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	<b>26 362 LNO</b>	White	<b>\$ 47</b>








# HAND SPRAYS

		Product #	Colour/Description	Price
	<p><b>Hand Spray</b> Hand Shower</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> </ul> <p><b>A dedicated shut-off valve is required.</b></p>	27 512 001	GROHE StarLight® Chrome	\$ 31
	<p><b>Hand Spray</b> Hand Shower Set</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Hand shower with trigger control (27 512 001)</li> <li>• Wall shower holder (28 605 000)</li> <li>• 59" Silverflex Longlife shower hose (26 335 000)</li> </ul> <p><b>A dedicated shut-off valve is required.</b></p>	27 513 001	GROHE StarLight® Chrome	\$ 52
	<p><b>Hand Spray</b> Hand Shower Set with Valve</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Speed Clean® anti-lime system</li> <li>• Hand shower with trigger control (27 512 001)</li> <li>• Wall shower holder (28 605 000)</li> <li>• Angle valve 1/2" (22 958 00M)</li> <li>• 59" Silverflex Longlife shower hose (26 335 000)</li> </ul>	27 514 001	GROHE StarLight® Chrome	\$ 126

# BODY SPRAYS

		Product #	Colour/Description	Price
 	<p><b>Rainshower "F" Series</b> Body Spray</p> <ul style="list-style-type: none"> <li>• 5" x 5"</li> <li>• 1/2" NPT female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE FlowBalance (a regulating screw to adjust flow rate and spray performance of body spray) – have perfect water flow even in customized multiple shower installations</li> <li>• Speed Clean® anti-lime system</li> <li>• Spray plate with ball joint (12.5° rotation)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Normal</p>	<b>27 252 000</b>	GROHE StarLight® Chrome	<b>\$ 264</b>
	<p><b>Movario</b> Massage Body Spray</p> <ul style="list-style-type: none"> <li>• Low profile</li> <li>• 2 spray patterns</li> <li>• 1/2" NPT female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Normal / Massage</p>	<b>28 528 000</b> <b>28 528 ENO</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 239</b> <b>313</b>
	<p><b>Relexa Ultra</b> Massage Body Spray</p> <ul style="list-style-type: none"> <li>• Low profile</li> <li>• 2 spray patterns</li> <li>• 1/2" NPT female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Normal / Massage</p>	<b>27 070 000</b> <b>27 070 ENO</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 206</b> <b>269</b>

# SHOWER HOSES

		Product #	Colour/Description	Price
	<b>Movario</b> Metallic Hose  <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> <li>Twist-free hand shower connection</li> </ul>	28 025 000 69"	GROHE StarLight® Chrome	\$ 132
		★ 28 025 EN3 69"	Brushed Nickel InfinityFinish™	172
		28 025 ENU 69" <b>NEW</b>	Brushed Nickel InfinityFinish™	172
		★ 28 025 ZB0 69"	Oil Rubbed Bronze	184
	<b>RotaFlex Metal Longlife</b> Metallic Hose  <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> <li>Twist-free hand shower connection</li> <li>Silicone strip prevents hand shower from turning while in body spray position</li> </ul>	28 417 000 59"	GROHE StarLight® Chrome	\$ 105
		28 417 A00 59"	Hard Graphite	148
		28 417 BE0 59"	Polished Nickel InfinityFinish™	148
		28 417 EN0 59"	Brushed Nickel InfinityFinish™	137
		28 417 GN0 59"	Brushed Cool Sunrise	148
	<b>RotaFlex</b> Non-Metallic Hose  <ul style="list-style-type: none"> <li>GROHE StarLight® finish - connection nuts</li> <li>Twist-free hand shower connection</li> <li>Silicone strip prevents hand shower from turning while in body spray position</li> <li>Smooth, easy to clean, silver surface</li> </ul>	28 409 001 59"	GROHE StarLight® Chrome	\$ 52
		28 410 001 69"	GROHE StarLight® Chrome	\$ 66
		28 413 001 79"	GROHE StarLight® Chrome	\$ 74
	<b>RelaxaFlex Metal Longlife</b> Metallic Hose  <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	28 142 000 49"	GROHE StarLight® Chrome	\$ 43
		28 143 000 59"	GROHE StarLight® Chrome	\$ 90
		28 145 000 79"	GROHE StarLight® Chrome	\$ 108
	<b>RelaxaFlex</b> Non-Metallic Hose  <ul style="list-style-type: none"> <li>GROHE StarLight® finish - connection nuts</li> <li>Smooth, easy to clean, silver surface</li> </ul>	28 150 001 49"	GROHE StarLight® Chrome	\$ 36
		28 151 001 59"	GROHE StarLight® Chrome	42
		28 154 001 69"	GROHE StarLight® Chrome	48
		28 155 001 79"	GROHE StarLight® Chrome	55
	<b>SilverFlex</b> Non-Metallic Hose  <ul style="list-style-type: none"> <li>GROHE StarLight® finish - connection nuts</li> <li>Smooth, easy to clean, silver surface</li> <li>Twist-free</li> </ul>	28 364 000 59"	GROHE StarLight® Chrome	\$ 60
		28 388 000 69"	GROHE StarLight® Chrome	\$ 70
		27 137 000 79"	GROHE StarLight® Chrome	\$ 77
	<b>RelaxaFlex Metal</b> Metallic Hose  <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	28 105 000 59"	GROHE StarLight® Chrome	\$ 73

# WALL UNIONS






		Product #	Colour/Description	Price
	<b>Allure Brilliant</b> Wall Union  • ½" NPT female threads inlet • GROHE StarLight® finish • Check valve included to prevent backflow	<b>27 708 000</b>	GROHE StarLight® Chrome	<b>\$ 115</b>
	<b>Euphoria Cube</b> Wall Union  • ½" NPT female threads inlet • GROHE StarLight® finish • Check valve included to prevent backflow	<b>26 634 000</b>	GROHE StarLight® Chrome	<b>\$ 107</b>
	<b>Rainshower</b> Wall Union  • ½" NPT female threads inlet • GROHE StarLight® finish • Metal elbow • Plastic trim • Check valve included to prevent backflow	<b>26 184 000</b>	GROHE StarLight® Chrome	<b>\$ 105</b>
	<b>Rainshower</b> Wall Union  • GROHE StarLight® finish • ½" NPT female threads - inlet • Check valve included to prevent backflow	<b>26 635 000</b> <b>26 635 A00</b> <b>26 635 BE0</b> <b>26 635 EN0</b> <b>26 635 GN0</b>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 113</b> <b>164</b> <b>164</b> <b>147</b> <b>164</b>
	<b>Grandera</b> Wall Union  • ½" NPT female threads inlet • GROHE StarLight® finish • Check valve included to prevent backflow	<b>27 971 000</b> <b>27 971 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 196</b> <b>256</b>
	<b>Wall Union</b>  • ½" NPT female threads inlet • GROHE StarLight® finish • Metal elbow • Plastic trim • Check valve included to prevent backflow	<b>28 459 000</b> ★ <b>28 459 BE0</b> <b>28 459 EN0</b> ★ <b>28 459 R00</b> ★ <b>28 459 ZB0</b>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Polished Brass InfinityFinish™ Oil Rubbed Bronze	<b>\$ 126</b> <b>163</b> <b>163</b> <b>158</b> <b>177</b>
	<b>Wall Union</b>  • ½" NPT female threads inlet • GROHE StarLight® finish • Metal elbow • Plastic trim • Check valve included to prevent backflow	<b>28 627 000</b> <b>28 627 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 115</b> <b>158</b>
	<b>Wall Union</b>  • ½" NPT female threads inlet • GROHE StarLight® finish • Metal elbow • Plastic trim • Check valve included to prevent backflow	<b>28 672 000</b>	GROHE StarLight® Chrome	<b>\$ 64</b>
	<b>Wall Union</b> with Hand Shower Holder  • ½" NPT female threads inlet • GROHE StarLight® finish • Metal elbow • Plastic trim • Check valve included to prevent backflow	<b>28 484 000</b> <b>28 484 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 140</b> <b>182</b>
	<b>Wall Union</b> with Hand Shower Holder  • ½" NPT female threads inlet • GROHE StarLight® finish • Metal elbow • Plastic trim • Check valve included to prevent backflow	<b>28 629 000</b>	GROHE StarLight® Chrome	<b>\$ 121</b>

WALL UNIONS

# HAND SHOWER HOLDERS

		Product #	Colour/Description	Price
	<b>Grotherm® F</b> Wall Union with Integrated Hand Shower Holder <ul style="list-style-type: none"> <li>• Horizontal or vertical installation</li> <li>• 1/2" Shower outlet</li> <li>• GROHE StarLight® finish</li> <li>• Check valve included to prevent backflow</li> <li>• Hand shower and hose sold separately</li> </ul> For use with Grotherm® F Wall Union Rough-In Set 35 035 000 sold separately	<b>27 621 000</b>	GROHE StarLight® Chrome	<b>\$ 455</b>
	<b>Grotherm® F</b> Wall Union Rough-In Set <ul style="list-style-type: none"> <li>• For grid installation with Grotherm® F system</li> <li>• Built-in box with removable protection cover</li> <li>• Flushing plug</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 15/16" installation depth</li> </ul>	<b>35 035 000</b>	1/2" NPT	<b>\$ 296</b>
	<b>Allure Brilliant</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>27 706 000</b>	GROHE StarLight® Chrome	<b>\$ 68</b>
	<b>Euphoria Cube</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>27 693 000</b>	GROHE StarLight® Chrome	<b>\$ 57</b>
	<b>Rainshower</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>27 075 000</b>	GROHE StarLight® Chrome	<b>\$ 55</b>
	<b>Rainshower</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>27 074 000</b> <b>27 074 A00</b> <b>27 074 BE0</b> <b>27 074 EN0</b> <b>27 074 GN0</b>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 68</b> <b>99</b> <b>99</b> <b>88</b> <b>99</b>
	<b>Grandera</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>27 969 000</b> <b>27 969 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 121</b> <b>155</b>
	<b>Adjustable Wall Mount Hand Shower Holder</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>28 623 000</b>	GROHE StarLight® Chrome	<b>\$ 100</b>
	<b>Wall Mount Hand Shower Holder</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>28 403 000</b> <b>28 403 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 58</b> <b>74</b>
	<b>Wall Mount Hand Shower Holder</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>28 622 000</b> <b>28 622 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 58</b> <b>76</b>

# SHOWER ACCESSORIES

		Product #	Colour/Description	Price
	<b>Shower Arm Mount, Hand Shower Holder / Union</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	28 418 000	GROHE StarLight® Chrome	\$ 69
	<b>Volume Control for Shower Heads and Hand Showers</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> <li>Non-positive volume control for shower heads and hand showers</li> </ul> <p>Adjusts from 9.5 L/min (2.5 gpm) to a trickle flow</p> <p>Add to any hand shower for ADA compliance.</p>	95 866 000	GROHE StarLight® Chrome	\$ 41
	<b>1/2" Inline Vacuum Breaker</b> <ul style="list-style-type: none"> <li>1/2" Female inlet</li> <li>1/2" Male outlet</li> <li>GROHE StarLight® finish</li> </ul>	07 911 000	GROHE StarLight® Chrome	\$ 51
	<b>Shower Arm Diverter</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul> <p>Allows you to connect and divert between a shower head and hand shower with hose</p>	28 036 000	GROHE StarLight® Chrome	\$ 81
	<b>Twin Ell</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul> <p>Required for shower/tub combinations with diverter spout (EXCLUDING Grohsafe® Rough-In Valves)</p>	03 671 000		\$ 38








# DIVERTER TUB SPOUTS

		Product #	Colour/Description	Price
	<b>BauLoop</b> 5 1/2" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	<b>13 287 000</b> 	GROHE StarLight® Chrome	<b>\$ 161</b>
	<b>Concetto</b> 4 11/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• For 1/2" copper pipe</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Pull-up diverter activation</li> </ul>	<b>13 366 000</b> <b>13 366 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$84</b> <b>110</b>
	<b>Concetto</b> 6 11/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	<b>13 275 001</b> <b>13 275 A01</b> <b>13 275 BE1</b> <b>13 275 EN1</b> <b>13 275 GN1</b>  	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 190</b> <b>271</b> <b>271</b> <b>247</b> <b>271</b>
	<b>Eurocube</b> 6 11/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	<b>13 307 000</b>  	GROHE StarLight® Chrome	<b>\$ 229</b>
	<b>Eurosmart</b> 6 3/8" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• SlipFit</li> <li>• Pull diverter activation</li> </ul>	<b>13 356 002</b> <b>13 356 EN2</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$75</b> <b>97</b>
	<b>Eurosmart Cosmopolitan</b> 6 1/2" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	<b>13 273 000</b>  	GROHE StarLight® Chrome	<b>\$ 205</b>
	<b>Eurostyle</b> 5 15/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Brushed nickel version features chrome accents</li> <li>• Slip fit</li> <li>• Pull diverter activation</li> </ul>	<b>13 379 003</b> <b>13 379 EN3</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 121</b> <b>158</b>
	<b>Eurostyle Cosmopolitan</b> 6 11/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	<b>13 285 002</b>  	GROHE StarLight® Chrome	<b>\$ 206</b>








# DIVERTER TUB SPOUTS

		Product #	Colour/Description	Price
	<b>Kensington</b> 6" Diverter Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	★ 13 194 000 ★ 13 194 EN0 ♿ CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 425 556
	<b>Kensington</b> 6" Diverter Tub Spout  <ul style="list-style-type: none"> <li>• Swarovski® Crystal inset</li> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	★ 13 194 VP0 ♿ CEC	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 609
	<b>Lineare</b> Diverter Tub Spout  <ul style="list-style-type: none"> <li>• 4 7/16" Spout reach</li> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Pull diverter activation</li> </ul>	13 382 001 13 382 EN1 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 129 168
 <span style="background-color: black; color: white; padding: 2px;">new</span>	<b>Plus</b> 7 1/8" Diverter Tub Spout  <ul style="list-style-type: none"> <li>• 7 1/8" Spout reach</li> <li>• GROHE StarLight® finish</li> <li>• Wall mount</li> <li>• Slip fit</li> <li>• Pull-up diverter activation</li> </ul>	13 407 003 13 407 EN3 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 145 189
	<b>Relaxa</b> 5 1/2" Tub Filler  <ul style="list-style-type: none"> <li>• 3/4" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• Pull diverter activation</li> </ul> 1/2" hose connection on spout to connect hand shower	★ 13 435 000 CEC	GROHE StarLight® Chrome	\$ 327
	<b>Seabury</b> 6" Diverter Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 603 000 13 603 BE0 13 603 EN0 13 603 ZB0 ♿ CEC	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 293 381 381 406
	<b>5" Diverter Tub Spout</b>  <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Pull diverter activation</li> </ul>	13 611 000 13 611 EN0 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 74 95


# TUB SPOUTS

		Product #	Colour/Description	Price
	<b>Allure</b> 6 3/4" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 265 000</b>	GROHE StarLight® Chrome	<b>\$ 450</b>
	<b>Atrio</b> 6 3/4" Tub Spout <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• 6 3/4" Spout reach</li> <li>• Wall mount</li> <li>• 1/2" Inlet</li> </ul>	<b>13 164 003</b> <b>13 164 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 298</b> <b>387</b>
	<b>BauLoop</b> 5 1/2" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 286 000</b>	GROHE StarLight® Chrome	<b>\$ 132</b>
	<b>Concetto</b> 6 11/16" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 274 001</b> <b>13 274 A01</b> <b>13 274 BE1</b> <b>13 274 EN1</b> <b>13 274 GN1</b>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 154</b> <b>219</b> <b>219</b> <b>200</b> <b>219</b>
	<b>Eurocube</b> 6 11/16" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 305 000</b>	GROHE StarLight® Chrome	<b>\$ 211</b>
	<b>Eurosmart</b> 6 3/8" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• SlipFit</li> </ul>	<b>13 354 002</b> <b>13 354 EN2</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 60</b> <b>79</b>
	<b>Eurosmart Cosmopolitan</b> 6 1/2" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 272 000</b>	GROHE StarLight® Chrome	<b>\$ 151</b>

# TUB SPOUTS

		Product #	Colour/Description	Price
	<b>Eurostyle</b> 5 <sup>15</sup> / <sub>16</sub> " Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• Slip fit</li> <li>• GROHE StarLight® finish</li> <li>• Brushed nickel version features chrome accents</li> </ul>	<b>13 377 003</b> <b>13 377 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 97</b> <b>127</b>
	<b>Eurostyle Cosmopolitan</b> 6 <sup>11</sup> / <sub>16</sub> " Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 284 002</b>	GROHE StarLight® Chrome	<b>\$ 175</b>
	<b>Grandera</b> 6 <sup>15</sup> / <sub>16</sub> " Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 342 000</b> <b>13 342 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 349</b> <b>454</b>
	<b>Kensington</b> 6" Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	★ <b>13 193 000</b> ★ <b>13 193 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 369</b> <b>482</b>
	<b>Lineare</b> Tub Spout  <ul style="list-style-type: none"> <li>• 6<sup>11</sup>/<sub>16</sub>" Spout reach</li> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 381 001</b> <b>13 381 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 185</b> <b>240</b>
 <b>new</b>	<b>Plus</b> 6 <sup>11</sup> / <sub>16</sub> " Tub Spout  <ul style="list-style-type: none"> <li>• 6<sup>11</sup>/<sub>16</sub>" Spout reach</li> <li>• GROHE StarLight® finish</li> <li>• Wall mount</li> <li>• 1/2" NPT inlet</li> </ul>	<b>13 405 003</b> <b>13 405 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 185</b> <b>241</b>
	<b>Seabury</b> 6" Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<b>13 615 000</b> <b>13 615 BE0</b> <b>13 615 EN0</b> <b>13 615 ZB0</b>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 250</b> <b>322</b> <b>322</b> <b>350</b>

# GROHE WALL CARRIERS



# RAPID SL

Product #

Colour/Description

Price




### Rapid SL for Toilet

4" Cavity Flushing System  
for 2x4 Wall Installation

- 24<sup>5</sup>/<sub>8</sub>" overall width
- Maintenance accessible through front plate
- Pre-assembled powder-coated steel frame with in-wall tank
- Dual flush technology – 3 L and 6 L (0.8 gpf and 1.6 gpf)
- Pneumatic discharge valve with stop feature
- Tank insulated to prevent condensation
- Low noise operation – meets strict European noise (DIN) standards
- Bowl rim height adjustments 40 to 50 cm (15<sup>3</sup>/<sub>4</sub>" to 19<sup>11</sup>/<sub>16</sub>" )
- Frame can be mounted in a 2 x 4 wall
- For vertical actuation plates only, several to choose from (sold separately)
- Drain outlet can only be positioned vertically
- 1/2" angle valve included with rapid installation
- 1/2" water supply connection
- Includes 2 fixing bolts for the toilet installation
- CALGreen compliant

38 996 000



\$ 662




### Rapid SL for Toilet

6" Cavity Flushing System  
for 2x6 Wall Installation

- 19<sup>7</sup>/<sub>16</sub>" overall width
- Maintenance accessible through front
- Pre-assembled powder-coated steel frame with in-wall tank
- 3.9 ft. installation height
- Bowl rim height adjustments 40 to 50 cm (15<sup>3</sup>/<sub>4</sub>" to 19<sup>11</sup>/<sub>16</sub>" )
- Dual flush – 3 L and 6 L (0.8 gpf and 1.6 gpf)
- Pneumatic discharge valve with stop feature
- Tank insulated to prevent condensation
- 1/2" water supply connection
- Low noise operation – meets strict European noise (DIN) standards
- Includes 2 fixing bolts for the toilet installation
- Drain outlet can be positioned vertically or horizontally
- For vertical and horizontal actuation plates, several to choose from (sold separately)
- CALGreen compliant

38 749 002



\$ 602



### Cast Iron Elbow

For use with 38 709 002 where cast iron discharge is required.

15 906 040

\$151

# RAPID SL

Product #

Colour/Description


Price



**Rapid SL for Bidet**  
6" Cavity with small maintenance access

- 9 7/16" Overall width
- Pre-assembled powder-coated steel frame
- 3.9 ft. installation height
- Bowl rim height adjustments 40 to 50 cm (15 3/4" to 19 1/16")
- Includes 2 fixing bolts and installation hardware






**38 553 001**



**\$ 508**

WALL CARRIERS

# ACTUATION PLATES

		Product #	Colour/Description	Price
	<b>Skate Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• (BR0) for dual flush only</li> <li>• Vertical and horizontal installation</li> <li>• 6¼" x 7¾" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS</li> </ul>	<b>38 732 000</b> <b>38 732 BE0</b> <b>38 732 BR0</b> <b>38 732 EN0</b> <b>38 732 P00</b> <b>38 732 SH0</b> ♿	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Titanium Brushed Nickel InfinityFinish™ Matte Chrome Alpine White	<b>\$ 162</b> <b>200</b> <b>181</b> <b>200</b> <b>162</b> <b>159</b>
	<b>Skate Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush</li> <li>• Vertical installation</li> <li>• 6¼" x 7¾" (156 mm x 197 mm)</li> <li>• Made of stainless steel</li> </ul>	<b>38 732 SD0</b> ♿	GROHE RealSteel®	<b>\$ 211</b>
	<b>Skate Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Horizontal installation</li> <li>• 6¼" x 7¾" (156 mm x 197 mm)</li> </ul>	<b>38 776 SD0</b> ♿	GROHE RealSteel®	<b>\$ 211</b>
	<b>Nova Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Vertical and horizontal installation</li> <li>• 6¼" x 7¾" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS</li> </ul>	★ <b>38 765 000</b> ★ <b>38 765 P00</b> ★ <b>38 765 SH0</b> ♿	GROHE StarLight® Chrome Matte Chrome Alpine White	<b>\$ 162</b> <b>162</b> <b>159</b>
	<b>Skate Air</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Vertical installation</li> <li>• 6¼" x 7¾" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS</li> </ul>	<b>38 505 000</b> <b>38 505 P00</b> <b>38 505 SH0</b> ♿	GROHE StarLight® Chrome Matte Chrome Alpine White	<b>\$ 162</b> <b>162</b> <b>159</b>

For Vertical Installation Only













For Horizontal Installation Only

ACTUATION PLATES

For Vertical Installation Only



# ACTUATION PLATES

		Product #	Colour/Description	Price
 <p><b>Skate Air</b> Actuation Plate</p> <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Horizontal installation</li> <li>• 6¼" x 7¾" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS</li> </ul> <p>For Horizontal Installation Only</p>		<b>38 506 000</b> <b>38 506 P00</b> <b>38 506 SH0</b> 	GROHE StarLight® Chrome Matte Chrome Alpine White	<b>\$ 162</b> <b>162</b> <b>159</b>
 <p><b>Skate</b> Actuation Plate</p> <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Vertical and horizontal installation</li> <li>• 6¼" x 7¾" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS (except SD0)</li> </ul>		<b>38 862 000</b> <b>38 862 P00</b> <b>38 862 SD0</b> <b>38 862 SH0</b> 	GROHE StarLight® Chrome Matte Chrome GROHE RealSteel® Alpine White	<b>\$ 162</b> <b>162</b> <b>211</b> <b>151</b>
 <p><b>Surf</b> Actuation Plate</p> <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Vertical and horizontal installation</li> <li>• 6¼" x 7¾" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS</li> </ul>		<b>★ 38 861 000</b> 	GROHE StarLight® Chrome	<b>\$ 158</b>
 <p><b>Eau2</b> Dual Flush Air Button</p> <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Front or top actuation</li> <li>• 24" Extended hose length for flexibility when positioning the actuation</li> <li>• Sleek and minimal styling allows the button to be fitted in any 360° orientation</li> <li>• 1 7/8" (48 mm) diameter</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Surf cover plate (43 553)</p>		<b>38 771 000</b> 	GROHE StarLight® Chrome	<b>\$ 158</b>
 <p><b>Surf</b> Cover Plate</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Eau2 dual flush air button (38 771)</p> <p>For Vertical Installation Only</p>		<b>★ 43 553 000</b> 	GROHE StarLight® Chrome	<b>\$ 185</b>
 <p><b>Skate Cosmopolitan</b> Actuation Plate</p> <ul style="list-style-type: none"> <li>• For dual flush</li> <li>• Vertical and horizontal installation</li> <li>• 6¼" x 7¾" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of brass</li> </ul>		<b>38 821 000</b> 	GROHE StarLight® Chrome	<b>\$ 233</b>

# ACTUATION PLATES



## Skate Cosmopolitan Actuation Plate

- For dual flush
- Vertical and horizontal installation
- 6¼" x 7¾" (156 mm x 197 mm)
- Made with glass

### Product #

**38 845 KS0**  
**38 845 LS0**

**38 916 0A0**  
♿

### Colour/Description


Glass, Velvet Black  
Glass, Moon White

Glass, Mirror Glass

### Price

**\$ 423**  
**423**

**503**



# GROHE **COMMERCIAL**



# ELECTRONIC CENTRESETS



## GROHE'S E ELECTRONIC FAUCETS

GROHE's E touch-free electronic faucets are built to withstand the rigours of commercial installations, engineered to utilize state-of-the-art battery and microelectronics technology, and designed to appeal to aesthetic sensibilities as well. Touch-free faucets are an appropriate solution anywhere function, design, and economy are key considerations ... in public lavatories, as well as residential bathrooms.

### FEATURES:




- Infrared Electronic Actuation
- Battery Operated - (6 Volt Lithium included)
- All Electronic Components are:
  - 1) Accessible from above the counter
  - 2) Contained within the faucet body
- Safety Shutdown Circuit
- Durable All-brass Construction

- Stainless Steel Braided Flexible Supplies
- Available with or without Temperature Control Lever
- Optional Flow Controls available
- Optional Remote Control Accessory available
- Low-noise Operation






### BENEFITS:

- Sanitary, Touch-free Operation
- Easy to Maintain
- Easy to Install, No Electrical Hook-up
- Completely Factory Pre-set
- Saves Water, Saves Energy
- Vandal Resistant

# ELECTRONIC CENTRESETS

		Product #	Colour/Description	Price
	<p><b>Eurosmart E</b> "Touch-Free" Electronic Centreset with Temperature Control Lever</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Multi-laminar spray</li> <li>• Infrared electronic activation</li> <li>• Battery operated (includes lithium battery 6 V, CR-P2)</li> <li>• Battery capacity 7 years with 150 actuations a day</li> <li>• Multi-stage battery status display</li> <li>• 7 preset programs: <ul style="list-style-type: none"> <li>- 24/72 hour autoflush</li> <li>- Timer or motion-activated</li> <li>- Cleaning mode ON/OFF</li> </ul> </li> <li>• Programmable automatic safety stop (60 sec. factory setting)</li> <li>• Activation of thermal disinfection for 3.5 or 11 min.</li> <li>• Stainless steel braided flexible supplies with 3/8" compression fitting</li> <li>• Includes dirt strainers and check valves on the inlets</li> <li>• 0.8 litres (0.2 gallons) per wash cycle (CALGreen compliant)</li> <li>• 12 seconds per cycle</li> <li>• Max. Flow Rate: 1.9 L/min (0.5 gpm)</li> </ul> <p>Optional operation with power plug (42 464 000), order separately</p> <p>Optional Remote Control Accessory (36 407 001) available, see below.</p>	36 328 000 ♿	GROHE StarLight® Chrome	\$ 826
	<p><b>Eurosmart E</b> "Touch-Free" Electronic Centreset with Concealed Temperature Control</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• QuickFix® installation</li> <li>• Multi-laminar spray</li> <li>• Infrared electronic activation</li> <li>• Battery operated (includes lithium battery 6 V, CR-P2)</li> <li>• Battery capacity 7 years with 150 actuations a day</li> <li>• Multi-stage battery status display</li> <li>• 7 preset programs: <ul style="list-style-type: none"> <li>- 24/72 hour autoflush</li> <li>- Timer or motion-activated</li> <li>- Cleaning mode ON/OFF</li> </ul> </li> <li>• Programmable automatic safety stop (60 sec. factory setting)</li> <li>• Activation of thermal disinfection for 3.5 or 11 min.</li> <li>• Stainless steel braided flexible supplies with 3/8" compression fitting</li> <li>• Includes dirt strainers and check valves on the inlets</li> <li>• 0.8 litres (0.2 gallons) per wash cycle (CALGreen compliant)</li> <li>• 12 seconds per cycle</li> <li>• Max. Flow Rate: 1.9 L/min (0.5 gpm)</li> </ul> <p>Optional operation with power plug (42 464 000), order separately</p> <p>Optional Remote Control Accessory (36 407 001) available, see below.</p>	36 329 000 ♿	GROHE StarLight® Chrome	\$ 826
	<p><b>Europlus E</b> Remote Control Accessory</p> <ul style="list-style-type: none"> <li>• Adjusts sensitivity of reception and trailing time</li> <li>• Allows "full on" or permanent stop</li> <li>• Allows reset to factory settings</li> </ul>	36 407 001		\$ 401


# ELECTRONIC CENTRESETS

		Product #	Colour/Description	Price
	<p><b>Euroeco E</b> "Touch-Free" Electronic Centreset</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• QuickFix® installation</li> <li>• Infrared electronic activation</li> <li>• Battery operated (includes lithium battery 6 V, CR-P2)</li> <li>• Battery capacity 7 years (150 uses per day)</li> <li>• Multi-stage battery status display</li> <li>• 7 preset programs: <ul style="list-style-type: none"> <li>- 24/72 hour autoflush</li> <li>- Timer or motion-activated</li> <li>- Cleaning mode ON/OFF</li> </ul> </li> <li>• Single braided stainless steel inlet hose</li> <li>• Programmable automatic safety stop (60 sec. factory setting)</li> <li>• Includes dirt strainer and check valve on the inlet</li> <li>• 0.8 litres (0.2 gallons) per wash cycle (CALGreen compliant)</li> <li>• 12 seconds per cycle</li> <li>• Max. Flow Rate: 1.9 L/min (0.5 gpm)</li> </ul> <p>Optional operation with power plug (42 464 000), order separately</p> <p>Optional Grohtherm® Micro (34 507 000) to temper water</p> <p>Optional remote control accessory (36 407 001) available, see page 295.</p>	<p><b>36 314 000</b> ♿</p>	GROHE StarLight® Chrome	<b>\$ 652</b>
	<p><b>Euroeco E + Powerbox</b> Infra-Red Electronic Centreset</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Includes Powerbox self-generating power system</li> <li>• 60 sec of daily usage creates a 24 hr. charge</li> <li>• Backup battery</li> <li>• Single braided supply line</li> <li>• Includes dirt strainers and check valves on the inlet</li> <li>• 3.8 L/min (1.0 gpm) aerator</li> <li>• 0.8 litres (0.2 gallons) per wash cycle (CALGreen compliant)</li> <li>• 12 seconds per cycle</li> <li>• Additional programming functions</li> <li>• Solid brass construction</li> <li>• IP44 Protection rating</li> </ul> <p>See Grohtherm® Micro (34 507) for tempered water and anti-scald protection or for pre-mixed water and anti-scald protection</p> <p>Optional remote control accessory (36 407 001) available, see page 295.</p>	<p><b>36 385 000</b> ♿</p>	GROHE StarLight® Chrome	<b>\$ 794</b>
	<p><b>Plug-in Power Supply</b></p> <ul style="list-style-type: none"> <li>• Inlet Voltage: 120 VAC, 60 Hz AC</li> <li>• Outlet Voltage: 6V DC</li> <li>• UL approved</li> </ul>	<b>42 464 000</b>		<b>\$ 101</b>
	<p><b>Grohtherm® Micro</b></p> <ul style="list-style-type: none"> <li>• Thermostatic scalding protection</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® thermoelement</li> <li>• Delivers pre-mixed water for single or multiple outlets.</li> <li>• ASSE 1070 certified thermostatic scalding protection</li> <li>• Built-in non return valves</li> <li>• Dirt strainers</li> <li>• Max. pressure differential 5:1</li> <li>• Min. recommended pressure 1.0 Bar (14.5 psi)</li> <li>• Includes connection set</li> </ul>	<b>★ 34 507 000</b>	GROHE StarLight® Chrome	<b>\$ 290</b>
	<p><b>Lavatory Grid Waste</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>28 951 000</b>	GROHE StarLight® Chrome	<b>\$ 63</b>








## Thermostatic Control of the Hot Water Temperature for Central Water Systems

It is the responsibility of plumbing contractors to exercise due care in the planning of installations to include adequate protection from scalding at all draw-off points. For public lavatories and showers, special conditions, such as limitation of the hot water temperature to 43 °C must be observed. Central hot water supply systems, which are served by high temperature water heaters, require thermostatic control of the water temperature at the draw-off points or in the proximity of the water heater. Central installation of the thermostat in the vicinity of the water heater simultaneously protects the user from scalding water and protects the piping from excessive scale deposits and other detrimental effects of hot water. Furthermore, the reduction of thermal losses in the piping system renders the operation more economical.

With a view towards safety against scalding, by limiting the hot water temperature at the draw-off points, a Grohtherm® XL Thermostat is installed directly downstream of the water heater. The Grohtherm® XL Thermostat supplies the system with mixed water at a temperature pre-selected by the operator.









Possible installations would include: schools, health clubs, sports facilities, hospitals, nursing homes, prisons, hotels, etc.

	Product #	Colour/Description	Price
  <p><b>Grohtherm® XL</b> Exposed Central Thermostat</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Paraffin cartridge</li> <li>• Built-in check valves</li> <li>• Centigrade scale handle</li> <li>• Supplies up to 14 showers individually or in series systems simultaneously</li> <li>• Simplified thermal disinfection (protection against legionella)</li> <li>• 1 1/2" outlet thread</li> <li>• Temperature scale handle with pre-adjustable safety stop between 33 °C and 43 °C</li> </ul> <p>140 L/min at 310 kPa (45 psi) (37 gpm at 45 psi)</p> <p>Requires GROHE connection unions. Two 1 1/4" unions required for inlets and one 1 1/2" union required for outlet, see below.</p>	<b>35 085 000</b>	GROHE StarLight® Chrome	<b>\$ 2,180</b>
<p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• 2" outlet thread</li> </ul>	<b>35 087 000</b>	GROHE StarLight® Chrome (Special Order)	<b>\$ 1,720</b>
<b>INLET UNIONS – SELECT APPROPRIATE UNION</b>			
 <p><b>1 1/4" Inlet Elbow</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>12 428 000</b>	GROHE StarLight® Chrome	<b>\$ 201</b>
 <p><b>1 1/4" Straight Inlet</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>12 417 000</b>	GROHE StarLight® Chrome (requires 2, price each)	<b>\$ 119</b>
<b>OUTLET UNIONS – SELECT APPROPRIATE UNION</b>			
 <p><b>1 1/2" Outlet Elbow</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>12 436 000</b>	GROHE StarLight® Chrome	<b>\$ 195</b>
 <p><b>1 1/2" Straight Outlet</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>12 424 000</b>	GROHE StarLight® Chrome	<b>\$ 129</b>
 <p><b>1 1/2" Outlet Elbow</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• With centigrade thermometer</li> </ul>	<b>12 444 000</b>	GROHE StarLight® Chrome (Recommended)	<b>\$ 250</b>

# SHOWER PRODUCTS AND ACCESSORIES

For a complete selection of shower products including Grotherm® temperature control valves, Grohsafe® pressure balance valves, custom shower components, shower heads, hand showers, shower accessories and tub spouts, refer to the Shower section of this book.

		Product #	Colour/Description	Price
	<b>Inline Remote Pressure Balance Valve</b> To be installed upstream of the mixing valve(s) • ½" female inlet For use with non-safety mixing valves 20.1 L/min (5.3 gpm) at 45 psi	<b>35 204 000</b>		<b>\$ 228</b>
	<b>½" In Inline Vacuum Breaker</b> • ½" female inlet • ½" male outlet • GROHE StarLight® finish	<b>07 911 000</b>	GROHE StarLight® Chrome	<b>\$ 51</b>
	<b>Brass Shower Arm &amp; Flange</b> • ½" Male inlet threads • GROHE StarLight® finish	<b>27 414 000</b> 5 5/8" <b>27 414 ENO</b> 5 5/8" <b>27 412 000</b> 6 ¼" <b>27 412 ENO</b> 6 ¼"	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 45</b> <b>60</b> <b>97</b> <b>127</b>
	<b>Hoses</b> RelaxaFlex Metal Longlife	<b>28 143 000</b> 59" <b>28 145 000</b> 79"	GROHE StarLight® Chrome GROHE StarLight® Chrome	<b>\$ 90</b> <b>108</b>
	<b>Volume Control for Shower Heads and Hand Showers</b> • GROHE StarLight® finish • Non-positive volume control for shower heads and hand showers Adjusts from 2.5 gpm to a trickle flow Add to any hand shower for ADA compliance.	<b>95 866 000</b> 	GROHE StarLight® Chrome	<b>\$ 41</b>



# GROHE **SPARE PARTS**




# HANDLES

		Product #	Colour/Description	Price
	<b>Atrio</b> Cross handles (Sold in pairs) <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>18 026 003</b> <b>18 026 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 119</b> <b>154</b>
	18 026 – For lavatory faucets  18 033 – For Roman Tub Fillers	<b>18 033 003</b> <b>18 033 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 123</b> <b>160</b>
	<b>Atrio</b> Lever handles (Sold in pairs) <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>18 027 003</b> <b>18 027 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 119</b> <b>154</b>
	18 027 – For lavatory faucets  18 034 – For Roman Tub Fillers	<b>18 034 003</b> <b>18 034 EN3</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 123</b> <b>160</b>
	<b>Bridgeford</b> Lever Handles (Sold In Pairs) <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> Note: Use 18 244 lever handles for Bridgeford Kitchen faucets with side spray.	<b>18 244 000</b> <b>18 244 DC0</b> 	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 135</b> <b>178</b>
	<b>Kensington</b> Lever Handles (Sold In Pairs) <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>★ 18 087 000</b> <b>★ 18 087 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 222</b> <b>290</b>
	<b>Kensington</b> Swarovski® Crystal Handles (Sold In Pairs) <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> Note: Set includes Swarovski® crystal accent for faucet lift rod or diverter.	<b>18 086 VPO</b>	GROHE StarLight® Chrome / Swarovski® Crystal	<b>\$ 503</b>
	<b>Seabury</b> Cross Handles (Sold In Pairs) <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>18 731 000</b> <b>18 731 BE0</b> <b>18 731 EN0</b> <b>18 731 ZB0</b>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 110</b> <b>143</b> <b>143</b> <b>152</b>
	<b>Seabury</b> Lever Handles (Sold In Pairs) <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>18 732 000</b> <b>18 732 BE0</b> <b>18 732 EN0</b> <b>18 732 ZB0</b> 	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 110</b> <b>143</b> <b>143</b> <b>152</b>
	<b>Talía</b> Volo Lever Handles (Sold In Pairs) <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Solid Brass Handles</li> </ul>	<b>★ 18 085 000</b> <b>★ 18 085 EN0</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 102</b> <b>138</b>

# SPARE PARTS – FLOW CONTROL / CARTRIDGES

## LOW FLOW SOLUTION KITS



Application	Product #	Price
Low Flow Solution Kit for 1-Hole Faucets, 3.8 L/min (1.0 gpm)	48 186 000	\$ 48.00
Low Flow Solution Kit for 1-Hole Faucets, 1.9 L/min (0.5 gpm)	48 187 000	48.00
Low Flow Solution Kit for 1-Hole Faucets, 1.3 L/min (0.35 gpm)	48 188 000	48.00
Low Flow Solution Kit for 3-Hole Faucets, 3.8 L/min (1.0 gpm)	48 189 000	45.00
Low Flow Solution Kit for 3-Hole Faucets, 1.9 L/min (0.5 gpm)	48 190 000	45.00
Low Flow Solution Kit for 3-Hole Faucets, 1.3 L/min (0.35 gpm)	48 191 000	45.00

For use only with faucets with aerator.  
 Solution Kit contains (1) aerator and (2) flow reducers for each water supply.  
 Recommended to prevent scalding when water flow is restricted.  
 Cannot be used with Allure, Allure Brilliant or Essence.  
 CALGreen compliant.

## FLOW CONTROL FOR LAVATORY FAUCETS



Application	Product #	Price
Laminar Flow Control 8.3 L/min (2.2 gpm)	45 220 000	\$ 11.00

## COMPRESSION CARTRIDGES



Application	Product #	Price
For ALL Kitchen and Lavatory Models	07 146 000 1/Pkg.	\$ 27.00
For ALL 1/2" models in the 25 000 series, and 29 260, 29 271, 29 263 - (Prior to 1993)	07 147 000 1/Pkg.	27.00
For 3/4" Valves 29 238, 29 239	07 150 000 1/Pkg.	48.00
For 3/4" Valves 29 256, 29 214	07 151 000 1/Pkg.	54.00
For 3/4" Valves 29 225, 29 226	07 156 000 1/Pkg.	46.00
For 3/4" Low Profile Valves	07 025 000 1/Pkg.	31.00
Seat Washers For Cartridges 07 146, 07 147, 11 011	05 291 000 1/Pkg.	5.00

## CERAMIC CARTRIDGES



Application	Product #	Price
For ALL Wideset Kitchen and Lavatory Models and 1/2" Volume Control Valves	45 882 000 1/Pkg. 90° Right Close	\$ 57.00
For ALL Wideset Kitchen and Lavatory Models	45 883 000 1/Pkg. 90° Left Close	57.00
For 3/4" Roman Tubs and Aquatower 3000	45 885 000 1/Pkg. 180° Right Close	80.00
For 3/4" Wall Mount Valves and Roman Tubs	45 887 000 1/Pkg. 90° Left Close	131.00
For 3/4" Wall Mount Valves and Roman Tubs	45 888 000 1/Pkg. 90° Right Close	131.00
For ALL Kitchen and Lavatory Models and 1/2" Wall Mount Valves	45 342 000 1/Pkg. 180° Left Close	52.00
For ALL Kitchen and Lavatory Models and 1/2" Wall Mount Valves	45 346 000 1/Pkg. 180° Right Close	52.00

## SINGLE-HANDLE CARTRIDGES, EUROMIX AND LADYLUX



Application	Product #	Price
For Euromix and Ladylux	07 000 000	\$ 113.00
Cartridge/Repair Kit with Brass Stem	46 090 000	29.00

# SPARE PARTS – CARTRIDGES

## THERMOSTAT / PRESSURE BALANCE VALVE CARTRIDGES



Application	Product #		Price
For ¾" Thermostat 34 419, 34 457, 34 542, 34 474	47 025 000	Paraffin Cartridge	\$295.00
For ¾" Thermostat 34 419, 34 457, 34 542, 34 474	47 032 000	Reverse Cartridge	554.00
For Grohmix Thermostat 34 434, 34 436, 34 485	47 040 000	Reverse Cartridge w/Pressure Balance	478.00
For Grohmix Thermostat 34 434, 34 436, 34 485	47 111 000	Paraffin Cartridge	293.00
For Grohmix 34 448, 34 456, 34 493, 34 540, 34 535	47 012 000	Paraffin Cartridge	267.00
For Grohmix 34 448, 34 456, 34 493, 34 540, 34 535	47 016 000	Reverse Cartridge	267.00
For Grohtherm® 34 122, 34 448	47 010 000	½" Thermoelement	245.00
For Grohtemp / Grohtherm® 34 900, 34 901, 34 472, 34 907, 34 909, 34 122	47 050 000	Paraffin Cartridge, faster reaction time	208.00
For Grohtemp / Grohtherm® 34 900, 34 901, 34 472, 34 907, 34 909, 34 122	47 450 000	Paraffin Cartridge	208.00
For Grohtemp / Grohtherm® 34 902, 34 908, 34 124	47 582 000	Paraffin Cartridge **REPLACES 47 310**	273.00
For Grohtemp / Grohtherm® 34 900, 34 901, 34 472, 34 907, 34 909, 34 122	47 282 000	Reverse Cartridge	267.00
For Grohtemp / Grohtherm® 34 902, 34 908, 34 124	47 379 000	Reverse Cartridge	428.00
Pressure Balance Valve Cartridge for 35 000 Series	47 080 000	PBV Control Cartridge	125.00
Pressure Balance Valve Cartridge for 35 250 Series	47 157 000	TIIEF Cartridge	139.00
Pressure Balance Valve Cartridge for 35 204 Series	47 159 000	RPBV Cartridge	107.00
For Atrio Exposed Thermostats 34 090, 34 091, 34 088, 34 089/Grohtherm® 34 123, 34 126	47 662 000	Paraffin Cartridge	208.00
For Atrio Exposed Thermostats 34 090, 34 091, 34 088, 34 089, 34 123, 34 126	47 657 000	Reverse Cartridge	405.00
For ¾" Grohtherm® Thermostat 34 125	47 220 000	Thermoelement ¾"	273.00
For ¾" Grohtherm® Thermostat 34 125	47 658 000	Reverse Cartridge	799.00
For Grohtherm® 3000 Exposed Thermostat 34 182, 34 189, 34 331	47 439 000	Thermostatic Compact Cartridge ½"	73.00
For Automatic 1000	47 175 000	Reverse Cartridge	254.00
Pressure Balance Valve Cartridge for 35 015, 35 016 and 35 033	47 678 000		134.00
Thermostatic Cartridge for Aquatower 3000 27 010	47 715 000		272.00
For ¾" Grohtherm® Thermostat Valve 34 397	47 483 000		84.00
For ¾" 34 397 and GrohFlex®	47 186 000		134.00
For Universal Pressure Balance Rough-In Valve 35 015 001, 35 064 001, 35 065 001 and 35 066 001	47 995 000	Reverse Cartridge	127.00

## SINGLE-HANDLE MIXING VALVE CERAMIC CARTRIDGE



Application	Product #	Price
For Chiara, Talia, Europlus, Euroeco, Eurowing, Eurotrend, Ladylux Plus, Ladylux Café, Eurofresh 19 196, 19 197	46 048 000	\$ 102.00
For Taron 33 133, 33 144, Ectos 32 923, Tenso 32 924, 32 425, Eurofresh 32 392, 24 024	46 374 000	102.00
For Allure 32 128	46 580 000	114.00

## GROHTHERM® MICRO



Provides tempered water

Application	Product #	Price
For Euroeco E, Minta Touch, LadyLux Café Touch	★ 34 507 000	\$ 290.00

## PULL OUT SPRAY HEAD



Application	Product #	Finish	Price
For Bridgeford, LadyLux Café, LadyLux <sup>3</sup> Café	46 875 NC0	GROHE StarLight® Chrome	\$ 120.00
	46 875 EN0	Brushed Nickel InfinityFinish™	189.00
	46 875 ZB0	Oil Rubbed Bronze	189.00
	46 875 ND0	SuperSteel InfinityFinish™	189.00

# SPARE PARTS – EXTENSIONS

Product #	Description	Colour	Price
02 696 00M	3 ½" Long Escutcheon Screw, Grohmix	Chrome	\$20.00
02 697 R00	3" Long Escutcheon Screw, Grohmix	Polished Brass InfinityFinish™	23.20
06 427 000	1½" Extension for Volume Controls and Two-Handle Valves with Flat Flange	Chrome	23.00
06 428 000	1½" Extension for ¾" Wall Mount Volume Controls (Flat Flange) and Classic Wall Mount Diverters	Chrome	27.00
07 130 00M	¾" Ext. (2 needed), Exposed Wall Mounts (except 34 472)	Chrome	58.00
45 202 000	Extension for Low Profile Roman Tub	Chrome	31.00
45 203 000	Extension Kit for Volume Controls and Two-Handle Valves with a deep flange	N/A	34.00
45 565 000	Extension Kit for Geneva/Seabury Volume Control	Chrome	64.00
45 565 AV0	Extension Kit for Geneva/Seabury Volume Control	Satin Nickel InfinityFinish™	86.70
★ 45 565 R00	Extension Kit for Geneva/Seabury Volume Control	Polished Brass InfinityFinish™	86.70
45 979 000	Extension Kit for Geneva/Seabury Diverter	N/A	31.00
46 191 000	Extension for Atrio 2-hole Wall Mount Vessel 19 291	Chrome	118.00
46 238 000	1⅛" Extension for Chiara Exposed Thermostat Tub Filler 34 472	Chrome	65.00
47 328 000	1⅛" Extension for Grohtemp Non-Integrated Rough-In Valve	N/A	255.00
47 329 000	1½" Extension for 34 436, 34 458	Chrome	485.00
★ 47 344 000	Grohsafe® Extension for 35 015	N/A	106.80
47 358 000	1⅛" Extension Kit for Grohtherm® Rough-In Valves 34 907, 34 908, 34 909, 34 122, 34 124	N/A	155.00
47 367 000	1⅛" Extension Kit for Grohtherm® Rough-In Valves 34 907, 34 908, 34 909, 34 122, 34 124	Chrome	155.00
47 653 000	1⅛" Extension Kit for Grohtherm® Rough-In Valves 34 123, 34 125, 34 126	N/A	213.00
47 702 000	Extension Kit for 35 033 or 35 016	N/A	105.00
47 820 000	1⅛" Extension Kit for Grohtherm® Rough-In Valve 34 331	N/A	150.00
47 889 000	GrohFlex® Extension Kit – Thermostatic, round and square sleeve	N/A	82.00
47 890 000	GrohFlex® Extension Kit – Pressure Balance, round and square sleeve	N/A	82.00
47 996 000	Grohsafe® Extension for 35 015 001, 35 064 001, 35 065 001, 35 066 001	N/A	83.00

For extension kit applications please consult Technical Product Installation booklet which is provided with each trim set.  
 \*Decorative Finishes: 000 - Chrome; R00 - Polished Brass; AV0 - Satin Nickel; N/A - Not Applicable

## GROHE RETRO-FIT 6" BAR HEIGHT EXTENSION

27 921 000	Extends rail height for a higher shower head mounting position	GROHE StarLight® Chrome	\$ 129.00
------------	--	-------------------------	-----------



# FLOW RATES

Valves		L/min at 45 PSI	GPM at 45 PSI
SMARTCONTROL Rapido SmartBox	35 601 000 - Single outlet	29.0	7.7
	- Two outlets	29.0	7.7
	- Three outlets	36.0	9.5
F-DIGITAL Thermostatic Mixer	36 294 000	50.7	13.4
	26 297 000	50.7	13.4
GROHFLEX®	PBV – Single Function	23.0	6.1
	PBV – Dual Function	20.0	5.3
	Thermostatic – Single Function	24.0	6.3
	Thermostatic – Dual Function	24.0	6.3
	Thermostatic – Custom Shower	53.0	14.0
GROHSAFE® 3.0 – PBV	35 110 000 - Top port	11.5	3.04
	- Bottom port	19.5	5.17
	35 111 000 - Top port	11.5	3.04
	- Bottom port	19.5	5.17
	35 112 000 - Top port	11.5	3.04
	- Bottom port	19.5	5.17
	35 113 000 - Top port	11.5	3.04
	- Bottom port	19.5	5.17
	35 115 000 - Top port	11.5	3.04
	- Bottom port	19.5	5.17
GROHSAFE® – PBV with Diverter	35 033 000 - 1/2"	17.0	4.6
	35 016 000 - 1/2"	22.0	5.8
GROHTHERM®	34 331 000 - 1/2"	34.0	9.0
	34 397 000 - 3/4"	61.0	16.0
GROHTHERM® 1000	34 240 000 - 1/2"	24.0	7.0
	34 241 000 - 1/2"	34.0	9.0
GROHTHERM® EXPOSED THERMOSTATS	34 150 003 - 1/2"	21.0	5.5
	34 159 003 - 1/2"	21.0	5.5
	34 521 001 - 1/2"	20.0	5.3
	34 523 001 - 1/2"	26.0	6.8
DIVERTER VALVES	29 712 000 - Shower head - 1/2"	70.0	18.5
	- Hand shower - 1/2"	100.0	26.4
	29 900 000 - Shower head - 1/2"	30.3	8.0
	- Hand shower - 1/2"	30.3	8.0
	- Tub spout - 1/2"	45.5	12.0
	29 901 000 - Shower head - 1/2"	30.3	8.0
	- Hand shower - 1/2"	30.3	8.0
	- Tub spout - 1/2"	45.5	12.0
	29 035 000 - 3/4" outlet	90.0	23.7
	29 035 000 - 1/2" outlets	70.0	18.5
	29 902 000 - Shower head - 1/2"	30.3	8.0
	- Hand shower - 1/2"	30.3	8.0
	- Tub spout - 1/2"	41.7	11.0
	29 903 000 - Shower head - 1/2"	30.3	8.0
	- Hand shower - 1/2"	30.3	8.0
	- Tub spout - 1/2"	41.7	11.0
	29 714 000 - 3/4" outlet	90.0	23.7
29 714 000 - 1/2" outlet	70.0	18.5	
VOLUME CONTROLS	35 029 000 - 1/2" outlet	55.0	14.5
	29 273 000	35.0	9.2
	29 274 000	85.0	22.4
	35 032 000 - 1 shut-off valve open	14.5	55.0
	- 2 shut-off valves open	29.0	110.0
	- 3 shut-off valves open	37.0	140.0
IN-LINE REMOTE PBV	35 204 000	20.1	5.3
All fixed shower heads, hand showers and body sprays	All GROHE shower heads and hand showers are restricted to a maximum 9.5 L/min at 80 psi (552 kPa).		

All flow rates measured at the shower outlet.

Flow rates are approximate.

1 gpm = 3.8 L/min

The flow rates provided are based on an average pressure of 45 psi. Use these flow rates to determine if the valve selected supports the total output from all the shower outlets. The maximum output of a shower outlet is 9.5 L/min or 2.5 gpm at 80 psi (tub spout 26.6 L/min [7 gpm]).

Example:

3 body sprays - 3 x 9.5 L/min = 28.5 L/min (7.5 gpm)

Shower head - 9.5 L/min (2.5 gpm)

Hand shower - 9.5 L/min (2.5 gpm)

Total flow = 47.5 L/min (12.5 gpm)

Therefore, the 3/4" valve 34 397 000 would support the total flow output while the 1/2" valve 34 331 000 would not.

If installation is using pex piping, it is important to size up pipe (3/4" pex for 1/2" valves, etc).

## GROHE LIMITED LIFETIME WARRANTY FOR RESIDENTIAL PRODUCTS\*

LIXIL Canada Inc. provides the following warranties on its GROHE products to the original purchaser, installed in a residential application. This warranty is effective for all faucets sold after January 1, 1997.

**Mechanical Warranty:** A Limited Lifetime Warranty is provided on all mechanical parts to the original purchaser to be free from manufacturing defects in material and workmanship under normal use for as long as the original purchaser owns their home.

**GROHE Sense and Sense Guard:** Two (2) years limited warranty.

**Electronic Faucets, Valves and Controls Warranty:** LIXIL warrants GROHE electronic faucets, valves and controls to be free from manufacturing defects in material and workmanship under normal use for five (5) years from the date of purchase.

**General Finish Warranty:** A Limited Lifetime Warranty is provided on all GROHE products to the original purchaser against manufacturing defects in materials and workmanship.

At its option, LIXIL will repair or replace any part or finish that proves to be defective in material and/or workmanship under normal installation, use and service.

To obtain warranty repair or replacement the faulty part or product is to be sent along with proof-of-purchase (original sales receipt) from the original consumer purchaser to:

LIXIL Canada Inc., 5900 Avebury Road, Mississauga, Ontario L5R 3M3  
groheinfo.ca@lixil.com  
Telephone inquiries can be directed to: 1.888.64GROHE (47643)

Please be sure to provide all applicable information regarding your claim, including:

- Product / model number
- Proof-of-Purchase (copy of your original sales receipt, purchase order, or invoice), the date the product was purchased, and installation date
- Complete description of the problem with supporting documentation as applicable (i.e., photographs)

This warranty is extended to the original consumer owner, but does not cover installation, labour, or other incidental or consequential costs and shall not apply to any products or parts of products which have been:

- a) Repaired by unqualified persons or not using original GROHE spare parts or altered in any manner unless previously authorized in writing by LIXIL; or
- b) Damaged as a result of misuse, negligence, accident or faulty installation or maintenance; or
- c) Installed or used in a manner contrary to GROHE's printed instructions; or
- d) Damaged by the effects of dirt, limescale or aggressive cleaners.

This is the exclusive warranty by LIXIL, which does not make any other warranty of any kind, including the implied warranty of merchantability.

This warranty excludes filter and cooler parts and accessories, outdoor, marine applications, all industrial, commercial, and business usage whose purchasers are extended a one (1) year limited warranty from the date of purchase, with all other terms of this warranty. (See below for commercial products.)

LIXIL warrants all GROHE wall carrier products installed in a commercial application to be free from manufacturing defects for a period of ten (10) years from the date of acquisition by original owner.

Pure Freude  
an Wasser

GROHE

## TERMS AND CONDITIONS OF SALE

- PRICES:** Prices and terms are subject to change without notice.
- FREIGHT:** Shipper reserves the right to ship merchandise by the method of our choosing. Shipments are FOB Roselle, Illinois. Freight pre-paid on orders with a minimum value of CAN \$1500 net. No freight allowances on air shipments.
- DELIVERIES:** LIXIL is not responsible for delays in deliveries due to circumstances beyond its control such as fires, strikes, transportation delays, materials shortages, accidents, adverse weather conditions or other contingencies of similar nature.
- RETURNS:** Product may not be returned for credit or replacement without prior inspection and written authorization from LIXIL. There will be a charge of 25% to cover handling and restocking for all authorized returns. Only merchandise currently appearing in the GROHE Price List, which is in resalable condition, will be considered by LIXIL for return or replacement.
- LABOUR:** No labour charges of any kind will be allowed. Refer to the GROHE Limited Warranty.
- CLAIMS:** All claims must be made within 10 days after receipt of goods.
- DAMAGE OR LOSS:** Delivery to the carrier constitutes delivery to the customer. Any loss or damage in transit should be made within 48 hours by the customer to the carrier. Our responsibility ceases when the goods are delivered in good condition to the carrier.
- PRODUCT CHANGES:** We reserve the right to discontinue, alter, modify, or redesign products without liability for the obsolescence of customers' inventories.
- GENERAL:** The possession of this price list by anyone will not be accepted by this Corporation (LIXIL Canada Inc.) as an obligation or offer to sell any goods listed herein. All prices herein quoted supersede all prior price lists and bulletins. Existing Trade Terms continue in effect.
- No order, contract or agreement, will become an obligation of the Corporation until accepted, in writing, by the Head Office.
- These Terms and Conditions shall be deemed to be a part of all such acceptances by the Corporation and shall supersede any conflicting provisions of customer's purchase order.

## WARRANTY FOR COMMERCIAL APPLICATIONS\*

LIXIL warrants its GROHE products installed in a commercial application to be free from manufacturing defects for a period of one (1) year from the date of acquisition by original owner. Replaced products or parts are warranted only for the period remaining under the initial warranty.

\* THIS WARRANTY IS LIMITED SOLELY TO THE ABOVE AND THIS WARRANTY AND ANY WARRANTIES IMPLIED BY PROVINCIAL LAW WILL APPLY ONLY FOR THE APPLICABLE WARRANTY PERIOD SPECIFIED HEREIN. ALSO, LIXIL WILL NOT BE LIABLE FOR ANY LOSS, DAMAGE, EXPENSE OR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, WHETHER BASED ON WARRANTY, CONTRACT OR NEGLIGENCE AND ARISING IN CONNECTION WITH THE SALE, USE OR REPAIR OF THE PRODUCT. SOME PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF CONSEQUENTIAL DAMAGE OR LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM PROVINCE TO PROVINCE. UNLESS OTHERWISE CONTRARY TO PROVINCIAL LAW GOVERNING THE PURCHASE, LIXIL'S LIABILITY WILL NOT EXCEED THE CONTRACT PRICE FOR THE PRODUCT CLAIMED TO BE DEFECTIVE OR UNSUITABLE.




Follow us



## DISCOVER THE WORLD OF GROHE AT [WWW.GROHE.CA](http://WWW.GROHE.CA)

### QUALITY



From the first design sketch to the final product to after-sales services: Our customers can rely on our engineered-in-Germany sense of perfectionism.

### TECHNOLOGY



We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

### DESIGN



Our highly awarded design DNA's recipe for success is simple: merging the contemporary and the timeless into products that feel like they were designed just for you.

### SUSTAINABILITY



Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: we strive to protect all of our planet's resources for future generations.

LIXIL Canada Inc.  
5900 Avebury Road  
Mississauga, Ontario L5R 3M3  
Tel.: 1.888.64.GROHE (47643)  
Fax: 1.905.366.2071  
[groheinfo.ca@lixil.com](mailto:groheinfo.ca@lixil.com)

Prices listed in this document are subject to change without notice. LIXIL reserves the right to discontinue, alter, modify or re-design products without liability.

© 05/2020 LIXIL Canada Inc.

PART OF **LIXIL**