



LIST PRICE GUIDE — EFFECTIVE APRIL 1, 2022

TABLE OF CONTENTS

OVERVIEW	BATHROOM SINKS	BATHROOM FAUCETS	FLOOR MOUNT TUB FILLERS	FREESTANDING SOAKING TUBS
	8-9	10-11	12	13
	AIRBATH/TUBS/ BASE	TOILETS 15-20	CONSOLES/ VANITIES	KITCHEN SINKS/ FAUCETS
	' 14		¹ 21	22-23
PRODUCT CATEGORIES	BATHROOM SINKS/	CONSOLES/ VANITIES/	BATHROOM FAUCET	SHOWER OPTIONS
	ACCESSORIES 24-38	ACCESSORIES 39-49	50-100	101-107
	SHOWER BASE	FLOOR MOUNT TUB FILLERS	FREESTANDING/ ALCOVE TUBS	TOILETS/SPALET*/ SEATS
	108	109-111	112-117	118-131
	KITCHEN SINKS/	COMMERCIAL	PARTS	
	FAUCETS 132-139	PROJECTS PORTFOLIO 140-151	152-155	
OTHER RESOURCES	WARRANTIES 157-179	INDEX 180-209		
FOR DXV CUSTOMER CARE	CALL: 1-800-227-273	34 8:00 AM - 7:00 PM EST		





Meets The Americans With Disabilities Act Guidelines and ANSI A117.1

Requirements for Accessible and Usable Building Facilities — Check local codes.



CEC and CALGreen® compliant.

CALGreen® is a registered trademark of California Building Standards Commission.



 ${\it Meets all ANSI/ASME Low Consumption, Water Conservation Requirements}.$



 $\ensuremath{\mathsf{PROJECTS}}$ $\ensuremath{\mathsf{MODEL}}-\ensuremath{\mathsf{Must}}$ meet $\ensuremath{\mathsf{MOQ}}$ and lead time requirements.

LIST PRICE GUIDE 2022-4 dxv.com



FAUCET FINISHES

			FA	UCETS				
Polished Chrome	100 - PC	Brushed Nic	kel 144 – BN	Platinu	ım Nickel 150 -	- PN	Carbon Bronz	ze 110 – CB
Ultra Steel 35	5 - US	Matte Blac	k 243 - MB	Satir	n Brass 427 - 5	SB	Matte Black / 249 - M	Satin Brass B/SB
			FA	UCETS				
Finish	Polished Chrome	Brushed Nickel	Platinum Nickel	Carbon Bronze	Ultra Steel	Matte Black	Satin Brass	Matte Black Satin Brass
Number	100	144	150	110	355	243	427	249
Key	PC	BN	PN	СВ	US	MB	SB	MB/SB
	I	BATHROO	M FAUCET	COLLEC	TIONS			
Ashbee*	0	0	0					
BELSHIRE™	0		0					
DXV Modulus*	0					•		
Equility*	0					•		
Fitzgerald®	0	0						
Keefe*	0							
Landfair®	0							
Oak Hill*	0							
Percy*	0	0						
Randall*	0	0	0					
Rem [®]	0							
		KITCHEN	FAUCET C	OLLECTI	ONS			
Contemporary	0							
Etre"	0					•	0	Z
Fresno [®]	0							
Isle*	0				0			
Traditional	0			0	0			
Victorian	0							

Faucet and Fixture color samples are printed representations only. Please visit a showroom for actual material samples. See product pages for specific finish availability.

LIST PRICE GUIDE 2022-4 dxv.com

FIXTURE FINISHES



product pages for specific finish availability.

LIST PRICE GUIDE 2022-4 dxv.com

PEDESTAL COSSU* PAGE 24 FITZGERALD* PAGE 25 ST. GEORGE* PAGE 26

ABOVE COUNTER/WALL MOUNTED

COSSU*

PAGE 27







EQUILITY*

P

PAGE 28, 141







FITZGERALD*

PAGE 31





DXV MODULUS®

PAGE 29-30









OAK HILL®

PAGE 31-32







ST. GEORGE®

PAGE 32



WYATT*

PAGE 32



UNDER COUNTER/VESSEL

BELSHIRE"

PAGE 33



BOWEN®

PAGE 33





POP® Oval

PAGE 33-34







POP Rectangle

PAGE 34-35, 37









POP Round

PAGE 35, 37









POP Square

PAGE 35-36, 37









WEBSTER*

PAGE 36





BATHROOM FAUCETS

Available Finishes Page 6

Widespread Lavatory Faucet

Single Lever Faucet Vessel Faucet

Bridge Lavatory Faucet Wall Mount Faucet

Bidet Faucet

Deck Mount Tub Filler with Hand Shower

Floor Mount **Tub Filler**

ASHBEE®

PAGES 50-55









BELSHIRE"

PAGES 56-64



EQUILITY*

PAGES 65-68, 142-143











FITZGERALD*

PAGES 69-75









DXV MODULUS*

PAGES 76-82, 144-145







OAK HILL®

PAGES 83-87









PERCY*

PAGES 88-93, 146-148







RANDALL®

PAGE 94-97









REM*

PAGES 98-100











dxv.com

						ВАТ	HROOM F	AUCETS
Wall Mount Pe Tub Filler Sho	ersonal Pr ower Set	ressure Balance Shower Trim	3/2 or 4/3 Diverter Valve Trim	2-Handle/ 3-Handle Thermostatic Valve Trim	6" Towel Ring	24" Towel Bar	Tissue Holder	Robe Hook
q						8		
G TOP O				9				
ı								7
		9	P			9		
			9	3				
			(II)					G.
O						•		
9								Î

FLOOR MOUNT TUB FILLERS

TRADITIONAL FLOOR MOUNT TUB FILLERS

Available with **ASHBEE*** Cross Handles Polished Chrome Brushed Nickel Platinum Nickel

PAGES 51, 110



Available with **ASHBEE** Lever Handles Polished Chrome Brushed Nickel Platinum Nickel

PAGES 51, 110



Available with LANDFAIR* Cross Handles Polished Chrome

Polished Chrome Brushed Nickel Platinum Nickel Carbon Bronze

PAGES 110



Available with LANDFAIR Lever Handles Polished Chrome Brushed Nickel Platinum Nickel

PAGES 110



TRANSITIONAL FLOOR MOUNT TUB FILLERS

Available with FITZGERALD* Lever Handles Polished Chrome Brushed Nickel

Platinum Nickel



Available with RANDALL*
Cross Handles
Polished Chrome
Brushed Nickel
Platinum Nickel
Satin Brass

PAGES 95, 111



Available with RANDALL Lever Handles Polished Chrome Brushed Nickel Platinum Nickel Satin Brass

PAGES 95, 111



CONTEMPORARY FLOOR MOUNT TUB FILLERS

DXV MODULUS®

Polished Chrome Brushed Nickel Platinum Nickel Matte Black

PAGES 77, 109



CONTEMPORARY

Polished Chrome Brushed Nickel Platinum Nickel

PAGES 67, 109



SQUARE

Polished Chrome Brushed Nickel Matte Black

PAGES 66, 109



BELSHIRE"

Freestanding Soaking Tub

DIMENSIONS Nominal

66" x 36" x 24" (1675 x 914 x 610 mm)

PAGE 112



COSSU®

Freestanding Soaking Tub with Deck

DIMENSIONS Nominal

66" x 36" x 22" (1676 x 914 x 559 mm)

PAGE 112



EQUILITY*

Slim Freestanding Soaking Tub

DIMENSIONS Nominal

66-3/4" x 30-5/16" x 24-5/8" (1695 x 770 x 625 mm)

EQUILITY

Freestanding Soaking Tub

DIMENSIONS Nominal

66-3/4" x 33-5/16" x 24-5/8" (1695 x 846 x 625 mm)

PAGE 113



FITZGERALD*

Freestanding Soaking Tub

DIMENSIONS Nominal

65-3/4" x 36" x 23" (1670 x 914 x 584 mm)

PAGE 112



DXV MODULUS*

Freestanding Soaking Tub

DIMENSIONS Nominal

72" x 32" x 24" (1828 x 837 x 610 mm)

PAGE 113



OAK HILL®

Freestanding Soaking Tub

DIMENSIONS Nominal

66" x 36" x 29-3/4" (1676 x 914 x 756 mm)

OAK HILL

Freestanding Soaking Tub with Feet

DIMENSIONS Nominal

66" x 36" x 29-3/4" (1676 x 914 x 756 mm)

PAGE 114



ST. GEORGE®

Freestanding Soaking Tub

DIMENSIONS Nominal

65-1/2" x 35" x 23-1/2" (1664 x 889 x 597 mm)

ST. GEORGE

Freestanding Soaking Tub

DIMENSIONS Nominal

66-1/2" x 35-1/2" x 23-1/2" (1689 x 902 x 597 mm)

PAGE 115



DROP-IN AIRBATH

DXV AQUA MOMENT Drop-In Airbath with Waterfall

DIMENSIONS Nominal

72" x 36" x 22-1/2" (1829 x 914 x 572 mm)

PAGE 116



ALCOVE TUBS

BYRDCLIFFE® Alcove Tub

DIMENSIONS Nominal

60" x 30" x 14" (1524 x 762 x 356 mm)

PAGE 117



HAWKINS* Alcove Tub

DIMENSIONS Nominal

60" x 32" x 17-3/4" (1524 x 813 x 451 mm)

PAGE 117



SOLID SURFACE SHOWER BASE

DXV MODULUS Solid Surface Shower Base

PAGE 108



Shower Options pages 101-107.

		ONE-PIECE TOILETS			
TOILETS	Features	Flush Volume	Flush Valve	Color/ Finish	Premium Criteria*
DELSHIRE One-Piece Elongated Toilet PAGE 118	Right Height® Concealed trapway Polished Nickel Left-hand trip lever included PowerWash® rim/Siphon jetted flush EverClean® surface Slow-close quick release seat included DIMENSIONS Nominal 29-13/16" x 16-3/8" x 30-3/4" (758 x 415 x 783 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White	X
COSSU* One-Piece Elongated Toilet PAGE 118	Right Height 2-1/8" fully-glazed concealed trapway PowerWash rim/Siphon jetted flush EverClean surface Slow-close quick release seat included DIMENSIONS Nominal 28-1/4" x 14-1/2" x 30-3/4" (717 x 366 x 782 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White	X
COSSU One-Piece Elongated Toilet PAGE 119	Right Height 2-1/8" fully-glazed concealed trapway PowerWash rim/Siphon jetted flush EverClean surface Right-hand trip lever Slow-close quick release seat included DIMENSIONS Nominal 28-1/4" x 14-1/2" x 30-3/4" (717 x 366 x 782 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White	X
EQUILITY* One-Piece Elongated Dual Flush Toilet PAGE 119	Right Height 2-1/8" fully-glazed concealed trapway PowerWash rim/Siphon jetted flush EverClean surface Slow-close quick release seat included DIMENSIONS Nominal 30-3/16" x 14" x 30-13/16" (767 x 356 x 783 mm)	1.28 gpf/ 4.8 Lpf 1.0 gpf/ 3.8 Lpf	3"	Canvas White	X
EQUILITY One-Piece Elongated Toilet PAGE 120	Right Height 2-1/8" fully-glazed concealed trapway PowerWash rim/Siphon jetted flush EverClean surface Left- and right-hand trip lever options Slow-close quick release seat included DIMENSIONS Nominal 30-3/16" x 14" x 30-13/16" (767 x 356 x 783 mm)	1.28 gpf/ 4.8 Lpf 1.0 gpf/ 3.8 Lpf	3"	Canvas White	X





ONE-PIECE TOILE					
TOILETS	Features	Flush Volume	Flush Valve	Color/ Finish	Premium Criteria*
DXV MODULUS* One-Piece Elongated Toilet PAGE 120	Right Height* 2-1/8" fully-glazed concealed trapway PowerWash* rim/Siphon jetted flush EverClean* surface Slow-close quick release seat included Slim high back tank DIMENSIONS Nominal 28-5/8" x 15-1/2" x 30-1/4" (727 x 395 x 770 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White	X
ST. GEORGE® One-Piece Elongated Toilet PAGE 121	Right Height 2-1/8" fully-glazed concealed trapway PowerWash rim/Siphon jetted flush EverClean surface Slow-close quick release seat included DIMENSIONS Nominal 29-7/8" x 15" x 30-3/4" (758 x 380 x 781 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White Biscuit	X
WYATT* One-Piece Elongated Toilet PAGE 122	Right Height 2-1/8" fully-glazed concealed trapway VorMax* flushing technology CleanCurve* Rim EverClean surface Slow-close quick release seat included DIMENSIONS Nominal 29-3/4" x 15-3/8" x 30-3/4" (756 x 390 x 782 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White	X
WYATT One-Piece Elongated Toilet PAGE 122	Right Height 2-1/8" fully-glazed concealed trapway CleanCurve Rim EverClean surface Right-hand trip lever Slow-close quick release seat included DIMENSIONS Nominal 29-3/4" x 15-3/8" x 30-3/4" (756 x 390 x 782 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White	X

See product page for complete product information.

		TWO-PIECE TOILETS				
TOILETS	Features	Flush Volume	Flush Valve	Color/ Finish	Premium Criteria*	
EQUILITY* Two-Piece Elongated Dual Flush Toilet PAGE 123	Right Height* 2-1/8" fully-glazed concealed trapway PowerWash* rim/Siphon jetted flush EverClean* surface Slow-close quick release seat included DIMENSIONS Nominal 30-3/16" x 15-1/8" x 31-9/16" (767 x 384 x 802 mm)	1.28 gpf/ 4.8 Lpf 1.0 gpf/ 3.8 Lpf	3"	Canvas White	X	
EQUILITY Two-Piece Elongated Toilet PAGE 123	Right Height 2-1/8" fully-glazed concealed trapway PowerWash rim/Siphon jetted flush EverClean surface Left- and right-hand trip lever options Slow-close quick release seat included DIMENSIONS Nominal 30-3/16" x 15-1/8" x 31-9/16" (767 x 384 x 802 mm)	1.28 gpf/ 4.8 Lpf 1.0 gpf/ 3.8 Lpf	3"	Canvas White	X	
FITZGERALD* Two-Piece Elongated Toilet PAGE 124	Right Height 2-1/8" fully-glazed concealed trapway PowerWash rim/Siphon jetted flush EverClean surface Slow-close quick release seat included DIMENSIONS Nominal 29-7/8" x 15-1/16" x 31-3/16" (758 x 383 x 792 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White Biscuit	X	
FITZGERALD Two-Piece Elongated Toilet PAGE 124	Right Height 2-1/8" fully-glazed concealed trapway PowerWash rim/Siphon jetted flush EverClean surface Right-hand trip lever Slow-close quick release seat included DIMENSIONS Nominal 29-7/8" x 15-1/16" x 31-3/16" (758 x 383 x 792 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White Biscuit	X	
FITZGERALD Two-Piece Round Front Toilet PAGE 125	Right Height 2-1/8" fully-glazed concealed trapway PowerWash rim/Siphon jetted flush EverClean surface Slow-close quick release seat included DIMENSIONS Nominal 27-7/8" x 15-1/16" x 31-3/16" (708 x 383 x 792 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White Biscuit	X	

^{*}WaterSense* certified with a flush rate of at least 600 grams.

TWO-PIECE TOILI	- 1 3				
TOILETS	Features	Flush Volume	Flush Valve	Color/ Finish	Premiun Criteria
OAK HILL* Two-Piece Elongated Toilet PAGE 125	Right Height® 2-1/8" fully-glazed trapway PowerWash® rim/Siphon jetted flush EverClean® surface Slow-close quick release seat included DIMENSIONS Nominal 30-13/16" x 18" x 32-15/16" (783 x 457 x 836 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White	X
ST. GEORGE® Two-Piece Elongated Toilet PAGE 126	Right Height 2-1/8" fully-glazed trapway PowerWash rim/Siphon jetted flush EverClean surface Slow-close quick release seat included DIMENSIONS Nominal 30-13/16" x 17-9/16" x 31-1/2" (783 x 446 x 800 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White Biscuit	×
WYATT* Two-Piece Elongated Toilet PAGE 126	Right Height 2-1/16" fully-glazed trapway VorMax* flushing technology CleanCurve* rim EverClean surface Slow-close quick release seat included DIMENSIONS Nominal 30-3/16" x 16-1/2" x 30-3/4" (767 x 419 x 782 mm)	1.28 gpf/ 4.8 Lpf	3"	Canvas White	×

		WA	LL MOU	NTED TO	DILETS
TOILETS	Features	Flush Volume	Flush Valve	Color/ Finish	Premium Criteria
BELSHIRE® Wall-Hung Elongated Toilet PAGE 127	Designed for small spaces 2-1/4" fully-glazed trapway Slow-close seat included Mounting hardware included DIMENSIONS Nominal 21-15/16" x 13-7/8" x 11-13/16" (560 x 353 x 300 mm)	1.6 gpf/ 6.0 Lpf 0.8 gpf/ 3.0 Lpf	N/A	Canvas White	
COSSU* Wall-Hung Elongated Toilet PAGE 127	Designed for small spaces 2-1/4" fully-glazed trapway EverClean* surface Slow-close seat included Mounting hardware included DIMENSIONS Nominal 21" x 14-3/8" x 15"- 19" (533 x 365 x 381-483 mm)	1.6 gpf/ 6.0 Lpf 0.8 gpf/ 3.0 Lpf	N/A	Canvas White	
DXV MODULUS* Wall-Hung Elongated Toilet PAGE 128	Designed for small spaces 2-1/4" fully-glazed concealed trapway EverClean surface Slow-close seat included Mounting hardware included DIMENSIONS Nominal 22" x 14-1/2" x 15"- 19" (560 x 370 x 381-483 mm)	1.6 gpf/ 6.0 Lpf 0.8 gpf/ 3.0 Lpf	N/A	Canvas White	



SPALET* ELECTRONIC BIDET

AT200* LS SPALET* Integrated Electronic Bidet Toilet PAGE 129 PAGE 129 Sleek and simple vitreous china bowl with full skirt and low profile design WaterSense* dual flush 1.32-0.92 gpf/4.9-3.4 Lpf for optimal performance Power Stream triple vortex flush uses two jet streams to clean the entire bowl and a powerful siphon jet to remove the waste Seat safety sensor to ensure water sprays cannot be activated while not in use One-touch 8-hour eco-button for reduced power consumption Easy-to-use remote control with LED screen DIMENSIONS Nominal

AT100* SPALET* Electronic Bidet Seat

PAGE 130



Sleek and simple design for use with most elongated bowls Slow-close seat and lid

14-3/4" x 15-13/4" x 25-13/16" (375 x 400 x 655 mm)

Color-matched remote control included

DIMENSIONS Nominal

6-3/8" x 16-3/4" x 21-1/2" (162 x 426 x 547 mm)

Toilet Seats PAGE 131

CONSOLES/VANITIES/ACCESSORIES

BELSHIRE"

PAGES 39, 45









EQUILITY®

PAGES 39



FITZGERALD*

PAGE 40



DXV MODULUS*

PAGE 46









PAGES 46, 49









PAGE 41-43, 47-49











ST. GEORGE*

PAGE 44



WYATT*

PAGE 44



KITCHEN SINKS

ETRE™ Apron Kitchen Sink

Canvas White

PAGE 132







ETRE Apron Double Bowl Kitchen Sink

Canvas White

PAGE 132



HILLSIDE* Apron Kitchen Sink

Canvas White

PAGE 133







HILLSIDE Apron Double Bowl Kitchen Sink

Canvas White

PAGE 133



HILLSIDE Kitchen Sink

Canvas White

PAGE 134





KITCHEN FAUCETS Culinary Faucet* Single Lever Faucet KITCHEN Widespread Bridge Available with **FAUCETS** Faucet with Side Spray[†] Side Spray Pull-Down Faucet Pull-Out Faucet Bar Faucet ETRE" Polished Chrome Matte Black Ultra Steel Satin Brass Matte Black / Satin Brass PAGE 135 FRESNO® Polished Chrome Ultra Steel PAGE 136-137 VICTORIAN Polished Chrome Ultra Steel Carbon Bronze PAGE 138-139 Pot Filler Soap Dispenser CONTEMPORARY Polished Chrome Ultra Steel PAGE 135 ETRE Polished Chrome Matte Black Ultral Steel Satin Brass Matte Black / Satin Brass PAGE 135 **TRADITIONAL** Polished Chrome Ultra Steel Carbon Bronze PAGE 137

24



COSSU*

24" Pedestal Lavatory

DIMENSIONS Nominal

24" x 22" x 36" (609 x 566 x 914 mm)

DIMENSIONS Bowl Inside

20-13/16" (528 mm) wide

15-5/16" (389 mm) front to back

4" (102 mm) depth

Fine fire clay.

COMPONENTS		
Single-Hole Lavatory Canvas White	D20095001.415	701
Square Pedestal Canvas White	D21025000.415	233

LIST PRICE GUIDE 2022-4 dxv.com



FITZGERALD* 28" Pedestal Lavatory

DIMENSIONS Nominal

28" x 22" x 36" (711 x 559 x 914 mm)

DIMENSIONS Bowl Inside

20-3/16" (512 mm) wide

12-5/16" (313 mm) front to back

6-1/8" (155 mm) depth

Fine fire clay. Pedestal back open 13-1/2" (343 mm) from floor.

COMPONENTS		
28" Three-Hole Lavatory Canvas White	D20015008.415	392
28" Single-Hole Lavatory Canvas White	D20015001.415	392
Pedestal Canvas White	D21015000.415	293



FITZGERALD

24" Pedestal Lavatory

DIMENSIONS Nominal

24" x 17-3/4" x 36" (609 x 452 x 914 mm)

DIMENSIONS Bowl Inside

17-11/16" (449 mm) wide

9-5/8" (244 mm) front to back

6-1/8" (155 mm) depth

Fine fire clay. Pedestal back open 13-1/2" (343 mm) from floor.

COMPONENTS		
24" Three-Hole Lavatory Canvas White	D20030008.415	314
24" Single-Hole Lavatory Canvas White	D20030001.415	314t
Pedestal Canvas White	D21015000.415	293

dxv.com LIST PRICE GUIDE 2022-4

dxv.com

26



ST. GEORGE*

Pedestal Lavatory

DIMENSIONS Nominal

23-3/4" x 20-1/8" x 35-5/8" (603 x 511 x 905 mm)

DIMENSIONS Bowl Inside

19-1/8" (486 mm) wide

12-7/16" (316 mm) front to back

5-7/8" (150 mm) depth

Vitreous china. Open back pedestal. 8" faucet spread.

COMPONENTS

Three-Hole Lavatory Canvas White D20005008.415 450 Pedestal Canvas White D21005000.415 233



WYATT*

24" Pedestal Lavatory

DIMENSIONS Nominal

 $24" \times 19-11/16" \times 36"$ (610 x 500 x 914 mm) 36" (914 mm) to highest point on backsplash

DIMENSIONS Bowl Inside

16-5/16" (414 mm) wide 12" (305 mm) front to back 5-1/2" (140 mm) depth

Fine fire clay. 8" faucet spread.

COMPONENTS

Three-Hole Lavatory		
Canvas White	D20010008.415	314
Pedestal		
Canvas White	D21010000.415	264
	22.0.00000	20.

LIST PRICE GUIDE 2022-4

485



COSSU*

Small Corner Wall Mounted Lavatory

DIMENSIONS Nominal

17" x 17" x 5-9/16" (430 x 430 x 141 mm)

DIMENSIONS Bowl Inside

13-1/4" (336 mm) wide

9-1/4" (235 mm) front to back

4-1/4" (108 mm) depth

Fine fire clay. Can be wall mounted or installed above counter.

Canvas White D20040001.415

cossu

24" Lavatory

DIMENSIONS Nominal

24" x 22" x 4-3/4" (609 x 566 x 120 mm)

DIMENSIONS Bowl Inside

20-13/16" (528 mm) wide

15-5/16" (389 mm) front to back

4" (102 mm) depth

Fine fire clay. Includes overflow. Can be wall mounted or installed above counter.

Single-Hole Lavatory

Canvas White D20095001.415 701



cossu

Rectangle Wall Mounted Lavatory

DIMENSIONS Nominal

20" x 10" x 4-3/4" (507 x 254 x 120 mm)

DIMENSIONS Bowl Inside

16-7/8" (429 mm) wide

6-11/16" (169 mm) front to back

4-3/8" (111 mm) depth

Fine fire clay. Includes overflow. Can be wall mounted or installed above counter.

Rectangle Wall Mounted Lavatory - LH (Left-Hand)

Canvas White D20125100.415 602

Rectangle Wall Mounted Lavatory - RH (Right-Hand)

Canvas White D20126100.415 602

dxv.com LIST PRICE GUIDE 2022-4





EQUILITY® 22" Lavatory

DIMENSIONS Nominal

22" x 18" x 8-9/16" (558 x 457 x 217 mm)

DIMENSIONS Bowl Inside

19-3/4" (501 mm) wide

12-3/8" (315 mm) front to back

5-1/2" (140 mm) depth

Fine fire clay. Ceramic drain cap. Works with any standard drain (drain not included). Hidden overflow.

Canvas White

D20075001.415

701



EQUILITY

33" Single-Hole Lavatory

DIMENSIONS Nominal

33" x 18" x 8-9/16" (838 x 457 x 217 mm)

DIMENSIONS Bowl Inside

19-1/4" (489 mm) wide

12" (306 mm) front to back

5-1/2" (140 mm) depth



Fine fire clay. Ceramic drain cap. Works with any standard drain (drain not included). Hidden overflow.

33" Single-Hole Lavatory

Canvas White

D20076001.415

877

33" Three-Hole Lavatory

Canvas White

D20076008.415

877



EQUILITY

47" Trough Lavatory

DIMENSIONS Nominal

46-3/4" x 17-7/16" x 8-9/16" (1187 x 443 x 217 mm)

DIMENSIONS Bowl Inside

44-1/2" (1130 mm) wide

11-13/16" (300 mm) front to back

5-1/2" (140 mm) depth

Fine fire clay. Ceramic drain cap. Works with any standard drain (drain not included). Hidden overflow.

47" Two Single-Hole Lavatory

Canvas White

D20077002.415

1,286

LIST PRICE GUIDE 2022-4



DXV MODULUS* 21" Lavatory

DIMENSIONS Nominal

21" x 21" x 4-1/8" (533 x 533 x 104 mm)

DIMENSIONS Bowl Inside

19" (480 mm) wide

15-3/8" (390 mm) front to back

3-3/4" (96 mm) depth

Solid surface material. Glossy white finish. For above counter installation.

Template included. Drain plate sold separately.

21" No-Hole Lavatory

Canvas White D21040021.415 688

21" Single-Hole Lavatory

Canvas White D21040021001.415 688

COMPONENT

Drain Plate

Canvas White D29005000.415 98



DXV MODULUS

36" Lavatory

DIMENSIONS Nominal

36" x 21" x 4-1/8" (915 x 533 x 104 mm

DIMENSIONS Bowl Inside

15" (380 mm) wide

15-3/8" (390 mm) front to back

3-3/4" (96 mm) depth

Solid surface material. Glossy white finish. For above counter installation.

Template included. Drain plate sold separately.

36" No-Hole Lavatory - LH (Left Hand)

Canvas White D21045036LH.415 917

36" Three-Hole Lavatory - LH (Left Hand)

Canvas White D21045036LH08.415 917

COMPONENT

Drain Plate

Canvas White D29005000.415 98

dxv.com LIST PRICE GUIDE 2022-4

30



DXV MODULUS*

36" Concrete Lavatory

DIMENSIONS Nominal

36" x 21" x 4-1/8" (915 x 533 x 104 mm)

DIMENSIONS Bowl Inside

15" (380 mm) wide

15-3/8" (390 mm) front to back

3-3/4" (96 mm) depth

Concrete. For above counter installation. Template included.

36" No-Hole Lavatory - LH (Left Hand)

Smoke Concrete D21050036LH.409 2,063

36" Three-Hole Lavatory - LH (Left Hand)

Smoke Concrete D21050036LH08.409 2,063



DXV MODULUS

55" Double Lavatory

DIMENSIONS Nominal

55" x 21" x 4-1/8" (1397 x 533 x 104 mm)

DIMENSIONS Bowl Inside

46" (1167 mm) wide

15-3/8" (390 mm) front to back

3-3/4" (96 mm) depth

Solid surface material. Glossy white finish. For above counter installation. Template included. Drain plate sold separately.

55" No-Hole Lavatory

Canvas White D21060055.415 1,489

55" Two Single-Hole Lavatory

Canvas White D21060055012.415 1,489

COMPONENT

Drain Plate

Canvas White D29005000.415 98

LIST PRICE GUIDE 2022-4 dxv.com



FITZGERALD® 24" Lavatory

DIMENSIONS Nominal

24" x 17-3/4" x 4" (609 x 452 x 100 mm)

DIMENSIONS Bowl Inside

17-11/16" (449 mm) wide

9-5/8" (244 mm) front to back

6-1/8" (155 mm) depth

Fine fire clay. Faucet ledge with integral soap recess. Recessed overflow.

For use with pedestal.

24" Three-Hole Lavatory

Canvas White D20030008.415 314

24" Single-Hole Lavatory

Canvas White D20030001.415 314



FITZGERALD 28" Lavatory

DIMENSIONS Nominal

28" x 22" x 4" (711 x 559 x 100 mm)

DIMENSIONS Bowl Inside

20-3/16" (512 mm) wide

12-5/16" (313 mm) front to back

6-1/8" (155 mm) depth

Fine fire clay. Faucet ledge with integral soap recess. Recessed overflow.

For use with console.

28" Three-Hole Lavatory

Canvas White D20015008.415 392

28" Single-Hole Lavatory

Canvas W hite D20015001.415 392



OAK HILL®

24" Three-Hole Lavatory

DIMENSIONS Nominal

24" x 22" x 5" (610 x 559 x 128 mm)

DIMENSIONS Bowl Inside

20" (510 mm) wide

14-5/8" (373 mm) front to back

4-7/8" (124 mm) depth

Fine fire clay. For use with console. Grid drain sold separately.

See page 66.

Canvas White D20161008.415 458

dxv.com LIST PRICE GUIDE 2022-4



OAK HILL*

30" Three-Hole Lavatory

DIMENSIONS Nominal

30" x 22" x 5" (762 x 559 x 128 mm)

DIMENSIONS Bowl Inside

26" (662 mm) wide

14-5/8" (373 mm) front to back

4-7/8" (124 mm) depth

Fine fire clay. For use with console or vanity. Grid drain sold separately.

Canvas White

D20160008.415

745



OAK HILL

30" Two-Hole Lavatory

DIMENSIONS Nominal

30-1/2" x 23" x 11" (775 x 585 x 280 mm)

DIMENSIONS Bowl Inside

26" (662 mm) wide

15-3/4" (400 mm) front to back

4-7/8" (124 mm) depth

Fine fire clay. Pre-drilled for two-hole faucet spread. For use with console or vanity. P-trap and grid drain sold separately. See page 66, 71.

Canvas White

D20155002.415

1,520



ST. GEORGE®

Three-Hole Lavatory

DIMENSIONS Nominal

23-3/4" x 20-1/8" x 6-5/8" (603 x 511 x 168 mm)

DIMENSIONS Bowl Inside

19-1/8" (486 mm) wide

12-7/16" (316 mm) front to back

5-7/8" (150 mm) depth

Vitreous china.

Canvas White

D20005008.415

450

314



WYATT*

24" Three-Hole Lavatory

DIMENSIONS Nominal

24" x 19-11/16" x 7" (610 x 500 x 180 mm)

DIMENSIONS Bowl Inside

16-5/16" (414 mm) wide

12" (305 mm) front-to-back

5-1/2" (140 mm) deep

Fine fire clay. For use with pedestal or console.

Canvas White D20010008.415

LIST PRICE GUIDE 2022-4 dxv.com





BELSHIRE"

Under Counter Lavatory*

DIMENSIONS Nominal

19" x 14-5/8" x 5-1/2" (485 x 371 x 140 mm)

DIMENSIONS Bowl Inside

17-3/8" (442 mm) wide

13" (328 mm) front to back

3-1/2" (89 mm) depth'

Made of vitreous china. Mounting kit included. Front overflow.

Drain sold separately.

Canvas White

D20205000.415

432





BOWEN*

Under Counter Lavatory*

DIMENSIONS Nominal

17-1/8" x 14-1/8" (435 x 359 mm)

DIMENSIONS Bowl Inside

15-1/16" (382 mm) wide

12-1/16" (306 mm) front to back

5-1/2" (140 mm) depth

Vitreous china.

Canvas White

D00495221.415

137





BOWEN

Under Counter Lavatory*

DIMENSIONS Nominal

19-1/4" x 16" (489 x 406 mm)

DIMENSIONS Bowl Inside

17" (432 mm) wide

14" (356 mm) front to back

5-5/8" (143 mm) depth

Vitreous china.

Canvas White

D00496221.415

137





POP*

Petite Oval Under Counter Lavatory

DIMENSIONS Nominal

17-5/8" x 12-5/8" x 7-1/2" (448 x 321 x 191 mm)

DIMENSIONS Bowl Inside

14-1/2" (368 mm) wide

9-1/2" (241 mm) front to back

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

Canvas White

D20115000.415

322



Oval Under Counter Lavatory

DIMENSIONS Nominal

20-5/8" x 14-5/8" x 7-1/2" (524 x 372 x 191 mm)

DIMENSIONS Bowl Inside

17-1/2" (444 mm) wide

11-1/2" (292 mm) front to back

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

350 Canvas White D20045000.415 Black D20045000.178 380



POP

Grande Oval Under Counter Lavatory

DIMENSIONS Nominal

23-5/8" x 16-5/8" x 7-1/2" (600 x 422 x 191 mm)

DIMENSIONS Bowl Inside

20-1/2" (520 mm) wide

13-1/2" (342 mm) front to back

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

Canvas White D20145000.415 380





POP

Petite Rectangle Under Counter Lavatory

DIMENSIONS Nominal

17-5/8" x 12-5/8" x 7-1/2" (448 x 321 x 191 mm)

DIMENSIONS Bowl Inside

14-1/2" (368 mm) wide

9-1/2" (241 mm) front to back

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

Canvas White D20110000.415 322





POP

Rectangle Under Counter Lavatory

DIMENSIONS Nominal

20-7/8" x 14-5/8" x 7-1/2" (531 x 371 x 191 mm)

DIMENSIONS Bowl Inside

17-3/4" (451 mm) wide

11-1/2" (292 mm) front to back

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

Canvas White D20050000.415 350 Black D20050000.178 380

LIST PRICE GUIDE 2022-4

POP*

Grande Rectangle Under Counter Lavatory



DIMENSIONS Nominal

23-5/8" x 16-5/8" x 7-1/2" (600 x 422 x 191 mm)

DIMENSIONS Bowl Inside

20-1/2" (520 mm) wide

13-1/2" (342 mm) front to back

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

Canvas White D20140000.415

380



POP

Petite Round Under Counter Lavatory



12-5/8" x 12-5/8" x 7-1/2" (321 x 321 x 191 mm)

DIMENSIONS Bowl Inside

9-1/2" (241 mm) diameter

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

Canvas White

D20120000.415





POP

Round Under Counter Lavatory

DIMENSIONS Nominal

14-5/8" x 14-5/8" x 7-1/2" (372 x 372 x 191 mm)

DIMENSIONS Bowl Inside

11-1/2" (292 mm) diameter

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

Canvas White D20055000.415

Black D20055000.178

380





POP

Grande Round Under Counter Lavatory

DIMENSIONS Nominal

16-5/8" x 16-5/8" x 7-1/2" (422 x 422 x 191 mm)

DIMENSIONS Bowl Inside

13-1/2" (342 mm) diameter

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

Canvas White D20135000.415





POP

Petite Square Under Counter Lavatory

DIMENSIONS Nominal

12-5/8" x 12-5/8" x 7-1/2" (321 x 321 x 191 mm)

DIMENSIONS Bowl Inside

9-1/2" (241 mm) wide

9-1/2" (241 mm) front to back

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

Canvas White D20105000.415 322

350

380

322





POP

Square Under Counter Lavatory

DIMENSIONS Nominal

14-5/8" x 14-5/8" x 7-1/2" (372 x 372 x 191 mm)

DIMENSIONS Bowl Inside

11-1/2" (292 mm) wide

11-1/2" (292 mm) front to back

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

 Canvas White
 D20060000.415
 350

 Black
 D20060000.178
 380





POP

Grande Square Under Counter Lavatory

DIMENSIONS Nominal

16-5/8" x 16-5/8" x 7-1/2" (422 x 422 x 191 mm)

DIMENSIONS Bowl Inside

13-1/2" (342 mm) wide

13-1/2" (342 mm) front to back

5-1/2" (140 mm) depth

Vitreous china. Front overflow. Drain sold separately.

Canvas White D20130000.415





WEBSTER*

Square Under Counter Lavatory*

DIMENSIONS Nominal

16" x 16" (405 x 405 mm)

DIMENSIONS Bowl Inside

14-3/16" (361 mm) wide

14-3/16" (361 mm) front to back

5-3/16" (132 mm) depth

Vitreous china.

Canvas White D00426000.415



WEBSTER

Rectangle Under Counter Lavatory*



DIMENSIONS Nominal

19-3/4" x 13-3/4" (502 x 350 mm)

DIMENSIONS Bowl Inside

18" (457 mm) wide

12" (305 mm) front to back

6-7/16" (164 mm) depth

Vitreous china.

Canvas White D00614000.415

326

380

282



POP*

Square Vessel Lavatory

DIMENSIONS Nominal

15" x 15" (380 x 380 mm)

5" (127 mm) height above counter

DIMENSIONS Bowl Inside

13-15/16" (354 mm) wide

13-15/16" (354 mm) front to back

4-1/2" (114 mm) deep

Fine fire clay. Ceramic drain cap. Without overflow. Works with any standard grid drain (drain not included).

Canvas White	D20085015.415	497
Matte Black	D20085015.059	556
Black	D20085015.178	556
Chenille Gray	D20085015.425	556



POP

Rectangle Vessel Lavatory

DIMENSIONS Nominal

22" x 15" (557 x 380 mm)

5" (127 mm) height above counter

DIMENSIONS Bowl Inside

20-7/8" (531 mm) wide

13-15/16" (354 mm) front to back

4-1/2" (114 mm) deep

Fine fire clay. Ceramic drain cap. Without overflow. Works with any standard grid drain (drain not included).

Canvas White	D20080022.415	526
Matte Black	D20080022.059	556
Black	D20080022.178	556
Chenille Gray	D20080022.425	556



POP

Round Vessel Lavatory

DIMENSIONS Nominal

15" (380 mm) diameter

5" (127 mm) height above counter

DIMENSIONS Bowl Inside

13-5/8" (346 mm) diameter

4-1/2" (114 mm) deep

Fine fire clay. Ceramic drain cap. Without overflow. Works with any standard grid drain (drain not included).

Canvas White	D20090015.415	497
Matte Black	D20090015.059	556
Black	D20090015.178	556
Chenille Gray	D20090015.425	556



BELSHIRE™ Grid Drain

Metal construction.

Polished Chrome	D35170460.100	124
Brushed Nickel	D35170460.144	143
Platinum Nickel	D35170460.150	143
Satin Brass	D35170460.427	186



CONTEMPORARY Decorative Bottle Trap

Polished Chrome	D35700030.100	203
Brushed Nickel	D35700030.144	234
Platinum Nickel	D35700030.150	234
Matte Black	D35700030.243	263



DXV MODULUS* Grid Drain

Polished Chrome	D35120460.100	86
Brushed Nickel	D35120460.144	112
Platinum Nickel	D35120460.150	112
Matte Black	D35120460.243	133



OAK HILL* Grid Drain with Decorative Cover

Polished Chrome	D35155040.100	257
Brushed Nickel	D35155040.144	297
Platinum Nickel	D35155040.150	297
Satin Brass	D35155040.427	324



TRADITIONAL Decorative P-Trap

Polished Chrome	D35700020.100	257
Brushed Nickel	D35700020.144	297
Platinum Nickel	D35700020.150	297
Carbon Bronze	D35700020.110	297
Satin Brass	D35700020.427	425

LIST PRICE GUIDE 2022-4 dxv.com



BELSHIRE™

Console

DIMENSIONS Nominal

36-1/2" x 22-1/2" x 30" (927 x 572 x 762 mm)

Brass cast metal console frame and glass shelf included. Marble console top, sink, decorative p-trap and grid drain all sold separately.

REQUIRED COMPONENTS		
Marble Top Console - No Hole Carrara Marble	D19080000.550	1,133
Marble Top Console - Three Hole Carrara Marble	D19080003.550	1,133
Console Frame Platinum Nickel Satin Brass	D21065000.150 D21065000.427	1,421 1,730
Undercounter Lavatory Canvas White	D20205000.415	432
OPTIONAL COMPONENT (sold s		
Traditional Decorative P-trap Platinum Nickel Satin Brass	D35700020.150 D35700020.427	297 425



EQUILITY*

33" Lavatory with Console

DIMENSIONS Nominal

33" x 18" x 36-3/16" (838 x 457 x 920 mm)

DIMENSIONS Bowl Inside

19-1/4" (489 mm) wide

12" (306 mm) front to back

5-1/2" (140 mm) depth

Fine fire clay. Ceramic drain cap. Works with any standard drain (drain not included). Metal console legs and sink sold separately.

REQUIRED COMPONENT	S	
33" Single-Hole Lavatory		
Canvas White	D20076001.415	877
33" Three-Hole Lavatory Canvas White	D20076008.415	877
Console Polished Chrome	D21035033.100	1,136
OPTIONAL COMPONENT	(sold separately)	
Contemporary Decorative	e Bottle Trap	
Polished Chrome	D35700030.100	203
Brushed Nickel	D35700030.144	234
Platinum Nickel	D35700030.150	234



FITZGERALD* 28" Lavatory with Console

DIMENSIONS Nominal

28" x 22" x 35-1/4" (711 x 559 x 895 mm)

DIMENSIONS Bowl Inside

20-1/8" (511 mm) wide

12-5/16" (313 mm) front to back

6-1/8" (155 mm) depth

Fine fire clay. 8" faucet spread. Metal console legs. P-trap and sink sold separately.

REQUIRED COMPONENTS		
28" Three-Hole Lavatory		
Canvas White	D20015008.415	392
28" Single-Hole Lavatory		
Canvas White	D20015001.415	392
Console		
Polished Chrome	D21410128.002	1,001
Polished Nickel	D21410128.008	1,191
Brushed Nickel	D21410128.295	1,191
Traditional Decorative P-Tra	p (optional component - sold sepa	arately)
Polished Chrome	D35700020.100	257
Brushed Nickel	D35700020.144	297
Platinum Nickel	D35700020.150	297

dxv.com





30" Two-Hole Lavatory with Console

DIMENSIONS Nominal

30" x 22" x 41-1/16" (762 x 559 x 1043 mm)

DIMENSIONS Bowl Inside

26" (662 mm) wide

15-3/4" (400 mm) front to back

4-7/8" (124 mm) depth

Fine fire clay. Pre-drilled for two-hole faucet spread. Metal console legs.

P-trap and grid drain sold separately.

REQUIRED COMPONENTS		
Two-Hole Lavatory		
Canvas White	D20155002.415	1,520
30" Console		
Polished Chrome	D21411030.100	1,299
Brushed Nickel	D21411030.144	1,494
Platinum Nickel	D21411030.150	1,494
Satin Brass	D21411030.427	1,867
OPTIONAL COMPONENTS	(sold separately)	
Decorative Grid Drain Asse	mbly	
Polished Chrome	D35155040.100	257
Brushed Nickel	D35155040.144	297
Platinum Nickel	D35155040.150	297
Satin Brass	D35155040.427	324
Traditional Decorative P-Tra	р	
Polished Chrome	D35700020.100	257
Brushed Nickel	D35700020.144	297
Platinum Nickel	D35700020.150	297
Carbon Bronze	D35700020.110	297
Satin Brass	D35700020.427	425
Marble Shelf		
White Carrara	D19006000.550	324



30" Lavatory with Console

DIMENSIONS Nominal

30" x 22" x 35" (762 x 559 x 889 mm)

DIMENSIONS Bowl Inside

26" (662 mm) wide

14-5/8" (373 mm) front to back

4-7/8" (124 mm) depth

Fine fire clay. Metal console legs. P-trap and grid drain sold separately.

REQUIRED COMPONENTS		
30" Three-Hole Lavatory		
Canvas White	D20160008.415	745
Console		
Polished Chrome	D21411030.100	1,299
Brushed Nickel	D21411030.144	1,494
Platinum Nickel	D21411030.150	1,494
Satin Brass	D21411030.427	1,867
Decorative Grid Drain Asse Polished Chrome Brushed Nickel Platinum Nickel		257 297 297
Satin Brass	D35155040.427	324
Traditional Decorative P-Tra	ар	
Polished Chrome	D35700020.100	257
Brushed Nickel	D35700020.144	297
Platinum Nickel	D35700020.150	297
Carbon Bronze	D35700020.110	297
Satin Brass	D35700020.427	425

LIST PRICE GUIDE 2022-4 dxv.com



24" Lavatory with Console

DIMENSIONS Nominal

24" x 22" x 35" (609 x 558 x 889 mm)

DIMENSIONS Bowl Inside

20" (510 mm) wide

14-5/8" (373 mm) front to back

4-7/8" (124 mm) depth

Fine fire clay. Metal console legs. P-trap and grid drain sold separately.

REQUIRED COMPONENTS		
24" Three-Hole Lavatory		
Canvas White	D20161008.415	458
Console		
Polished Chrome	D21411024.100	970
Brushed Nickel	D21411024.144	1,117
Platinum Nickel	D21411024.150	1,117
Satin Brass	D21411024.427	1,395
OPTIONAL COMPONENTS	(sold separately)	
Decorative Grid Drain Asse	mbly	
Polished Chrome	D35155040.100	257
Brushed Nickel	D35155040.144	297
Platinum Nickel	D35155040.150	297
Satin Brass	D35155040.427	324
Traditional Decorative P-Tra	ар	
Polished Chrome	D35700020.100	257
Brushed Nickel	D35700020.144	297
Platinum Nickel	D35700020.150	297
Carbon Bronze	D35700020.110	297
Satin Brass	D35700020.427	425



ST. GEORGE®

Lavatory with Console

DIMENSIONS Nominal

23-13/16" x 19-7/8" x 35" (605 x 505 x 889 mm)

DIMENSIONS Bowl Inside

19-1/8" (486 mm) wide

12-7/16" (316 mm) front to back

5-7/8" (150 mm) depth

Vitreous china. 8" faucet spread. Metal console legs. P-Trap and sink sold separately.

REQUIRED COMPONENTS		
Three-Hole Console Lavato	ry	
Canvas White	D20150008.415	450
Console		
Polished Chrome	D19000024.002	1,488
Polished Nickel	D19000024.008	1,785
OPTIONAL COMPONENTS	(sold separately)	
Traditional Decorative P-T	rap	
Polished Chrome	D35700020.100	257
Brushed Nickel	D35700020.144	297
Platinum Nickel	D35700020.150	297
Carbon Bronze	D35700020.110	297
Carbon bronze		



WYATT*

24" Lavatory with Console

DIMENSIONS Nominal

24" x 19-11/16" x 35-5/8" (610 x 500 x 905 mm)

DIMENSIONS Bowl Inside

16-5/16" (414 mm) wide

12" (305 mm) front-to-back

5-1/2" (140 mm) deep

Fine fire clay. 8" faucet spread. Metal console table with glass shelf. P-Trap and sink sold separately.

REQUIRED COMPONENTS		
24" Three-Hole Lavatory		
Canvas White	D20010008.415	314
Console Table with Glass SI	helf	
Polished Chrome	D21460024.002	1,136
Brushed Nickel	D21460024.295	1,364
OPTIONAL COMPONENTS	(sold separately)	
Contemporary Decorative B	Bottle Trap	
Polished Chrome	D35700030.100	203
Brushed Nickel	D35700030.144	234
Platinum Nickel	D35700030.150	234

LIST PRICE GUIDE 2022-4 dxv.com



BELSHIRE™

Natural Oak Vanity

DIMENSIONS Nominal

30" x 22" x 36" (762 x 559 x 914 mm)

Metal drawer pulls included. Slow close hardware. Marble vanity top, sink and vanity legs all sold separately.

REQUIRED COMPONENTS		
Oak Vanity Natural Oak	D19085030.414	2,050
30" Marble Vanity Top - No Hole Carrara Marble	D19090000.550	876
30" Marble Vanity Top - Three Hole Carrara Marble	D19090003.550	876
Vanity Legs Platinum Nickel	D19087000.150	767
Rectangle Undercounter Lavatory Canvas White	D20205000.415	432



BELSHIRE

Walnut Vanity

DIMENSIONS Nominal

30" x 22" x 36" (762 x 559 x 914 mm)

Hidden storage drawer. Metal drawer pulls and handles included. Slow close hardware. Marble vanity top, sink and vanity legs all sold separately.

REQUIRED COMPONENTS		
Walnut Vanity Warm Walnut	D19086030.329	2,261
30" Marble Vanity Top - No Hole Carrara Marble	D19090000.550	876
30" Marble Vanity Top - Three Hole Carrara Marble	D19090003.550	876
Vanity Legs Satin Brass	D19087000.427	850
Rectangle Undercounter Lavatory Canvas White	D20205000.415	432



DXV MODULUS*

36" Lavatory with Vanity

DIMENSIONS Nominal

36" x 21" x 26" (914 x 553 x 660 mm)

DIMENSIONS Bowl Inside

15" (380 mm) wide

15-3/8" (390 mm) front to back

3-3/4" (96 mm) depth

Natural oak veneers. Slow-close hardware. Nubuck tab handles included.

Sink sold separately.



REQUIRED COMPONENTS

36" No-Hole Lavatory		
Canvas White	D21045036LH.415	917

36" No-Hole Lavatory - Left-Hand

Smoke Concrete D21050036LH.409 2,063

36" Three-Hole Lavatory

Canvas White D21045036LH08.415 917

36" Three-Hole Lavatory - Left-Hand

2,063 Smoke Concrete D21050036LH08.409

Vanity

D19075036LH.414 1,697 Natural Oak

OPTIONAL COMPONENTS (sold separately)

Vanity Legs

Polished Chrome

D19076000.100

414



DXV MODULUS

36" Wall Mounted Drawer Unit

DIMENSIONS Nominal

36" x 22" x 8-1/2" (915 x 533 x 218 mm)

Natural oak veneers. Slow-close hardware. Nubuck tab handles included.

Natural Oak

D19025036.414

1,379

OPTIONAL COMPONENTS (sold separately)

Vanity Tray

Canvas White

D1906000.415

264



DXV MODULUS

Countertop Slab - Single

DIMENSIONS Nominal

75" x 22-3/4" x 2" (1905 x 578 x 51 mm)

Natural Oak

D19035075SS.414

902

1,061



DXV MODULUS

Countertop Slab - Double

DIMENSIONS Nominal

90" x 22-3/4" x 2" (2286 x 578 x 51 mm)

Natural Oak D19040090DS.414

LIST PRICE GUIDE 2022-4 dxv.com



OAK HILL*

Lavatory with Vanity

DIMENSIONS Nominal

30-1/2" x 23" x 41-1/8" (775 x 585 x 1044 mm)

DIMENSIONS Bowl Inside

26" (662 mm) wide

15-3/4" (400 mm) front to back

4-7/8" (124 mm) depth

Solid wood with a distressed white finish. Storage shelf with a pull-out drawer. Cast brass handles in Polished Chrome included. Alternate handle finishes and sink sold separately.

REQUIRED COMPONENTS		
Two-Hole Lavatory Canvas White	D20155002.415	1,520
30" Three-Hole Lavatory Canvas White	D20160008.415	745
Vanity White Oak	D19010030.620	1,623
OPTIONAL COMPONENTS	(sold separately)	
Decorative Grid Drain Asse	mbly	
Polished Chrome	D35155040.100	257
Brushed Nickel	D35155040.144	297
Platinum Nickel	D35155040.150	297
Satin Brass	D35155040.427	324
Marble Shelf		
White Carrara	D19006000.550	324
Vanity Door Handles		
Brushed Nickel	770217-201.1440A	49
Platinum Nickel	770217-201.1500A	49
Satin Brass	770217-201.4270A	58



Lavatory with Vanity

DIMENSIONS Nominal

30-1/2" x 23" x 41-1/8" (775 x 585 x 1044 mm)

DIMENSIONS Bowl Inside

26" (662 mm) wide

15-3/4" (400 mm) front to back

4-7/8" (124 mm) depth

Solid wood with tin panel doors. Storage shelf with a pull-out drawer. Cast brass handles in Brushed Nickel included. Alternate handle finishes and sink sold separately.

COMPONENTS		
Two-Hole Lavatory Canvas White	D20155002.415	1,520
30" Three-Hole Lavatory Canvas White	D20160008.415	745
Vanity Weathered Oak	D19010030.239	1,785
OPTIONAL COMPONENTS	(sold separately)	
Decorative Grid Drain Asse	mbly	
Polished Chrome	D35155040.100	257
Brushed Nickel	D35155040.144	297
Platinum Nickel	D35155040.150	297
Satin Brass	D35155040.427	324
Marble Shelf		
White Carrara	D19006000.550	324
Vanity Door Handles		
Brushed Nickel	770217-201.1440A	49
Platinum Nickel	770217-201.1500A	49
Satin Brass	770217-201.4270A	58

LIST PRICE GUIDE 2022-4 dxv.com

264

1,591



DXV MODULUS*

Vanity Tray

DIMENSIONS Nominal

10" x 16-1/2" x 3/4" (254 x 420 x 19 mm)

Solid surface material.

Canvas White D1906000.415



DXV MODULUS

Mirror - Single

DIMENSIONS Nominal

36" x 20" x 1-1/2" (915 x 510 x 40 mm)

LED backlit. Vertical or horizontal installation.

Mirror - Single D19050036.191

050036.191 1,273



DXV MODULUS

Mirror - Double

DIMENSIONS Nominal

49-3/16" x 20-1/16" x 1-9/16" (1250 x 510 x 40 mm)

LED backlit. Vertical or horizontal installation.

Mirror - Double D19055049.191



DXV MODULUS

LED Pendant Light

DIMENSIONS Nominal

2-1/2" x 2-1/2" x 88-20" (65 x 65 x 2235 x 510 mm)

Shiny opal glass diffuser. LED module: 10w, 3000k, 850 lumens, 120v.

Adjustable height.

Polished Chrome	D19070000.100	457
Brushed Nickel	D19070000.144	594
Platinum Nickel	D19070000.150	594
Matte Black	D19070000.243	703



OAK HILL®

Mirror

DIMENSIONS Nominal

18" x 30" x 2" (457 x 762 x 51 mm)

Solid wood frame. Vertical or horizontal installation.

 White Oak
 D19005000.620
 569

 Weathered Oak
 D19005000.239
 623



OAK HILL Marble Shelf

DIMENSIONS Nominal

30" x 4-1/4" x 5/8" (762 x 108 x 16 mm)

White Carrara D19006000.550

LIST PRICE GUIDE 2022-4

324





ASHBEE

Widespread Lavatory Faucet with Cross Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.
Includes white porcelain index buttons only.

Maximum flow rate: 1.2 gpm (4.5 L/min).

 Polished Chrome
 D3510184C.100
 683

 Brushed Nickel
 D3510184C.144
 786

 Platinum Nickel
 D3510184C.150
 786



ASHBEE

Widespread Lavatory Faucet with Lever Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Maximum flow rate: 1.2 gpm (4.5 L/min).

 Polished Chrome
 D3510180C.100
 683

 Brushed Nickel
 D3510180C.144
 786

 Platinum Nickel
 D3510180C.150
 786



ASHBEE

Three-Hole Bidet Faucet with Cross Handles

Cast brass side valves. Ceramic disc valve cartridges. Includes white porcelain index buttons only.

 Polished Chrome
 D35101334.100
 848

 Brushed Nickel
 D35101334.144
 976

 Platinum Nickel
 D35101334.150
 976



ASHBEE

Three-Hole Bidet Faucet with Lever Handles

Cast brass side valves. Ceramic disc valve cartridges.

 Polished Chrome
 D35101330.100
 848

 Brushed Nickel
 D35101330.144
 919

 Platinum Nickel
 D35101330.150
 976

LIST PRICE GUIDE 2022-4





ASHBEE

Deck Mount Tub Filler with Hand Shower and Cross Handles

Cast brass spout and side valves. Ceramic disc valve cartridges. White porcelain index buttons included.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

D3510194C.100 Polished Chrome 924 D3510194C.144 1,063 Brushed Nickel Platinum Nickel D3510194C.150 1,063



ASHBEE

Deck Mount Tub Filler with Hand Shower and Lever Handles



Cast brass spout and side valves. Ceramic disc valve cartridges.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min). Polished Chrome D3510190C.100 924 1,063 Brushed Nickel D3510190C.144 1.063 Platinum Nickel D3510190C.150



TRADITIONAL

Floor Mount Tub Filler with Ashbee Cross Handles

DIMENSIONS Nominal

28-7/8" (733 mm) floor to center of handle

Rough valve included. White porcelain index buttons included.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

2,285 Polished Chrome D3510196C.100 Brushed Nickel D3510196C.144 2,628 Platinum Nickel D3510196C.150 2,628



TRADITIONAL

Floor Mount Tub Filler with Ashbee Lever Handles



DIMENSIONS Nominal

28-7/8" (733 mm) floor to center of handle

Rough valve included.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome 2,285 D3510195C.100 Brushed Nickel D3510195C.144 2,628 Platinum Nickel D3510195C.150 2,628









Pressure Balance Shower Valve Trim with Cross Handle

White porcelain index buttons included.

Polished Chrome	D35101F40.100	329
Brushed Nickel	D35101F40.144	379
Platinum Nickel	D35101F40.150	379

ASHBEE

Pressure Balance Shower Valve Trim with Lever Handle

Polished Chrome	D35101F00.100	329
Brushed Nickel	D35101F00.144	379
Platinum Nickel	D35101F00.150	379

Flash Shower Rough-In Valve (required component)

DZR brass valve. Ceramic disc valve cartridge.

Unfinished D35101SS0.191 97

ASHBEE

3/2 or 4/3 Diverter Valve Trim - Cross Handle

White porcelain index button included.

Polished Chrome	D35101430.100	197
Brushed Nickel	D35101430.144	228
Platinum Nickel	D35101430.150	228



3/2 or 4/3 Diverter Valve Trim - Lever Handle

Polished Chrome	D35101434.100	197
Brushed Nickel	D35101434.144	228
Platinum Nicket	D35101434.150	228

3/2 Port Diverter Rough Valve (required component)


Directs water flow between two outlets.

Unfinished D35000420.191 Shared Functions 222

4/3 Port Diverter Rough Valve (required component)

Directs water flow between three outlets.

Unfinished D35000430.191 Shared Functions 252



LIST PRICE GUIDE 2022-4

53



ASHBEE

Personal Shower Set with Hand Shower

24" adjustable slide bar with metal hose, hand shower and wall elbow.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

441 Polished Chrome D3510178C.100 Brushed Nickel D3510178C.144 506 506 Platinum Nickel D3510178C.150



TRADITIONAL

5-Function Hand Shower

Five spray functions.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3510778C.100 175 Brushed Nickel D3510778C.144 202 Platinum Nickel D3510778C.150 202





TRADITIONAL

8" Rain Can Showerhead

1/2" NPT. Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3570010C.100 406 Brushed Nickel D3570010C.144 468 Platinum Nickel D3570010C.150 468 Carbon Bronze D3570010C.110 468 Satin Brass D3570010C.427 568



TRADITIONAL

10" Rain Can Showerhead

1/2" NPT. Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

Polished Chrome D35700110.100 611 Brushed Nickel 703 D35700110.144 Platinum Nickel D35700110.150 703 Carbon Bronze 703 D35700110.110

LIST PRICE GUIDE 2022-4 dxv.com





SHEPHERD'S HOOK Shower Arm

Compatible with all showerheads. 1/2" NPT.

12" Shower Arm

Polished Chrome	D35701312.100	161
Brushed Nickel	D35701312.144	184
Platinum Nickel	D35701312.150	184
Satin Brass	D35701312.427	224

16" Shower Arm

Polished Chrome	D35701316.100	181
Brushed Nickel	D35701316.144	209
Platinum Nickel	D35701316.150	209
Carbon Bronze	D35701316.110	209





ASHBEE

Multifunction Showerhead

Three spray functions: full, aerated and massage. 1/2" NPT.



Maximum flow rate: 1.8 gpm (6.8 L/min).

D3510177C.100	237
D3510177C.144	273
D3510177C.150	273
	D3510177C.144



ASHBEE Wall Tub Spout

Cast brass. Includes 1/2" NPT adapter for 1/2" or 3/4" installation.

Polished Chrome	D35101760.100	196
Brushed Nickel	D35101760.144	226
Platinum Nickel	D35101760.150	226



ASHBEE 6" Towel Ring

Solid brass. Concealed mounting.

 Polished Chrome
 D35101190.100
 129

 Brushed Nickel
 D35101190.144
 149

 Platinum Nickel
 D35101190.150
 149



ASHBEE 24" Towel Bar

Solid brass. Concealed mounting.

 Polished Chrome
 D35101240.100
 165

 Brushed Nickel
 D35101240.144
 189

 Platinum Nickel
 D35101240.150
 189



ASHBEE Tissue Holder

Solid brass. Concealed mounting.

 Polished Chrome
 D35101235.100
 129

 Brushed Nickel
 D35101235.144
 149

 Platinum Nickel
 D35101235.150
 149



ASHBEE

2-Post Tissue Holder

Solid brass. Concealed mounting.

 Polished Chrome
 D35101230.100
 129

 Brushed Nickel
 D35101230.144
 149

 Platinum Nickel
 D35101230.150
 149



ASHBEE Robe Hook

Solid brass. Concealed mounting.

 Polished Chrome
 D35101210.100
 77

 Brushed Nickel
 D35101210.144
 88

 Platinum Nickel
 D35101210.150
 88

LIST PRICE GUIDE 2022-4





BELSHIRE

High Spout Widespread Lavatory Faucet

Cast brass spout and side valves. Ceramic disc valve cartridges. HIgh spout is interchangable with all 3 handle designs. Grid drain included with faucet. All handles sold separately.

Maximum flow rate: 1.2 gpm (4.5 Lpm).

High Spou	Widespread	Faucet
-----------	------------	--------

	ngii spout widespread i adcet		
F	Polished Chrome	D35170820.100	720
Е	Brushed Nickel	D35170820.144	829
F	Platinum Nickel	D35170820.150	829
S	Satin Brass	D35170820.427	1,081
L	ever Handles 🕒		
F	Polished Chrome	D35170801.100	309
Е	Brushed Nickel	D35170801.144	356
F	Platinum Nickel	D35170801.150	356
S	Satin Brass	D35170801.427	464
(Cross Handles		
F	Polished Chrome	D35170802.100	309
Е	Brushed Nickel	D35170802.144	356
F	Platinum Nickel	D35170802.150	356
S	Satin Brass	D35170802.427	464
(Cushion Handles		
F	Polished Chrome	D35170803.100	309
Е	Brushed Nickel	D35170803.144	356
F	Platinum Nickel	D35170803.150	356
	Satin Brass	D35170803.427	464





BELSHIRE

Low Spout Widespread Lavatory Faucet

Cast brass spout and side valves. Ceramic disc valve cartridges. Low spout is interchangable with all 3 handle designs. Grid drain included with faucet. All handles sold separately.

Maximum flow rate: 1.2 gpm (4.5 Lpm).

CEC and CALGreen® compliant.

Low Spout Widespread Faucet

Low Spout WideSpieda i dacet		
Polished Chrome	D35170810.100	617
Brushed Nickel	D35170810.144	710
Platinum Nickel	D35170810.150	710
Satin Brass	D35170810.427	926
Lever Handles 🖔		
Polished Chrome	D35170801.100	309
Brushed Nickel	D35170801.144	356
Platinum Nickel	D35170801.150	356
Satin Brass	D35170801.427	464
Cross Handles		
Polished Chrome	D35170802.100	309
Brushed Nickel	D35170802.144	356
Platinum Nickel	D35170802.150	356
Satin Brass	D35170802.427	464
Cushion Handles		
Polished Chrome	D35170803.100	309
Brushed Nickel	D35170803.144	356
Platinum Nickel	D35170803.150	356
Satin Brass	D35170803.427	464



OPTIONAL COMPONENTS FOR BOTH HIGH SPOUT AND LOW SPOUT FAUCETS

Pop-Up Drain		
Polished Chrome	M953456-0020A	72
Brushed Nickel	M953456-0295A	84
Platinum Nickel	M953456-1500A	199
Satin Brass	M953456-4270A	175





BELSHIRE

Wall Mount Tub Filler

Brass handles. Includes double check valves. Rough-in valve sold separately



Maximum tub filler flow rate: 4.1 gpm (15.5 L/min).

Lever Handles

Polished Chrome	D35170980.100	1,422
Brushed Nickel	D35170980.144	1,635
Platinum Nickel	D35170980.150	1,990
Satin Brass	D35170980.427	2,133

REQUIRED COMPONENTS

Wall Mount Tub Filler Rough Valve

Cast brass valve. Cast brass valve. Ceramic disc valve cartridge.

Flow rate: 4.1 gpm (15.5 L/min) at 45 psi.

Unfinished D35000981.191 1,078





BELSHIRE

Personal Hand Shower with Adjustable Wall Mounted Bar

30" adjustable slide bar with metal hose, hand shower and wall elbows.

Maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D35170780.100
 639

 Brushed Nickel
 D35170780.144
 735

 Platinum Nickel
 D35170780.150
 735

 Satin Brass
 D35170780.427
 958



TRADITIONAL

Single Function Hand Shower

Includes flow restrictor and check valve.

Maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D35170781.100
 205

 Brushed Nickel
 D35170781.144
 236

 Platinum Nickel
 D35170781.150
 236

 Satin Brass
 D35170781.427
 308









Cast brass valve with built-in check stops. Ceramic disc valve cartridge. Includes one-piece cartridge.



Lever Handle (5) Polished Chrome Brushed Nickel Platinum Nickel Satin Brass	D35170500.100 D35170500.144 D35170500.150 D35170500.427	387 444 444 580
Cross Handle Polished Chrome Brushed Nickel Platinum Nickel Satin Brass	D35170520.100 D35170520.144 D35170520.150 D35170520.427	387 444 444 580
Cushion Handle Polished Chrome Brushed Nickel Platinum Nickel Satin Brass	D35170540.100 D35170540.144 D35170540.150 D35170540.427	387 444 444 580



Flash Shower Rough-In Valve (required component)

DZR brass valve. Ceramic disc valve cartridge.

Unfinished D35101SS0.191 97



BELSHIRE 3/2 or 4/3 Diverter Valve Trim

Brushed Nickel







Platinum Nickel	D35170434.150	375
Satin Brass	D35170434.427	490
Cushion Handle		
Polished Chrome	D35170437.100	327
Brushed Nickel	D35170437.144	375
Platinum Nickel	D35170437.150	375
Satin Brass	D35170437.427	490

D35170434.144

375

3/2 Port Diverter Rough Valve (required component)

Directs water flow between two outlets.

Unfinished D35000420.191 Shared Functions 222

4/3 Port Diverter Rough Valve (required component)

Directs water flow between three outlets.

Unfinished D35000430.191 Shared Functions 252

LIST PRICE GUIDE 2022-4 dxv.com

750







BELSHIRE

2-Handle Thermostatic Valve Trim

Forged brass trim. Metal handles.

Lever Handles 🖔

Polished Chrome	D35170527.100	500
Brushed Nickel	D35170527.144	575
Platinum Nickel	D35170527.150	575
Satin Brass	D35170527.427	750
Cross Handles		
Polished Chrome	D35170528.100	500
Brushed Nickel	D35170528.144	575
Platinum Nickel	D35170528.150	575

Cushion Handles

Satin Brass

D35170529.100	500
D35170529.144	575
D35170529.150	575
D35170529.427	750
	D35170529.144 D35170529.150

D35170528.427

2-Handle Thermostatic Rough Valve with Volume Control (required component) Forged brass thermostatic valve with 1/2" volume control with check stops. For use with 1 shower outlet.

Unfinished D35005511.191 410

2-Handle Thermostatic Rough Valve with 2-Way Diverter (required component) Forged brass thermostatic valve with 2-way diverter with check stops. For use with 2 shower outlets.

Unfinished	D35005522.191 Discrete (Non-shared) Functions	432
Unfinished	D35005522S.191 Shared Functions	432

2-Handle Thermostatic Rough Valve with 3-Way Diverter (required component)

Forged brass thermostatic valve with 3-way diverter with check stops.

For use with 3 shower outlets.

Unfinished	D35005523.191 Discrete (Non-shared) Functions	456
Unfinished	D35005523S.191 Shared Functions	456







BELSHIRE

3-Handle Thermostatic Valve Trim

Forged brass trim. Metal handles.

Lever	Handles	(5)
	rianianos	

Polished Chrome	D35170537.100	545
Brushed Nickel	D35170537.144	627
Platinum Nickel	D35170537.150	627
Satin Brass	D35170537.427	818

Cross Handles

CIO33 Hallales		
Polished Chrome	D35170538.100	545
Brushed Nickel	D35170538.144	627
Platinum Nickel	D35170538.150	627
Satin Brass	D35170538.427	818

Cushion Handles

Polished Chrome	D35170539.100	545
Brushed Nickel	D35170539.144	627
Platinum Nickel	D35170539.150	627
Satin Brass	D35170539.427	818

3-Handle Thermostatic Rough Valve with 2 Volume Controls (required component) Forged brass thermostatic valve with 3/4" volume controls with check stops.

For use with 2 shower outlets.

Unfinished D35005532.191 862

3-Handle Thermostatic Rough Valve with 2-Way Diverter (required component) Forged brass thermostatic valve with 3/4" volume controls and 2-way diverter with check stops. For use with 3 shower outlets.

Unfinished	D35005533.191 Discrete (Non-shared) Functions	873
Unfinished	D35005533S.191 Shared Functions	873





TRADITIONAL 6" Showerhead

1/2" NPT. Made of brass material. Includes shower arm.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome	D35170106.100	365
Brushed Nickel	D35170106.144	420
Platinum Nickel	D35170106.150	420
Satin Brass	D35170106.427	547

LIST PRICE GUIDE 2022-4 dxv.com



BELSHIRE

Wall Diverter Tub Spout

Includes universal adapter for slip-on, sweat and IPS connection for 1/2" installation. Pull-up diverter tub spout.

Polished Chrome	D35170761.100	308
Brushed Nickel	D35170761.144	355
Platinum Nickel	D35170761.150	355
Satin Brass	D35170761.427	463



BELSHIRE Tub Spout

Includes universal adapter for slip-on, sweat and IPS connection for $1/2^{\prime\prime}$ installation.

Polished Chrome	D35170760.100	308
Brushed Nickel	D35170760.144	355
Platinum Nickel	D35170760.150	355
Satin Brass	D35170760.427	463



BELSHIRE 24" Towel Bar

Metal construction. Concealed mounting.

Polished Chrome	D35170240.100	289
Brushed Nickel	D35170240.144	332
Platinum Nickel	D35170240.150	332
Satin Brass	D35170240.427	433



BELSHIRE 18" Towel Bar

Metal construction. Concealed mounting.

D35170180.100	258
D35170180.144	297
D35170180.150	297
D35170180.427	387
	D35170180.144 D35170180.150



BELSHIRE Towel Arm

Metal construction. Concealed mounting.

Polished Chrome	D35170190.100	205
Brushed Nickel	D35170190.144	230
Platinum Nickel	D35170190.150	230
Satin Brass	D35170190.427	308



BELSHIRE

Tissue Holder

Metal construction. Concealed mounting.

Polished Chrome	D35170235.100	205
Brushed Nickel	D35170235.144	236
Platinum Nickel	D35170235.150	236
Satin Brass	D35170235.427	308

62



BELSHIRE Robe Hook

Metal construction. Concealed mounting.

Polished Chrome	D35170210.100	140
Brushed Nickel	D35170210.144	160
Platinum Nickel	D35170210.150	160
Satin Brass	D35170210.427	210



BELSHIRE Grid Drain

Metal construction.

Polished Chrome	D35170460.100	124
Brushed Nickel	D35170460.144	143
Platinum Nickel	D35170460.150	143
Satin Brass	D35170460.427	186

LIST PRICE GUIDE 2022-4 dxv.com

BELSHIRE Thermostatic Shower System with 3 Body Sprays and Personal Shower Set with Hand Shower

SYSTEM 1



BELSHIRE SHOWER SYSTEM 1: Allows ALL outlets to be ON (showerhead, body sprays and hand shower) at the same time.

	Topocomo de la composição Composição de Comp	Subtotal: S	elect only one (1 or 2)	873
2	3-Handle Thermostatic Rough Valve with 2-Way Diverter and One Volume Control (Shared Functions)	1	D35005533S.191	873
OR				
1	3-Handle Thermostatic Rough Valve with 2-Way Diverter and One Volume Control (Discrete Functions)	1	D35005533.191	873
	components (not shown above): Select one of the two options below			
			Subtotal A-D	1,999
D	BELSHIRE Personal Shower Set with Hand Shower (1.8 gpm)	1	D35170780.100	639
С	BELSHIRE 3-Handle Thermostatic Valve Trim	1	D35170537.100	545
В	ROUND Multifunction Body Spray (3) (1.8 gpm each)	3 @ 150	D3570040C.100	450
Α	TRADITIONAL 6" Showerhead (1.8 gpm)	1 1	D35170106.100	365

See the complete listing of component options for product details.


BELSHIRE Thermostatic Shower System with Personal Shower Set with **Hand Shower**

SYSTEM 2

BELSHIRE Thermostatic Shower System with 4 Body Sprays

SYSTEM 3





BELSHIRE SHOWER SYSTEM 2: C1 Allows ONE outlet to be ON (showerhead or hand shower) at one time. C2 Allows ALL outlets to be ON (showerhead and hand shower) at the same time.

Α	TRADITIONAL 6" Showerhead (1.8 gpm)	1	D35170106.100	365
В	BELSHIRE 2-Handle Thermostatic Valve Trim	1	D35170529.100	500
С	BELSHIRE Personal Shower Set with Hand Shower (1.8 gpm)	1	D35170780.100	639
			Subtotal A-D	1,504
quire	d components (not shown above): Select one of the two options below		;	
quire	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete Functions)	1	D35005522.191	432
quire 0R 2	· · · · · · · · · · · · · · · · · · ·	1	D35005522.191 D35005522S.191	432 432
quire OR 2	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete Functions)	1 1 Subtotal:		432 432 432

BELSHIRE SHOWER SYSTEM 3: C1 Allows **ONE** outlet to be **ON** (showerhead or side sprays) at one time.

	emponents shown are suggestions only. Check local building code requirements.		Select only one (1 or 2) WER SYSTEM 3 TOTAL	432
2	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared Functions)	1	D35005522S.191	432
1 OP	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete Functions)	1	D35005522.191	432
equired	components (not shown above): Select one of the two options below		Subtotal A-D	1,465
C	ROUND Multifunction Body Spray (4) (1.8 gpm each)	4 @ 150	D3570040C.100	600
		40.150		
В	BELSHIRE 2-Handle Thermostatic Valve Trim	1	D35170529.100	500
Α	TRADITIONAL 6" Showerhead (1.8 gpm)	1	D35170106.100	365

See the complete listing of component options for product details.



EQUILITY

Widespread Lavatory Faucet

Cast brass spout. Ceramic disc valve cartridges.



Maximum flow rate: 1.2 gpm (4.5 L/min).



Polished Chrome	D35109800.100	673
Brushed Nickel	D35109800.144	808
Platinum Nickel	D35109800.150	808
Matte Black	D35109800.243	943





EQUILITY Single Lever Lavatory Faucet

Cast brass spout. Ceramic disc valve cartridge.



Maximum flow rate: 1.2 gpm (4.5 L/min).



Polished Chrome 580 D3510910C.100 Brushed Nickel D3510910C.144 698 Matte Black D3510910C.243 812





EQUILITY

Single Lever Lavatory Faucet with Grid Drain

Cast brass spout. Ceramic disc valve cartridge.



Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35109152.100 580 Brushed Nickel 698 D35109152.144 Matte Black D35109152.243 812





EQUILITY Vessel Faucet

Cast brass spout. Ceramic disc valve cartridge.



Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510915C.100 592 Brushed Nickel 710 D3510915C.144 Matte Black D3510915C.243 827





EQUILITY

Vessel Faucet with Grid Drain

Cast brass spout. Ceramic disc valve cartridge.



Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35109151.100 Brushed Nickel D35109151.144 Matte Black D35109151.243

LIST PRICE GUIDE 2022-4

592

710

827



EQUILITY

Deck Mount Tub Filler with Hand Shower

Cast brass spout. Ceramic disc valve cartridges.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3510990C.100
 1,022

 Brushed Nickel
 D3510990C.144
 1,227

 Matte Black
 D3510990C.243
 1,533



EQUILITY

Contemporary Bidet Faucet

Cast brass side valve. Ceramic disc valve cartridge. Adjustable aerator.

 Polished Chrome
 D35109010.100
 910

 Brushed Nickel
 D35109010.144
 1,047

 Matte Black
 D35109010.243
 1,224





EQUILITY

Wall Mount Faucet

Cast brass spout. Ceramic disc valve cartridge. Rough valve is included.



Maximum flow rate: 1.2 gpm (4.5 L/min).

 Polished Chrome
 D3510940C.100
 602

 Brushed Nickel
 D3510940C.144
 723

 Matte Black
 D3510940C.243
 907





SQUARE

Floor Mount Tub Filler

DIMENSIONS Nominal

26-15/16" (685 mm) floor to center of handle.

Rough valve included.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3590090C.100
 1,848

 Brushed Nickel
 D3590090C.144
 2,125

 Matte Black
 D3590090C.243
 2,587





CONTEMPORARY Floor Mount Tub Filler

DIMENSIONS Nominal

28-13/16" (732 mm) floor to center of handle

Rough valve included.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3590197C.100 1.335 D3590197C.144 Brushed Nickel 1,535 Platinum Nickel D3590197C.150 1,535





SQUARE

Personal Shower Set with Hand Shower

24" adjustable slide bar with metal hose, hand shower and wall elbow.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3570043C.100 592 Brushed Nickel D3570043C.144 679 Matte Black D3570043C.243 794





EQUILITY

Pressure Balance Shower Valve Trim

Polished Chrome D35109F00.100 362 Brushed Nickel D35109F00.144 417 Matte Black D35109F00.243 543

Flash Shower Rough-In Valve (required component)

DZR brass valve. Ceramic disc valve cartridge.

Unfinished D35101SS0.191 97





EQUILITY

3/2 or 4/3 Diverter Valve Trim

Polished Chrome D35109430.100 216 Brushed Nickel D35109430.144 246 Matte Black D35109430.243 299

3/2 Port Diverter Rough Valve (required component)

Directs water flow between two outlets.

Unfinished D35000420.191 Shared Functions 222

4/3 Port Diverter Rough Valve (required component)

Directs water flow between three outlets.

Unfinished D35000430.191 Shared Functions 252

LIST PRICE GUIDE 2022-4





EQUILITY

Multifunction Showerhead

Two spray functions: spray and center massage. 1/2" NPT. Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min)

 Polished Chrome
 D3510977C.100
 257

 Brushed Nickel
 D3510977C.144
 308

 Matte Black
 D3510977C.243
 386



EQUILITY Wall Tub Spout

Cast brass. Includes 1/2" NPT adapter for 1/2" or 3/4" installation.

 Polished Chrome
 D35109760.100
 411

 Brushed Nickel
 D35109760.144
 493

 Matte Black
 D35109760.243
 575



EQUILITY

24" Towel Bar

Concealed mounting.

 Polished Chrome
 D35109240.100
 191

 Brushed Nickel
 D35109240.144
 237

 Matte Black
 D35109240.243
 287



EQUILITY

2-Post Tissue Holder

Concealed mounting.

 Polished Chrome
 D35109230.100
 156

 Brushed Nickel
 D35109230.144
 188

 Matte Black
 D35109230.243
 225



EQUILITY Robe Hook

Concealed mounting.

 Polished Chrome
 D35109210.100
 88

 Brushed Nickel
 D35109210.144
 106

 Matte Black
 D35109210.243
 123

1.162

1,336

1,336



FITZGERALD

Widespread Lavatory Faucet

Cast brass spout. Ceramic disc valve cartridges.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35160802.100 733 Brushed Nickel D35160802.144 843 Platinum Nickel D35160802.150 843





FITZGERALD

Monoblock Lavatory Faucet

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.2 gpm (4.5 L/min).







FITZGERALD Vessel Faucet

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35160152.100 697 Brushed Nickel D35160152.144 802 Platinum Nickel D35160152.150 802





FITZGERALD Wall Mount Faucet

Cast brass spout. Ceramic disc valve cartridge. Rough valve is included.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35160450.100 813 Brushed Nickel D35160450.144 935 Platinum Nickel D35160450.150 935



FITZGERALD

Deck Mount Tub Filler with Hand Shower



Cast brass spout and side valves. Ceramic disc valve cartridges.



Hand shower maximum flow rate: 1.8 gpm (6.8 L/min). Polished Chrome D35160900.100

Brushed Nickel D35160900.144 Platinum Nickel D35160900.150

Deck Mount Tub Filler Rough Valve (required component) Cast brass construction. Ceramic disc valve cartridges.

Unfinished D35000910.191 296





FITZGERALD

Floor Mount Tub Filler with Lever Handles

Rough valve included. 25-3/8" (645 mm) floor to center of handle.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D35160950.100 2.329 D35160950.144 Brushed Nickel 2,680 Platinum Nickel D35160950.150 2,680





FITZGERALD

Wall Mount Tub Filler

Cast brass. Ceramic disc valve cartridges.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D35160980.100 1,110 Brushed Nickel D35160980.144 1,276 Platinum Nickel D35160980.150 1,276



LIST PRICE GUIDE 2022-4



FITZGERALD

Personal Shower Set with Slide Bar and Wall Elbow

24" adjustable slide bar with metal hose, hand shower and wall elbow.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D35160780.100 561 Brushed Nickel D35160780.144 645 Platinum Nickel D35160780.150 645

TRADITIONAL

5-Function Hand Shower

Five spray functions.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3510778C.100 175 Brushed Nickel D3510778C.144 202 Platinum Nickel D3510778C.150 202







FITZGERALD

Pressure Balance Shower Valve Trim

Cast brass valve with built-in check stops. Ceramic disc valve cartridge.

D35160F00.100	453
D35160F00.144	510
D35160F00.150	510
	D35160F00.144

Flash Shower Rough-In Valve (required component)

DZR brass valve. Ceramic disc valve cartridge.

Unfinished D35101SS0.191 97



FITZGERALD

3/2 or 4/3 Diverter Valve Trim

Polished Chrome	D35160430.100	296
Brushed Nickel	D35160430.144	340
Platinum Nickel	D35160430.150	340

3/2 Port Diverter Rough Valve (required component)

Directs water flow between two outlets

Unfinished D35000420.191 Shared Functions 222

4/3 Port Diverter Rough Valve (required component)

Directs water flow between three outlets

Unfinished D35000430.191 Shared Functions 252





FITZGERALD

2-Handle Thermostatic Valve Trim

Forged brass trim. Brass handles.

Polished Chrome	D35160527.100	602
Brushed Nickel	D35160527.144	697
Platinum Nickel	D35160527.150	697

2-Handle Thermostatic Rough Valve with Volume Control (required component)

Forged brass thermostatic valve with 1/2" volume control with check stops.

For use with 1 shower outlet. Flow rate: 4.6 gpm (17.4 L/min) at 40 psi.

Unfinished D35005511.191 410

2-Handle Thermostatic Rough Valve with 2-Way Diverter (required component)

Forged brass thermostatic valve with 2-way diverter with check stops.

For use with 2 shower outlets. Flow rate: 3.4 gpm (12.9 L/min) at 40 psi.

Unfinished D35005522.191 Discrete (Non-shared) Functions 432 Unfinished D35005522S.191 Shared Functions 432

2-Handle Thermostatic Rough Valve with 3-Way Diverter (required component)

Forged brass thermostatic valve with 3-way diverter with check stops. For use with 3 shower outlets. Flow rate: 3.4 gpm (12.9 L/min) at 40 psi.



FITZGERALD

3-Handle Thermostatic Valve Trim

Forged brass trim. Brass handles.



3-Handle Thermostatic Rough Valve with 2 Volume Controls (required component)

Forged brass thermostatic valve with 3/4" volume controls with check stops. For use with 2 shower outlets. Flow rate: 8.0 gpm (30.3 L/min) at 40 psi.

Unfinished D35005532.191 862

3-Handle Thermostatic Rough Valve with 2-Way Diverter (required component)

Forged brass thermostatic valve with 3/4" volume controls - flow rate: 8.0 gpm (30.3 L/min) at 40 psi. 2-way diverter with check stops - flow rate: 4.4 gpm (16.7 L/min) at 40 psi. For use with 3 shower outlets.

Unfinished D35005533.191 Discrete (Non-shared) Functions 873 Unfinished D35005533S.191 Shared Functions 873



SHEPHERD'S HOOK

Shower Arm

Compatible with all showerheads. 1/2" NPT.

2"	S	ho	we	rΑ	rm

Polished Chrome	D35701312.100	161
Brushed Nickel	D35701312.144	184
Platinum Nickel	D35701312.150	184
Satin Brass	D35701312.427	224

16" Shower Arm

Polished Chrome	D35701316.100	181
Brushed Nickel	D35701316.144	209
Platinum Nickel	D35701316.150	209
Carbon Bronze	D35701316.110	209



LIST PRICE GUIDE 2022-4

TRADITIONAL

8" Rain Can Showerhead

1/2" NPT. Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome	D3570010C.100	406
Brushed Nickel	D3570010C.144	468
Platinum Nickel	D3570010C.150	468
Carbon Bronze	D3570010C.110	468
Satin Brass	D3570010C.427	568





FITZGERALD Wall Tub Spout

Cast brass. Includes 1/2" NPT adapter for 1/2" or 3/4" installation.

Polished Chrome	D35160760.100	242
Brushed Nickel	D35160760.144	279
Platinum Nickel	D35160760.150	279



FITZGERALD 24" Towel Bar

Solid brass. Concealed mounting.

Solid brass. Concealed mounting.

Polished Chrome	D35160240.100	204
Brushed Nickel	D35160240.144	235
Platinum Nickel	D35160240.150	235



FITZGERALD

18" Towel Bar

 Polished Chrome
 D35160180.100
 169

 Brushed Nickel
 D35160180.144
 195

 Platinum Nickel
 D35160180.150
 195



FITZGERALD Towel Ring

Solid brass. Concealed mounting.

Polished Chrome	D35160190.100	156
Brushed Nickel	D35160190.144	180
Platinum Nickel	D35160190.150	180



FITZGERALD

Pivoting Tissue Holder

Solid brass. Concealed mounting.

Polished Chrome	D35160230.100	152
Brushed Nickel	D35160230.144	175
Platinum Nickel	D35160230.150	175



FITZGERALD Robe Hook

Solid brass. Concealed mounting.

D35160210.100	106
D35160210.144	122
D35160210.150	122
	D35160210.144

dxv.com LIST PRICE GUIDE 2022-4



FITZGERALD SHOWER SYSTEM 1: Allows ALL outlets to be ON (showerhead, body sprays and hand shower) at the same time.

В	TRADITIONAL 8" Rain Can Showerhead (1.8 gpm)	1	D3570010C.100	406
С	ROUND Multifunction Body Spray (3) (1.8 gpm each)	3 @ 150	D3570040C.100	450
D	FITZGERALD 3-Handle Thermostatic Valve Trim	1	D35160537.100	665
Ε	FITZGERALD Personal Shower Set with Hand Shower (1.8 gpm)	1	D35160780.100	561
			Subtotal A-E	2,243
	l components (not shown above): Select one of the two options below			
1	3-Handle Thermostatic Rough Valve with 2-Way Diverter and One Volume Control (Discrete Functions)	1	D35005533.191	873
OR				
	3-Handle Thermostatic Rough Valve with 2-Way Diverter and One Volume Control (Shared Functions)	1	D35005533S.191	873
	3-Handle Thermostatic Rough Valve with 2-Way Diverter	1		873 873

LIST PRICE GUIDE 2022-4 74

SHOWER ARM 12" Shepherd's Hook

161

D35701312.100



FITZGERALD SHOWER SYSTEM 2: C1 Allows ONE outlet to be ON (showerhead or hand shower) at one time.

C2 Allows ALL outlets to be ON (showerhead and hand shower) at the same time.

		SHO	WER SYSTEM 2 TOTAL	2 162
		Subtotal:	Select only one (1 or 2)	432
2	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared Functions)	1	D35005522S.191	432
1 OR	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete Functions)	1	D35005522.191	432
quirec	components (not shown above): Select one of the two options below		Subtotal A-D	1,730
			Subtotal A-D	1 730
D	FITZGERALD Personal Shower Set with Hand Shower (1.8 gpm)	1	D35160780.100	561
С	FITZGERALD 2-Handle Thermostatic Valve Trim	1	D35160527.100	602
В	TRADITIONAL 8" Rain Can Showerhead (1.8 gpm)	1	D3570010C.100	406
Α	SHOWER ARM 12" Shepherd's Hook	1	D35701312.100	161

FITZGERALD SHOWER SYSTEM 3: C1 Allows ONE outlet to be ON (showerhead or side sprays) at one time.

C2 Allows ALL outlets to be ON (showerhead and side sprays) at the same time.

vstem c	omponents shown are suggestions only. Check local building code requirements.	SHO	WER SYSTEM 3 TOTAL	2,201
		Subtotal:	Select only one (1 or 2)	432
2	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared Functions)	1	D35005522S.191	432
1	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete Functions)	1	D35005522.191	432
equire	d components (not shown above): Select one of the two options below		·	
			Subtotal A-D	1,769
D	ROUND Multifunction Body Spray (4) (1.8 gpm each)	4 @ 150	D3570040C.100	600
С	FITZGERALD 2-Handle Thermostatic Valve Trim	1	D35160527.100	602
В	TRADITIONAL 8" Rain Can Showerhead (1.8 gpm)	1	D3570010C.100	406
Α	SHOWER ARM 12" Shepherd's Hook	1	D35701312.100	161

System components shown are suggestions only. Check local building code requirements. See the complete listing of component options for product details.



DXV MODULUS

Widespread Lavatory Faucet

Cast brass spout and body. Ceramic disc valve cartridges.

Maximum flow rate 1.2 gpm (4.5 L/min).

Polished Chrome	D35120802.100	747
Brushed Nickel	D35120802.144	858
Platinum Nickel	D35120802.150	858
Matte Black	D35120802.243	1,152





DXV MODULUS

High Spout Widespread Lavatory Faucet

Cast brass spout and body. Ceramic disc valve cartridges.

Maximum flow rate 1.2 gpm (4.5 L/min).

D35120822.100	913
D35120822.144	1,187
D35120822.150	1,187
D35120822.243	1,405
	D35120822.144 D35120822.150





DXV MODULUS

Single Lever Lavatory Faucet

Cast brass spout and body. Ceramic disc valve cartridge.

(E)

Maximum flow rate 1.2 gpm (4.5 L/min).
Polished Chrome D35120102.100

 Brushed Nickel
 D35120102.144

 Platinum Nickel
 D35120102.150

 Matte Black
 D35120102.243





DXV MODULUS

Vessel Faucet

Cast brass spout and body. Ceramic disc valve cartridge.

 Maximum flow rate 1.2 gpm (4.5 L/min).

 Polished Chrome
 D35120152.100

 Brushed Nickel
 D35120152.144

 Brushed Nickel
 D35120152.144
 754

 Platinum Nickel
 D35120152.150
 754

 Matte Black
 D35120152.243
 1,011





DXV MODULUS

Wall Mount Widespread Faucet

CEC and CALGreen® compliant.

Cast brass spout and body. Ceramic disc valve cartridges.

Maximum flow rate 1.2 gpm (4.5 L/min).

31		
Polished Chrome	D35120450.100	718
Brushed Nickel	D35120450.144	827
Platinum Nickel	D35120450.150	827
Matte Black	D35120450.243	1,006

644

742

742

993

657



DXV MODULUS* Bidet Faucet

Ceramic disc valve cartridge.

Polished Chrome	D35120012.100	1,010
Brushed Nickel	D35120012.144	1,161
Platinum Nickel	D35120012.150	1,161
Matte Black	D35120012.243	1,556





DXV MODULUS

Floor Mount Tub Filler

DIMENSIONS Nominal

25-3/8" (645 mm) floor to center of handle.

Rough valve included.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D35120951.100
 2,396

 Brushed Nickel
 D35120951.144
 3,114

 Platinum Nickel
 D35120951.150
 3,114

 Matte Black
 D35120951.243
 3,689





DXV MODULUS

Wall Mount Tub Filler

Cast brass. Ceramic disc valve cartridges. Rough valve sold separately.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D35120981.100
 1,575

 Brushed Nickel
 D35120981.144
 1,978

 Platinum Nickel
 D35120981.150
 1,978

 Matte Black
 D35120981.243
 2,474

Wall Mount Tub Filler Rough Valve (required component)

Cast brass valve. Ceramic disc valve cartridge.

Flow rate: 4.1 gpm (15.5 L/min) at 45 psi.

Unfinished D35000981.191 1,078





DXV MODULUS

Personal Shower Set with Hand Shower

24" adjustable slide bar with metal hose, hand shower and wall elbow.

Maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D35120780.100
 708

 Brushed Nickel
 D35120780.144
 919

 Platinum Nickel
 D35120780.150
 919

 Matte Black
 D35120780.243
 990



DXV MODULUS

Single Function Hand Shower

Single function hand shower.

Maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D35120781.100
 279

 Brushed Nickel
 D35120781.144
 363

 Platinum Nickel
 D35120781.150
 363

 Matte Black
 D35120781.243
 377

LIST PRICE GUIDE 2022-4



DXV MODULUS

2-Handle Thermostatic Valve Trim

Forged brass trim. Brass handles.

Polished Chrome	D35120527.100	554
Brushed Nickel	D35120527.144	637
Platinum Nickel	D35120527.150	637
Matte Black	D35120527.243	786

 $\begin{tabular}{ll} \bf 2-Handle\ Thermostatic\ Rough\ Valve\ with\ Volume\ Control\ (required\ component) \\ \end{tabular} Forged\ brass\ thermostatic\ valve\ with\ 1/2"\ volume\ control\ with\ check\ stops. \\ \end{tabular}$

For use with 1 shower outlet. Flow rate: 4.6 gpm (17.4 L/min) at 40 psi.

Unfinished D35005511.191 410

2-Handle Thermostatic Rough Valve with 2-Way Diverter (required component)

Forged brass thermostatic valve with 2-way diverter with check stops. For use with 2 shower outlets. Flow rate: 3.4 gpm (12.9 L/min) at 40 psi.

Unfinished D35005522.191 Discrete (Non-shared) Functions 432
Unfinished D35005522S.191 Shared Functions 432

2-Handle Thermostatic Rough Valve with 3-Way Diverter (required component)

Forged brass thermostatic valve with 3-way diverter with check stops. For use with

Forged brass thermostatic valve with 3-way diverter with check stops. For use with 3 shower outlets. Flow rate: 3.4 gpm (12.9 L/min) at 40 psi.

Unfinished

D35005523.191 Discrete (Non-shared) Functions

456
Unfinished

D35005523S.191 Shared Functions

456



DXV MODULUS

3-Handle Thermostatic Valve Trim

Forged brass trim. Brass handles.

Polished Chrome	D35120537.100	604
Brushed Nickel	D35120537.144	695
Platinum Nickel	D35120537.150	695
Matte Black	D35120537.243	868

3-Handle Thermostatic Rough Valve with 2 Volume Controls (required component) Forged brass thermostatic valve with 3/4" volume controls with check stops.

For use with 2 shower outlets. Flow rate: 8.0 gpm (30.3 L/min) at 40 psi.

Unfinished D35005532.191 862

3-Handle Thermostatic Rough Valve with 2-Way Diverter (required component)

Forged brass thermostatic valve with 3/4" volume controls – flow rate: 8.0 gpm (30.3 L/min) at 40 psi. 2-way diverter with check stops – flow rate:

4.4 gpm (16.7 L/min) at 40 psi. For use with 3 shower outlets.

Unfinished D35005533.191 Discrete (Non-shared) Functions 873
Unfinished D35005533S.191 Shared Functions 873





DXV MODULUS

Pressure Balance Shower Valve Trim

Cast brass valve with built-in check stops. Ceramic disc valve cartridge.

Polished Chrome	D35120F00.100	396
Brushed Nickel	D35120F00.144	455
Platinum Nickel	D35120F00.150	455
Matte Black	D35120F00.243	594

Flash Shower Rough-In Valve (required component)

DZR brass valve. Ceramic disc valve cartridge.

Unfinished D35101SS0.191 97





DXV MODULUS 3/2 or 4/3 Diverter Valve Trim

Cast brass valve with built-in check stops. Ceramic disc valve cartridge.

Polished Chrome	D35120430.100	238
Brushed Nickel	D35120430.144	274
Platinum Nickel	D35120430.150	274
Matte Black	D35120430.243	368

3/2 Port Diverter Rough Valve (required component)

Directs water flow between two outlets.

Unfinished D35000420.191 Shared Functions 222

4/3 Port Diverter Rough Valve (required component)

Directs water flow between three outlets.

Unfinished D35000430.191 Shared Functions 252





DXV MODULUS 7-1/2" Showerhead

Made of brass material.



 Maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D35120770.100
 404

 Brushed Nickel
 D35120770.144
 526

 Platinum Nickel
 D35120770.150
 526

 Matte Black
 D35120770.243
 623



DXV MODULUS 12" Shower Arm

Polished Chrome	D35700317.100	143
Brushed Nickel	D35700317.144	186
Platinum Nickel	D35700317.150	186
Matte Black	D35700317.243	220



DXV MODULUS Wall Tub Spout

Cast brass. Includes 1/2" NPT adapter for 1/2" or 3/4" installation.

Polished Chrome	D35120760.100	212
Brushed Nickel	D35120760.144	276
Platinum Nickel	D35120760.150	276
Matte Black	D35120760.243	326



DXV MODULUS 24" Towel Bar

Solid brass. Concealed mounting.

Polished Chrome	D35120240.100	212
Brushed Nickel	D35120240.144	244
Platinum Nickel	D35120240.150	244
Matte Black	D35120240.243	326



DXV MODULUS* 18" Towel Bar

Solid brass. Concealed mounting.

Polished Chrome	D35120180.100	171
Brushed Nickel	D35120180.144	198
Platinum Nickel	D35120180.150	198
Matte Black	D35120180.243	263



DXV MODULUS **Tissue Holder**

Solid brass. Concealed mounting.

D35120230.100	171
D35120230.144	198
D35120230.150	198
D35120230.243	263
	D35120230.144 D35120230.150



DXV MODULUS Robe Hook

Solid brass. Concealed mounting.

Polished Chrome	D35120210.100	97
Brushed Nickel	D35120210.144	112
Platinum Nickel	D35120210.150	112
Matte Black	D35120210.243	151

For MODULUS shower base see page 108.

DXV MODULUS Thermostatic Shower System with 3 Body Sprays and Personal Shower Set with Hand Shower

SYSTEM 1

SYSTEM 1




DXV MODULUS SHOWER SYSTEM 1: Allows ALL outlets to be ON (showerhead, body sprays and hand shower) at the same time.

stem co	mponents shown are suggestions only. Check local building code requirements.	SHOV	VER SYSTEM 1 TOTAL	3.182
		Subtotal: S	elect only one (1 or 2)	873
2	3-Handle Thermostatic Rough Valve with 2-Way Diverter and One Volume Control (Shared Functions)	1	D35005533S.191	873
OR				
1	3-Handle Thermostatic Rough Valve with 2-Way Diverter and One Volume Control (Discrete Functions)	1	D35005533.191	873
	components (not shown above): Select one of the two options below		i	
			Subtotal A-E	2,309
E	DXV MODULUS Personal Shower Set with Hand Shower (1.8 gpm)	1	D35120780.100	708
D	DXV MODULUS 3-Handle Thermostatic Valve Trim	1	D35120537.100	604
С	ROUND Multifunction Body Spray (3) (1.8 gpm each)	3 @ 150	D3570040C.100	450
В	DXV MODULUS Showerhead (1.8 gpm)	1	D35120770.100	404
Α	DXV MODULUS Shower Arm	1	D35700317.100	143

DXV MODULUS Thermostatic Shower System with Personal Shower Set with Hand Shower

SYSTEM 2

SYSTEM 2



DXV MODULUS SHOWER SYSTEM 2: C1 Allows ONE outlet to be ON (showerhead or hand shower) at one time.

C2 Allows ALL outlets to be ON (showerhead and hand shower) at the same time.

stem co	imponents shown are suggestions only. Check local building code requirements.	SHOV	VER SYSTEM 2 TOTAL	2,241
		Subtotal: S	elect only one (1 or 2)	432
2	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared Functions)	1	D35005522S.191	432
OR				
1	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete Functions)	1	D35005522.191	432
quired	components (not shown above): Select one of the two options below	\$ 2 TO BE COME TO SERVE AND THE SERVE AND TH		
			Subtotal A-D	1,809
D	DXV MODULUS Personal Shower Set with Hand Shower (1.8 gpm)	1	D35120780.100	708
С	DXV MODULUS 2-Handle Thermostatic Valve Trim	1	D35120527.100	554
В	DXV MODULUS Showerhead (1.8 gpm)	1	D35120770.100	404
Α	DXV MODULUS Shower Arm	1	D35700317.100	143

System components shown are suggestions only. Check local building code requirement See the complete listing of component options for product details.



Drain /sold separately.

Lavatory/Wall Mount Faucet with Lever Handles





Maximum flow rate: 1.2 gpm (4.5 L/min).



Polished Chrome	D3515545C.100	714
Brushed Nickel	D3515545C.144	821
Platinum Nickel	D3515545C.150	821
Satin Brass	D3515545C.427	894





Lavatory/Wall Mount Faucet with Cross Handles

Cast brass spout. Built-in waterway. Ceramic disc valve cartridges.









OAK HILL

Widespread Lavatory Faucet with Lever Handles

Cast brass spout. Ceramic disc valve cartridges.

Grid drain included.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35155800.100 710 Brushed Nickel D35155800.144 816 Platinum Nickel D35155800.150 816 Satin Brass D35155800.427 1,066





OAK HILL

Widespread Lavatory Faucet with Cross Handles

Cast brass spout. Ceramic disc valve cartridges.

Grid drain included.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35155840.100 Brushed Nickel D35155840.144 Platinum Nickel D35155840.150 Satin Brass D35155840.427

816 816 1,066

710





OAK HILL

Single Lever Lavatory Faucet

Cast brass spout. Ceramic disc valve cartridges.

Grid drain included.

Maximum flow rate: 1.2 gpm (4.5 L/min). Polished Chrome D35155100.100 543 Brushed Nickel D35155100.144 625 Platinum Nickel D35155100.150 625 Satin Brass D35155100.427 815

*OPTIONAL COMPONENTS FOR BOTH WIDESPREAD & SINGLE LEVER FAUCETS

Pop-Up Drain		
Polished Chrome	M953456-0020A	72
Brushed Nickel	M953456-0295A	84
Platinum Nickel	M953456-1500A	199
Satin Brass	M953456-4270A	175






Personal Shower Set with Hand Shower

24" adjustable slide bar with metal hose, 5-function hand shower and wall elbow.

Maximum flow rate: 1.8 apm (6.8 L/min).

	JI (//-	
Polished Chrome	D35155780.100	639
Brushed Nickel	D35155780.144	735
Platinum Nickel	D35155780.150	735
Satin Brass	D35155780.427	958





LIST PRICE GUIDE 2022-4



OAK HILL

2-Handle Thermostatic Valve Trim

Forged brass trim. Brass handles.

Lever Handles

Lever natioles		
Polished Chrome	D35155527.100	533
Brushed Nickel	D35155527.144	613
Platinum Nickel	D35155527.150	613
Satin Brass	D35155527.427	800
21 01 W		

Cross Handles

Polished Chrome	D35155528.100	533
Brushed Nickel	D35155528.144	613
Platinum Nickel	D35155528.150	613
Satin Brass	D35155528.427	800

2-Handle Thermostatic Rough Valve with Volume Control (required component) Forged brass thermostatic valve with 1/2" volume control with check stops. For use with 1 shower outlet. Flow rate: 4.6 gpm (17.4 L/min) at 40 psi.

Unfinished D35005511.191 410

2-Handle Thermostatic Rough Valve with 2-Way Diverter (required component) Forged brass thermostatic valve with 2-way diverter with check stops. For use with 2 shower outlets. Flow rate: 3.4 gpm (12.9 L/min) at 40 psi.

Unfinished	D35005522.191 Discrete (Non-shared) Functions	432
Unfinished	D35005522S.191 Shared Functions	432

2-Handle Thermostatic Rough Valve with 3-Way Diverter (required component) Forged brass thermostatic valve with 3-way diverter with check stops. For use with 3 shower outlets. Flow rate: 3.4 gpm (12.9 L/min) at 40 psi.

Unfinished	D35005523.191 Discrete (Non-shared) Functions	456
Unfinished	D35005523S.191 Shared Functions	456









3-Handle Thermostatic Valve Trim

Forged brass trim. Brass handles.

D35155537.100	589
D35155537.144	677
D35155537.150	677
D35155537.427	883
	D35155537.144 D35155537.150

 Polished Chrome
 D35155538.100
 589

 Brushed Nickel
 D35155538.144
 677

 Platinum Nickel
 D35155538.150
 677

 Satin Brass
 D35155538.427
 883

3-Handle Thermostatic Rough Valve with 2 Volume Controls (required component) Forged brass thermostatic valve with 3/4" volume controls with check stops.


For use with 2 shower outlets. Flow rate: 8.0 gpm (30.3 L/min) at 40 psi.

Unfinished D35005532.191 862

3-Handle Thermostatic Rough Valve with 2-Way Diverter (required component) Forged brass thermostatic valve with 3/4" volume controls – flow rate: 8.0 gpm (30.3 L/min) at 40 psi. 2-way diverter with check stops – flow rate: 4.4 gpm (16.7 L/min) at 40 psi. For use with 3 shower outlets.

Unfinished D35005533.191 Discrete (Non-shared) Functions 873
Unfinished D35005533S.191 Shared Functions 873







OAK HILL

Lever Handles

Platinum Nickel

Satin Brass

Pressure Balance Shower Valve Trim

Cast brass valve with built-in check stops. Ceramic disc valve cartridge.



Polished Chrome Brushed Nickel Platinum Nickel Satin Brass	D35155500.100 D35155500.144 D35155500.150 D35155500.427	279 321 321 418
Cross Handles Polished Chrome	D35155540.100	279
Brushed Nickel	D35155540.144	321

D35155540.150

D35155540.427

Pressure Balance Shower Rough Valve (required component)

Cast brass valve. Ceramic disc valve cartridge. Flow rate: 4.0 gpm (15.1 L/min) at 40 psi.

Unfinished D35101SS0.191 97

LIST PRICE GUIDE 2022-4

321

418





3/2 or 4/3 Diverter Valve Trim - Lever Handle

Polished Chrome	D35155430.100	276
Brushed Nickel	D35155430.144	317
Platinum Nickel	D35155430.150	317
Satin Brass	D35155430.427	415

OAK HILL

3/2 or 4/3 Diverter Valve Trim - Cross Handle

Polished Chrome	D35155434.100	276
Brushed Nickel	D35155434.144	317
Platinum Nickel	D35155434.150	317
Satin Brass	D35155434.427	415

3/2 Port Diverter Rough Valve (required component)

Directs water flow between two outlets.

Unfinished D35000420.191 Shared Functions 222

4/3 Port Diverter Rough Valve (required component)

Directs water flow between three outlets.

Unfinished D35000430.191 Shared Functions 252



OAK HILL

10" Rain Can Showerhead

Polished Chrome	D35155110.100	514
Brushed Nickel	D35155110.144	592
Platinum Nickel	D35155110.150	592
Satin Brass	D35155110.427	772



OAK HILL

16" Right Angle Shower Arm

Polished Chrome	D35700316.100	125
Brushed Nickel	D35700316.144	149
Platinum Nickel	D35700316.150	149
Satin Brass	D35700316.427	188



OAK HILL

Wall Diverter Tub Spout

Includes universal adapter for slip-on, sweat and IPS connection for 1/2" installation. Pull-up diverter tub spout

Polished Chrome	D35155761.100	284
Brushed Nickel	D35155761.144	326
Platinum Nickel	D35155761.150	326
Satin Brass	D35155761.427	426



OAK HILL

Wall Tub Spout

Includes universal adapter for slip-on, sweat and IPS connection for 1/2" installation.

Polished Chrome	D35155760.100	284
Brushed Nickel	D35155760.144	326
Platinum Nickel	D35155760.150	326
Satin Brass	D35155760.427	426

LIST PRICE GUIDE 2022-4 dxv.com



OAK HILL 24" Towel Bar

Metal construction. Concealed mounting.

Polished Chrome	D35155240.100	205
Brushed Nickel	D35155240.144	236
Platinum Nickel	D35155240.150	236
Satin Brass	D35155240.427	308



OAK HILL 18" Towel Bar

Metal construction. Concealed mounting.

Polished Chrome	D35155180.100	175
Brushed Nickel	D35155180.144	200
Platinum Nickel	D35155180.150	200
Satin Brass	D35155180.427	262



OAK HILL Towel Ring

Metal construction. Concealed mounting.

Polished Chrome	D35155190.100	130
Brushed Nickel	D35155190.144	150
Platinum Nickel	D35155190.150	150
Satin Brass	D35155190.427	195



OAK HILL

Tissue Holder

Metal construction. Concealed mounting.

Polished Chrome	D35155235.100	164
Brushed Nickel	D35155235.144	189
Platinum Nickel	D35155235.150	189
Satin Brass	D35155235.427	247



OAK HILL Robe Hook

Metal construction. Concealed mounting.

Polished Chrome	D35155210.100	89
Brushed Nickel	D35155210.144	102
Platinum Nickel	D35155210.150	102
Satin Brass	D35155210.427	133



OAK HILL* Grid Drain

Polished Chrome	D35155460.100	124
Brushed Nickel	D35155460.144	143
Platinum Nickel	D35155460.150	143
Satin Brass	D35155460.427	186

dxv.com LIST PRICE GUIDE 2022-4

534

614





Single Lever Lavatory Faucet with Loop Handle

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510512C.100 Brushed Nickel D3510512C.144





PERCY

Single Lever Lavatory Faucet with Stem Handle

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510510C.100 534 **Brushed Nickel** D3510510C.144 614





PERCY

Vessel Faucet with Loop Handle

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510517C.100 592 Brushed Nickel D3510517C.144 679





PERCY

Vessel Faucet with Loop Handle and Grid Drain

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35105157.100 592 Brushed Nickel D35105157.144 679



LIST PRICE GUIDE 2022-4



PERCY

Vessel Faucet with Stem Handle

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510515C.100 592 Brushed Nickel 679 D3510515C.144



592





Vessel Faucet with Stem Handle and Grid Drain

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.2 gpm (4.5 L/min).



679 D35105152.144





PERCY

Widespread Lavatory Faucet with Cross Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510584C.100 673 Brushed Nickel D3510584C.144 774





PERCY

Widespread Lavatory Faucet with Lever Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510580C.100 673 Brushed Nickel D3510580C.144 774





PERCY

Wall Mount Faucet with Cross Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Rough valve sold separately.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510546C.100 633 Brushed Nickel D3510546C.144 728

Dual Control Wall Mount Faucet Rough Valve (required component)

Unfinished D35000450.191 349

dxv.com





Wall Mount Faucet with Lever Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Rough valve sold separately.

Maximum flow rate: 1.2 gpm (4.5 L/min).

633 Polished Chrome D3510545C.100 Brushed Nickel D3510545C.144 728

Dual Control Wall Mount Faucet Rough Valve (required component)

Unfinished D35000450.191 349





PERCY

Deck Mount Tub Filler with Hand Shower and Cross Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Maximum flow rate: 1.8 gpm (6.8 L/min)

Polished Chrome D3510594C.100 950 Brushed Nickel D3510594C.144 1.093





PERCY

Deck Mount Tub Filler with Hand Shower and Lever Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Maximum flow rate: 1.8 gpm (6.8 L/min)

Polished Chrome D3510590C.100 950 Brushed Nickel D3510590C.144 1.093



LIST PRICE GUIDE 2022-4



PERCY

Personal Shower Set with Hand Shower

24" adjustable slide bar with metal hose, hand shower and wall elbow.

Maximum flow rate: 1.8 gpm (6.8 L/min)

Polished Chrome D3510579C.100 592 Brushed Nickel D3510579C.144 679

PERCY

Single Function Hand Shower

Single function hand shower.

Maximum flow rate: 1.8 gpm (6.8 L/min)

Polished Chrome D3510578C.100 232 Brushed Nickel D3510578C.144 268







Pressure Balance Shower Valve Trim with Cross Handle

Polished Chrome D35105F40.100 307 Brushed Nickel D35105F40.144 354



Pressure Balance Shower Valve Trim with Lever Handle

Polished Chrome D35105F00.100 298 Brushed Nickel D35105F00.144 343

Flash Shower Rough-In Valve (required component)

DZR brass valve. Ceramic disc valve cartridge.

Unfinished D35101SS0.191 97







3/2 or 4/3 Diverter Valve Trim with Cross Handle

Polished Chrome D35105434.100 216 Brushed Nickel D35105434.144 246



3/2 or 4/3 Diverter Valve Trim with Lever Handle

Polished Chrome D35105430.100 216 Brushed Nickel D35105430.144 246

3/2 Port Diverter Rough Valve (required component)

Directs water flow between two outlets.

Unfinished D35000420.191 Shared Functions 222

4/3 Port Diverter Rough Valve (required component)

Directs water flow between three outlets.

Unfinished D35000430.191 Shared Functions 252





PERCY

Multifunction Showerhead

Three spray functions: full, aerated and massage. 1/2" NPT. Made of brass material.



Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3510577C.100 262 Brushed Nickel 302 D3510577C.144





CONTEMPORARY 8" Round Showerhead

Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3570020C.100 364 Brushed Nickel D3570020C.144 420 Platinum Nickel 420 D3570020C.150



CONTEMPORARY

10" Round Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

519 Polished Chrome D35700210.100 Brushed Nickel 596 D35700210.144 Platinum Nickel D35700210.150 596



SLIM ROUND

8" Round Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

Polished Chrome 364 D35701418.100 Brushed Nickel D35701418.144 420



SLIM ROUND

10" Round Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

Polished Chrome D35701410.100 467 Brushed Nickel D35701410.144 536



RIGHT ANGLE

Shower Arm

12" Shower Arm Polished Chrome

Brushed Nickel D35700312.144 125 Platinum Nickel D35700312.150 125 16" Shower Arm Polished Chrome D35700316.100 125 Brushed Nickel D35700316.144 149 Platinum Nickel D35700316.150 149

D35700312.100



LIST PRICE GUIDE 2022-4

PERCY

Wall Tub Spout

Cast brass. Includes 1/2" NPT adapter for 1/2" or 3/4" installation.

Polished Chrome D35105760.100 191 Brushed Nickel D35105760.144 234

109



PERCY 24" Towel Bar

Solid brass. Concealed mounting.

 Polished Chrome
 D35105240.100
 185

 Brushed Nickel
 D35105240.144
 223



PERCY Small Towel Bar

Solid brass. Concealed mounting.

 Polished Chrome
 D35105160.100
 144

 Brushed Nickel
 D35105160.144
 166



PERCY Tissue Holder

Solid brass. Concealed mounting.

 Polished Chrome
 D35105235.100
 123

 Brushed Nickel
 D35105235.144
 143



PERCY Robe Hook

Solid brass. Concealed mounting.

 Polished Chrome
 D35105210.100
 67

 Brushed Nickel
 D35105210.144
 78

dxv.com LIST PRICE GUIDE 2022-4

602

692

692

933





RANDALL

Single Lever Lavatory Faucet

Cast brass spout. Ceramic disc valve cartridge.



Maximum flow rate: 1.2 gpm (4.5 L/min).







RANDALL

Vessel Faucet





Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510216C.100 623 Brushed Nickel D3510216C.144 703 Platinum Nickel D3510216C.150 703 948 Satin Brass D3510216C.427





RANDALL

Widespread Lavatory Faucet with Cross Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.



Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome	D3510284C.100	718
Brushed Nickel	D3510284C.144	827
Platinum Nickel	D3510284C.150	827
Satin Brass	D3510284C.427	1,116





Widespread Lavatory Faucet with Lever Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.





Maximum flow rate: 1.2 gpm (4.5 L/min).





LIST PRICE GUIDE 2022-4

1.078



RANDALL

Deck Mount Tub Filler with Hand Shower and Cross Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min). Polished Chrome D3510294C.100 Brushed Nickel D3510294C.144

1.242 D3510294C.150 Platinum Nickel 1.242 Satin Brass D3510294C.427 1,674





RANDALL

Deck Mount Tub Filler with Hand Shower and Lever Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min). Polished Chrome D3510290C.100 1.078 Brushed Nickel D3510290C.144 1,242 Platinum Nickel 1.242 D3510290C.150 Satin Brass D3510290C.427 1,674





TRANSITIONAL

Floor Mount Tub Filler with Randall Cross Handles

DIMENSIONS Nominal

28-7/8" (733 mm) floor to center of handle.

Rough valve included.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome 2,285 D3510296C.100 Brushed Nickel D3510296C.144 2,628 Platinum Nickel D3510296C.150 2,628 Satin Brass D3510296C.427 2.855





TRANSITIONAL

Floor Mount Tub Filler with Randall Lever Handles



DIMENSIONS Nominal

28-7/8" (733 mm) floor to center of handle.

Rough valve included.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

D3510295C.100 Polished Chrome 2,285 Brushed Nickel D3510295C.144 2,628 Platinum Nickel D3510295C.150 2,628 Satin Brass D3510295C.427 2,855





RANDALL

Wall Mount Tub Filler with Hand Shower

Cast brass. Ceramic disc valve cartridge. Randall cross handles.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3510298C.100
 1,089

 Brushed Nickel
 D3510298C.144
 1,251

 Platinum Nickel
 D3510298C.150
 1,251

 Satin Brass
 D3510298C.427
 1,307





RANDALL

Personal Shower Set with Hand Shower

24" adjustable slide bar with metal hose, hand shower and wall elbow.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3510278C.100
 551

 Brushed Nickel
 D3510278C.144
 633

 Platinum Nickel
 D3510278C.150
 633

 Satin Brass
 D3510278C.427
 660





TRADITIONAL

5-Function Hand Shower

Five spray functions.



Maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3510778C.100
 175

 Brushed Nickel
 D3510778C.144
 202

 Platinum Nickel
 D3510778C.150
 202

 Satin Brass
 D3510778C.427
 211



LIST PRICE GUIDE 2022-4



TRADITIONAL 6" Showerhead

1/2" NPT. Made of brass material. Includes shower arm.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D35170106.100 365
Brushed Nickel D35170106.144 420
Platinum Nickel D35170106.150 420
Satin Brass D35170106.427 547



RANDALL Wall Tub Spout

Cast brass. Includes 1/2" NPT adapter for 1/2" or 3/4" installation.

Polished Chrome	D35102760.100	237
Brushed Nickel	D35102760.144	273
Platinum Nickel	D35102760.150	273
Satin Brass	D35102760.427	331



RANDALL 24" Towel Bar

Solid brass. Concealed mounting.

Polished Chrome	D35102240.100	191
Brushed Nickel	D35102240.144	219
Platinum Nickel	D35102240.150	219
Satin Brass	D35102240.427	268



RANDALL 6" Towel Ring

Solid brass. Concealed mounting.

D35102190.100	144
D35102190.144	166
D35102190.150	166
D35102190.427	206
	D35102190.144 D35102190.150



RANDALL

2-Post Tissue Holder

Solid brass. Concealed mounting.

Polished Chrome	D35102230.100	144
Brushed Nickel	D35102230.144	166
Platinum Nickel	D35102230.150	166
Satin Brass	D35102230.427	224



dxv.com

RANDALL Robe Hook

Solid brass. Concealed mounting.

Polished Chrome	D35102210.100	98
Brushed Nickel	D35102210.144	113
Platinum Nickel	D35102210.150	113
Satin Brass	D35102210.427	152





REM

Single Lever Lavatory Faucet

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.5 gpm (5.7 L/min).

Polished Chrome D35100100.100 563 Brushed Nickel D35100100.144 668

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510010C.100 598 Brushed Nickel D3510010C.144 688





REM

Vessel Faucet

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.5 gpm (5.7 L/min). Polished Chrome D35100150.100 618 Brushed Nickel D35100150.144 711

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510015C.100 637 Brushed Nickel D3510015C.144 733



REM

Vessel Faucet with Grid Drain

Cast brass spout. Ceramic disc valve cartridge.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35100152.100 637 Brushed Nickel D35100152.144 733





REM

Widespread Lavatory Faucet

Cast brass spout and side valves. Ceramic disc valve cartridges.

Maximum flow rate: 1.5 gpm (5.7 L/min).

Polished Chrome D35100800.100 668 Brushed Nickel D35100800.144 769

Maximum flow rate: 1.2 gpm (4.5 L/min).

D3510080C.100 Polished Chrome 709 Brushed Nickel D3510080C.144 816



LIST PRICE GUIDE 2022-4



REM

Wall Mount Lavatory Faucet

Cast brass spout and side valves. Ceramic disc valve cartridges. Rough valve sold separately.

Maximum flow rate: 1.5 gpm (5.7 L/min).

D35100450.100 660 Polished Chrome Brushed Nickel D35100450.144 759

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D3510045C.100 660 Brushed Nickel D3510045C.144 759

Dual Control Wall Mount Faucet Rough Valve (required component)

Unfinished D35000450.191 349



876



Three-Hole Bidet Faucet

Cast brass side valves. Ceramic disc valve cartridges.

Polished Chrome D35100330.100



REM

Deck Mount Tub Filler with Hand Shower

Cast brass spout and side valves. Ceramic disc valve cartridges.

Hand shower maximum flow rate: 2.0 gpm (7.6 L/min).

Polished Chrome D35100900.100 1,119 Brushed Nickel D35100900.144 1.296

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

D3510090C.100 1.153 Polished Chrome Brushed Nickel D3510090C.144 1,335





Personal Shower Set with Hand Shower

24" adjustable slide bar with metal hose, hand shower and wall elbow.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

D3510079C.100 Polished Chrome 668 Brushed Nickel D3510079C.144 770



MULTIFUNCTION

3-Function Hand Shower

Three spray functions.

Hand shower maximum flow rate: 2.0 gpm (7.6 L/min).

Polished Chrome D35100781.100 322 Brushed Nickel D35100781.144 334

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

331 Polished Chrome D3510078C.100 Brushed Nickel D3510078C.144 345





Multifunction Showerhead


Three spray functions: full, aerated and massage. 1/2" NPT. Made of brass material.

Maximum flow rate: 2.0 gpm (7.6 L/min).

Polished Chrome 267 D35100775.100 Brushed Nickel 316 D35100775.144

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3510077C.100 284 Brushed Nickel 325 D3510077C.144



SLIM SQUARE Showerhead

Made of brass material. Maximum flow rate: 2.5 gpm (9.5 L/min).

8" Showerhead

Polished Chrome 364 D35700448.100 Brushed Nickel D35700448.144 420 10" Showerhead

Polished Chrome D35700440.100 467 Brushed Nickel D35700440.144 536

12" Showerhead

Polished Chrome D35700442.100 561 Brushed Nickel D35700442.144 644



SLIM RECTANGLE

12" Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

Polished Chrome D35700412.100 514 Brushed Nickel D35700412.144 592



SQUARE

Shower Arm

16" Shower Arm Polished Chrome D35700426.100 129 Brushed Nickel D35700426.144 149

20" Shower Arm Polished Chrome

D35700420.100 181 D35700420.144 208



REM

Wall Tub Spout

Brushed Nickel

Cast brass. Includes 1/2" NPT adapter for 1/2" or 3/4" installation.

Polished Chrome D35100760.100 216 Brushed Nickel D35100760.144 249



REM

24" Towel Bar

Solid brass. Concealed mounting.

Polished Chrome D35100240.100 257 Brushed Nickel D35100240.144 297



REM

Tissue Holder

Solid brass. Concealed mounting.

Polished Chrome 140 D35100235.100 Brushed Nickel 161 D35100235.144



REM

Robe Hook

Solid brass. Concealed mounting.

Polished Chrome D35100210.100 92 Brushed Nickel D35100210.144 105

LIST PRICE GUIDE 2022-4 100



SHOWERHEADS



ASHBEE*

Multifunction Showerhead

Three spray functions: full, aerated and massage. 1/2" NPT. Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3510177C.100 237 273 Brushed Nickel D3510177C.144 Platinum Nickel D3510177C.150 273





BELSHIRE™

6" Showerhead

1/2" NPT. Made of brass material. Includes shower arm.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome 365 D35170106.100 Brushed Nickel D35170106.144 420 Platinum Nickel D35170106.150 420 Satin Brass D35170106.427 547





CONTEMPORARY

8" Round Showerhead

Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3570020C.100 364 Brushed Nickel D3570020C.144 420 Platinum Nickel 420 D3570020C.150





CONTEMPORARY

10" Round Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

Polished Chrome D35700210.100 519 Brushed Nickel 596 D35700210.144 Platinum Nickel D35700210.150 596





EQUILITY*

Multifunction Showerhead

Two spray functions: spray and center massage. 1/2" NPT. Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3510977C.100 257 Brushed Nickel 308 D3510977C.144 Matte Black D3510977C.243 386

101





DXV MODULUS* 7-1/2" Showerhead



Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome	D35120770.100	404
Brushed Nickel	D35120770.144	526
Platinum Nickel	D35120770.150	526
Matte Black	D35120770.243	623





PERCY*

Multifunction Showerhead



Three spray functions: full, aerated and massage. 1/2" NPT. Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome	D3510577C.100	262
Brushed Nickel	D3510577C.144	302





REM*

Multifunction Showerhead

Three spray functions: full, aerated and massage. 1/2" NPT. Made of brass material.

Maximum flow rate: 2.0 gpm (7.6 L/min).

 Polished Chrome
 D35100775.100
 267

 Brushed Nickel
 D35100775.144
 316

Maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3510077C.100
 284

 Brushed Nickel
 D3510077C.144
 325

SHOWERHEADS



SLIM ROUND

8" Round Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

 Polished Chrome
 D35701418.100
 364

 Brushed Nickel
 D35701418.144
 420




SLIM ROUND 10" Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

 Polished Chrome
 D35701410.100
 467

 Brushed Nickel
 D35701410.144
 536




SLIM SQUARE 8" Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

 Polished Chrome
 D35700448.100
 364

 Brushed Nickel
 D35700448.144
 420



SLIM SQUARE 10" Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

 Polished Chrome
 D35700440.100
 467

 Brushed Nickel
 D35700440.144
 536



SLIM SQUARE 12" Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

 Polished Chrome
 D35700442.100
 561

 Brushed Nickel
 D35700442.144
 644



SLIM RECTANGLE 12" Showerhead

Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

 Polished Chrome
 D35700412.100
 514

 Brushed Nickel
 D35700412.144
 592

dxv.com





TRADITIONAL 8" Rain Can Showerhead

1/2" NPT. Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Transmitter traces no Spi	(0.0 =,).	
Polished Chrome	D3570010C.100	406
Brushed Nickel	D3570010C.144	468
Platinum Nickel	D3570010C.150	468
Carbon Bronze	D3570010C.110	468
Satin Brass	D3570010C.427	568





OAK HILL®

10" Rain Can Showerhead

1/2" NPT. Made of brass material.

Maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D35155110.100
 514

 Brushed Nickel
 D35155110.144
 592

 Platinum Nickel
 D35155110.150
 592

 Satin Brass
 D35155110.427
 772



16" Right Angle Shower Arm

D35700316.100	125
D35700316.144	149
D35700316.150	149
D35700316.427	188
	D35700316.144 D35700316.150



TRADITIONAL

10" Rain Can Showerhead

1/2" NPT. Made of brass material.

Maximum flow rate: 2.5 gpm (9.5 L/min).

 Polished Chrome
 D35700110.100
 611

 Brushed Nickel
 D35700110.144
 703

 Platinum Nickel
 D35700110.150
 703

 Carbon Bronze
 D35700110.110
 703

CEC and CALGreen® compliant.





CONTEMPORARY Single Function Hand Shower

Single function hand shower.

Maximum flow rate: 1.8 gpm (6.8 L/min).

110 Polished Chrome D3510478C.100 Brushed Nickel 126 D3510478C.144





DXV MODULUS®

Single Function Hand Shower

Single function hand shower.

Maximum flow rate: 1.8 gpm (6.8 L/min). Polished Chrome D35120781.100 279 Brushed Nickel D35120781.144 363 Platinum Nickel D35120781.150 363 Matte Black D35120781.243 377





MULTIFUNCTION 3-Function Hand Shower

Three spray functions.

Maximum flow rate: 1.8 gpm (6.8 L/min). Polished Chrome 331 D3510078C.100 345 Brushed Nickel D3510078C.144





PERCY[®]

Single Function Hand Shower

Single function hand shower.

Maximum flow rate: 1.8 gpm (6.8 L/min). Polished Chrome D3510578C.100

232 Brushed Nickel 268 D3510578C.144





TRADITIONAL

5-Function Hand Shower

Five spray functions.

Maximum flow rate: 1.8 gpm (6.8 L/min). Polished Chrome D3510778C.100

175 202 Brushed Nickel D3510778C.144 Platinum Nickel D3510778C.150 202 Carbon Bronze 202 D3510778C.110 Satin Brass 211 D3510778C.427





TRADITIONAL

Single Function Hand Shower

Includes flow restrictor and check valve.



Polished Chrome	D35170781.100	205
Brushed Nickel	D35170781.144	236
Platinum Nickel	D35170781.150	236
Satin Brass	D35170781.427	308

SHOWER OPTIONS			SHOWER ARMS
	CEILING MOUNT		
	6" Shower Arm		
	Polished Chrome	D35702306.100	93
	Brushed Nickel	D35702306.144	108
- 11	Platinum Nickel	D35702306.150	108
- 11	12" Shower Arm		
	Polished Chrome	D35702312.100	109
	Brushed Nickel	D35702312.144	125
	Platinum Nickel	D35702312.150	125
	DXV MODULUS*		
1	12" Shower Arm		
0	Polished Chrome	D75700717100	147
	Brushed Nickel	D35700317.100 D35700317.144	143 186
	Platinum Nickel	D35700317.144	186
7(2)	Matte Black	D35700317.130	220
	ridite block		
	RIGHT ANGLE		
No.	12" Shower Arm		
	Polished Chrome	D35700312.100	109
	Brushed Nickel	D35700312.144	125
1	Platinum Nickel	D35700312.150	125
	16" Shower Arm		
	Polished Chrome	D35700316.100	125
	Brushed Nickel	D35700316.144	149
	Platinum Nickel	D35700316.150	149
	Satin Brass	D35700316.427	188
	SHEPHERD'S HOOK		
	Compatible with all showe	erheads. 1/2" NPT.	
	12" Shower Arm		
	Polished Chrome	D35701312.100	161
	Brushed Nickel	D35701312.144	184
	Platinum Nickel	D35701312.150	184
	Carbon Bronze	D35701312.110	166
	Satin Brass	D35701312.427	224
	16" Shower Arm		
	Polished Chrome	D35701316.100	181
	Brushed Nickel	D35701316.144	209
	Platinum Nickel	D35701316.150	209
	Carbon Bronze	D35701316.110	209
	SQUARE		
1	16" Shower Arm		
	Polished Chrome	D35700426.100	129
	Brushed Nickel	D35700426.144	149
	20" Shower Arm		
	Polished Chrome	D35700420.100	181
•	Brushed Nickel	D35700420.100	208
	Diddled Mckel	233700420.144	200





DECORATIVE METAL HOSE For Hand Shower

Polished Chrome	H960440.100	81
Brushed Nickel	H960440.144	94
Platinum Nickel	H960440.150	94
Matte Black	H960440.243	113
Satin Brass	H960440.427	113





ROUND

Multifunction Body Spray

Three function spray: spray, mist and combination. Center face tilts to change direction of spray.

Maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome	D3570040C.100	150
Brushed Nickel	D3570040C.144	173
Platinum Nickel	D3570040C.150	173



ROUND WALL ELBOW

For Hand Shower (vacuum breaker included)

Polished Chrome	D35700035.100	31
Brushed Nickel	D35700035.144	37
Platinum Nickel	D35700035.150	37





SQUARE

Multifunction Body Spray

Three function spray: spray, mist and combination. Center face tilts to change direction of spray.

Maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3570041C.100
 165

 Brushed Nickel
 D3570041C.144
 189

 Platinum Nickel
 D3570041C.150
 189



SQUARE WALL ELBOW

For Hand Shower (vacuum breaker included)

Polished Chrome	D35700045.100	31
Brushed Nickel	D35700045.144	37
Matte Black	D35700045.243	43

dxv.com LIST PRICE GUIDE 2022-4 1



DXV MODULUS 48" x 36" Solid Surface Shower Base – Center Drain

Pure solid surface material. Low threshold. Trench drain with matching removable trench cover included.

Merino White	D14836STC.417	1,324
COMPONENT		
48" x 36" Drain Plate	755189-401.4170A	160

108 LIST PRICE GUIDE 2022-4 dxv.com



CONTEMPORARY Floor Mount Tub Filler

Rough valve included. Floor to spout 37-7/8" (962 mm).

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3590197C.100 1,335 Brushed Nickel D3590197C.144 1,535 Platinum Nickel D3590197C.150 1,535



DXV MODULUS® Floor Mount Tub Filler

Rough valve included.

Floor to spout 32-5/8" (829 mm).

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome 2.396 D35120951.100 Brushed Nickel D35120951.144 3,114 Platinum Nickel 3,114 D35120951.150 Matte Black 3,689 D35120951.243



SQUARE

.

Floor Mount Tub Filler

Rough valve included. Floor to spout 33-7/8" (860 mm).

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome 1,848 D3590090C.100 Brushed Nickel D3590090C.144 2,125 Matte Black D3590090C.243 2,587

LIST PRICE GUIDE 2022-4

FLOOR MOUNT TUB FILLERS





TRADITIONAL

Floor Mount Tub Filler with Ashbee® Cross Handles

Rough valve included. Floor to spout 27" (686 mm).

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3510196C.100
 2,285

 Brushed Nickel
 D3510196C.144
 2,628

 Platinum Nickel
 D3510196C.150
 2,628





TRADITIONAL

Floor Mount Tub Filler with Ashbee Lever Handles



Rough valve included. Floor to spout 27" (686 mm).

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3510195C.100
 2,285

 Brushed Nickel
 D3510195C.144
 2,628

 Platinum Nickel
 D3510195C.150
 2,628





TRADITIONAL

Floor Mount Tub Filler with Landfair* Cross Handles

White porcelain and metal index buttons included. Rough valve included. Floor to spout 27'' (686 mm).

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3510796C.100
 2,218

 Brushed Nickel
 D3510796C.144
 2,552

 Platinum Nickel
 D3510796C.150
 2,552

 Carbon Bronze
 D3510796C.110
 2,771





TRADITIONAL

Floor Mount Tub Filler with Landfair Lever Handles



White porcelain and metal index buttons included. Rough valve included. Floor to spout 27" (686 mm).

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

 Polished Chrome
 D3510795C.100
 2,464

 Brushed Nickel
 D3510795C.144
 2,834

 Platinum Nickel
 D3510795C.150
 2,834





TRANSITIONAL

Floor Mount Tub Filler with Randall* Cross Handles

Rough valve included. Floor to spout 27" (686 mm).

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3510296C.100 2.285 Brushed Nickel D3510296C.144 2,628 Platinum Nickel D3510296C.150 2,628 Satin Brass 2,855 D3510296C.427





TRANSITIONAL

Floor Mount Tub Filler with Randall Lever Handles

Rough valve included. Floor to spout 27" (686 mm).

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D3510295C.100 2,285 Brushed Nickel D3510295C.144 2,628 Platinum Nickel D3510295C.150 2,628 Satin Brass D3510295C.427 2.855





FITZGERALD*

Floor Mount Tub Filler with Lever Handles



Rough valve included. 25-3/8" (645 mm) floor to center of handle.

Hand shower maximum flow rate: 1.8 gpm (6.8 L/min).

Polished Chrome D35160950.100 2.329 D35160950.144 Brushed Nickel 2,680 Platinum Nickel D35160950.150 2,680

LIST PRICE GUIDE 2022-4

FREESTANDING SOAKING TUBS



BELSHIRE"

Freestanding Soaking Tub

DIMENSIONS Nominal

66" x 36" x 24" (1675 x 914 x 610 mm)

Bathing Well

38-9/16" x 18-1/8" x 16-5/8" (980 x 461 x 422 mm)

Acrylic with fiberglass reinforcement. 81 gallon (307 L.) capacity. Integrated drain and overflow. Includes Polished Nickel drain cap and plug.

Canvas White	D12040004.415	4,725
COMPONENTS		
Drain Cap & Plug		
Polished Chrome	755491-201.0020A	146
Brushed Nickel	755491-201.2950A	155
Polished Nickel	755491-201.0080A	155
Satin Brass	755491-201.4270A	248



COSSU*

Freestanding Soaking Tub

DIMENSIONS Nominal

66" x 36" x 22" (1676 x 914 x 559 mm)

Acrylic with fiberglass reinforcement. Removable access panel. 78 gallon capacity. Tub drain sold separately.

Canvas White	D60545004.415	4,744

COMPONENTS		
Tub Drain (required)		
Polished Chrome	754990-201.002	315
Brushed Nickel	754990-201.295	364
Polished Nickel	754990-201.008	364
Matte Black	754990-201.243	397
Satin Brass	754990-201.427	397



FITZGERALD*

Freestanding Soaking Tub

DIMENSIONS Nominal

65-3/4" x 36" x 23" (1670 x 914 x 584 mm)

Acrylic with fiberglass reinforcement. Removable access panel. 84 gallon capacity. Drain sold separately.

Canvas White	D62645004.415	6,123
COMPONENTS		
Tub Drain (required)		
Polished Chrome	754990-201.002	315
Brushed Nickel	754990-201.295	364
Polished Nickel	754990-201.008	364
Matte Black	754990-201.243	397
Satin Brass	754990-201.427	397

LIST PRICE GUIDE 2022-4 dxv.com



EQUILITY*

Slim Freestanding Soaking Tub

DIMENSIONS Nominal

66-3/4" x 30-5/16" x 24-5/8" (1695 x 770 x 625 mm)

Acrylic with fiberglass reinforcement. 60 gallon capacity. Integrated drain in polished chrome included.

Canvas White

D12536004.415

3,530



EQUILITY

Freestanding Soaking Tub

DIMENSIONS Nominal

66-3/4" x 33-5/16" x 24-5/8" (1695 x 846 x 625 mm)

Acrylic with fiberglass reinforcement. 66 gallon capacity. Integrated drain in polished chrome included.

Canvas White

D12536014.415

4,081



DXV MODULUS*

Freestanding Soaking Tub

DIMENSIONS Nominal

72" x 32" x 24" (1830 x 814 x 610 mm)

Acrylic with fiberglass reinforcement. 81 gallon capacity. Includes polished chrome drain kit.

4,302 Canvas White D12031000.415

COMPONENTS Drain Cap and Plug 155 Brushed Nickel 755491-201.2950A Polished Nickel 755491-201.0080A 155 Matte Black 755491-201.2430A 255

LIST PRICE GUIDE 2022-4 dxv.com

FREESTANDING SOAKING TUBS



OAK HILL®

Freestanding Soaking Tub

DIMENSIONS Nominal 66" x 36" x 29-3/4" (1676 x 914 x 756 mm)

Acrylic with fiberglass reinforcement. 62 gallon capacity.

Tub drain and overflow kit sold separately.

Canvas White D12025004.415 5,295

COMPONENTS Tub Drain and Overflow Kit (required) Polished Chrome D11000000.100 331 Brushed Nickel D11000000.144 381 Platinum Nickel D11000000.150 381 Matte Black D11000000.243 Satin Brass 414 D11000000.427 414



OAK HILL®

Freestanding Soaking Tub with Feet

DIMENSIONS Nominal 66" x 36" x 29-3/4" (1676 x 914 x 756 mm)

Acrylic with fiberglass reinforcement. 62 gallon capacity.

Tub drain and overflow kit sold separately.

Canvas White/Weathered D12025014.239 4,964 Oak Feet

COMPONENTS

Tub Drain and Overflow K	it (required)	
Polished Chrome	D11000000.100	331
Brushed Nickel	D11000000.144	381
Platinum Nickel	D11000000.150	381
Matte Black	D11000000.243	414
Satin Brass	D11000000.427	414

LIST PRICE GUIDE 2022-4 dxv.com



ST. GEORGE* Freestanding Soaking Tub

DIMENSIONS Nominal

65-1/2" x 35" x 23-1/2" (1664 x 889 x 597 mm)


Acrylic with fiberglass reinforcement. Removable access panel. 80 gallon capacity. Drain sold separately.

Canvas White	D62745004.415	5,849
COMPONENTS		
Tub Drain (required)		
Polished Chrome	754990-201.002	315
Brushed Nickel	754990-201.295	364
Polished Nickel	754990-201.008	364
Matte Black	754990-201.243	397
Satin Brass	754990-201.427	397

dxv.com LIST PRICE GUIDE 2022-4







DIMENSIONS Nominal 72" x 36" x 22-1/2" (1829 x 914 x 572 mm)

Canvas White

D12015328.415

7.722



FEATURES: AQUA MOMENT WATERFALL TECHNOLOGY

- Waterfall spout: 17-1/8" (435 mm) in length with maximum flow rate: 21 gpm (79.5 L/min)
- · Head rest: polyurethane material in Smoke Gray
- · LED lighted water spout


FEATURES: DXV DROP-IN AIRBATH

- · Bath: acrylic material in Canvas White
- · Built in control panel for operating water pressure for waterfall and airbath cycles and sequence of chromatherapy lights
- · High-gloss acrylic with fiberglass reinforcement
- · Minimalist design with contoured lumbar support
- · Pre-leveled tub bottom
- · Drop-in installation with Zero-Edge profile
- Drop-in bathtub uses deck mount tub filler (not included)
- · Drain kit included

ROUGH-IN

- EverClean® Airbath 360° system provides small bubbles through air jets for soothing massage to ensure a whole body experience
- · Airbath system includes inline heated air blower to keep water pleasurably warm
- · The tub heater will only maintain water temperature and will not heat cool or cold water

COMPONENT **Universal Drain** Polished Chrome D1583470.002 168



LIST PRICE GUIDE 2022-4 116

762



BYRDCLIFFE* Alcove Tub*

DIMENSIONS Nominal

60" x 30" x 14" (1524 x 762 x 356 mm)

Recessed bath with integral apron and tiling flange.

Right and left outlets. 42 gallon capacity. Drain not included.

Canvas White D02391202.415 - RHO D02390202.415 - LHO

COMPONENTS

Deep Soak* Drain (required)

Polished Chrome D1640305.002 144

Brushed Nickel D1640305.295 266



HAWKINS* Alcove Tub*

DIMENSIONS Nominal

60" x 32" x 17-3/4" (1524 x 813 x 451 mm)

Recessed bath with integral apron and tiling flange.

Right and left outlets. 50 gallon capacity. Drain not included.

Canvas White D12461002.415 - RHO 1,210 D12460002.415 - LHO 1,210

COMPONENTS

Universal Drain (required)

 Polished Chrome
 D1583470.002
 168

 Brushed Nickel
 D1583470.295
 286

www.dxv.com FREESTANDING TUBS

TOILETS ONE-PIECE



BELSHIRE"

One-Piece Elongated Toilet


DIMENSIONS Nominal



29-13/16" x 16-3/8" x 30-3/4" (758 x 415 x 783 mm)

Right Height*. High efficiency 1.28 gpf/4.8 Lpf water consumption. Concealed trapway. Vitreous china. Slow-close seat and polished nickel trip lever included.

Canvas White	D22025A101.415	1.067
Carryas vyrite	D22025A101.415	1,007







COSSU*

One-Piece Elongated Toilet

DIMENSIONS Nominal

Canvas White

Polished Chrome

Brushed Nickel

Polished Nickel



28-1/4" x 14-1/2" x 30-3/4" (717 x 366 x 782 mm)



Right Height. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Tank cover, durable slow-close seat made of polypropylene plastic, and left-hand trip lever in polished chrome included.

COMPONENTS		
Contemporary Elongate	d Toilet Seat	
Canvas White	5025A15G.415	147
Tank Cover Canvas White	735192-400.415	137
Plated Left-Hand Trip Le	ver LHTL (optional component)	

7381345-200.0020A

7381345-200.2950A

7381345-200.0080A

D22015F101.415

LIST PRICE GUIDE 2022-4

1,159

86

144

144

ONE-PIECE TOILETS





cossu®

One-Piece Elongated Toilet



DIMENSIONS Nominal

(5)

28-1/4" x 14-1/2" x 30-3/4" (717 x 366 x 782 mm)

Right Height*. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Tank cover, durable slow-close seat made of polypropylene plastic, and right-hand trip lever in polished chrome included.

Canvas White	D22015F102.415	1,136
COMPONENTS		
Contemporary Elongated	Toilet Seat	
Canvas White	5025A15G.415	147
Tank Cover		
Canvas White	735192-400.415	137
Plated Right-Hand Trip Lo	ever RHTL (optional component)	
Polished Chrome	7381846-200.0020A	141
Brushed Nickel	7381846-200.2950A	133
Polished Nickel	7381846-200.0080A	133





EQUILITY*

One-Piece Elongated Dual Flush Toilet



DIMENSIONS Nominal

30-3/16" x 14" x 30-13/16" (767 x 356 x 783 mm)

Right Height. Available in dual flush 1.28 – 1.0 $\rm gpf/4.8$ – 3.8 $\rm Lpf.$ Vitreous china. Tank cover and durable slow-close seat made of polypropylene plastic included.

Canvas White D22690A200.415 1,159

COMPONENTS		
Contemporary Elongated	Toilet Seat	
Canvas White	5025A15G.415	147
Tank Cover		
Canvas White	735188-400.415	137
Plated Dual Flush Actuate	or (optional component)	
Polished Chrome	7381338-201.0020A	103
Brushed Nickel	7381338-201.2950A	143
Matte Black	7381338-201.2430A	165

TOILETS ONE-PIECE





EQUILITY®

One-Piece Elongated Toilet





30-3/16" x 14" x 30-13/16" (767 x 356 x 783 mm)

Right Height*. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Tank cover, durable slow-close seat made of polypropylene plastic, and polished chrome trip lever included. Left- and right-hand trip lever option available.

Canvas White	D22690A109.415 - LHTL	1,159
	D22690A108.415 - RHTL	1,159

COMPONENTS

Contemporary Elongated Canvas White	5025A15G.415	147
	0020/1100.110	
Tank Cover		
Canvas White	735222-400.415	117
Plated Left-Hand Trip Lev	er LHTL (optional component)	
Polished Chrome	7381887-200.0020A	90
Brushed Nickel	7381887-200.2950A	133
Polished Nickel	7381887-200.0080A	133
Matte Black	7381887-200.2430A	192
Plated Right-Hand Trip Le	ever RHTL (optional component)	
Polished Chrome	7381891-200.0020A	90
Brushed Nickel	7381891-200.2950A	133
Polished Nickel	7381891-200.0080A	133
Matte Black	7381891-200.2430A	243





DXV MODULUS®

Canvas White

Canvas White

One-Piece Elongated Toilet



DIMENSIONS Nominal 28-5/8" x 15-1/2" x 30-1/4"

(727 x 395 x 770 mm)

Right Height. Available in 1.28 gpf/4.8 Lpf single flush with Chrome push button actuator. Vitreous china. Tank cover, slow-close seat included.

Tank Cover		
Canvas White	735217-400.415	124

5026A15G.415

D22020A100.415

Single Flush Actuator

DXV Modulus Elongated Toilet Seat

Single I lusii Actuatoi		
Polished Chrome	7381903-200.0020A	64
Brushed Nickel	7381903-200.2950A	83
Polished Nickel	7381903-200.0080A	70
Matte Black	7381903-200.2430A	262

1,410

147

ONE-PIECE TOILETS





ST. GEORGE* **One-Piece Elongated Toilet**

DIMENSIONS Nominal

29-7/8" x 15" x 30-3/4" (758 x 380 x 781 mm)



Right Height*. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Tank cover, durable slow-close seat made of polypropylene plastic and polished chrome trip lever included.

Canvas White	D22000C101.415	1,200
COMPONENTS		
Traditional Elongated To	let Seat	
Canvas White	5020A15G.415	147
Tank Cover		
Canvas White	735193-400.415	137
Plated Trip Lever (option	al component)	
Polished Chrome	738835-0020A	88
Brushed Nickel	738835-2950A	143
Polished Nickel	738835-0080A	143

dxv.com

TOILETS ONE-PIECE





WYATT*

One-Piece Elongated Toilet



DIMENSIONS Nominal

29-3/4" x 15-3/8" x 30-3/4" (756 x 390 x 782 mm)



Right Height®. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Tank cover, durable slow-close seat made of polypropylene plastic, and left-hand trip lever in polished chrome included.

Canvas White	D22005C101.415	1,177
COMPONENTS		
Transitional Elongated Toil	et Seat	
Canvas White	5024A15G.415	147
Tank Cover		
Canvas White	735194-400.415	137
Plated Left-Hand Trip Leve	r LHTL (optional component)	
Polished Chrome	7381331-200.0020A	86
Brushed Nickel	7381331-200.2950A	143
Polished Nickel	7381331-200.0080A	143





WYATT

One-Piece Elongated Toilet



DIMENSIONS Nominal



29-3/4" x 15-3/8" x 30-3/4" (756 x 390 x 782 mm)



Right Height. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Tank cover, durable slow-close seat made of polypropylene plastic, and right-hand trip lever in polished chrome included.

Canvas White	D22005C102.415	1,177
COMPONENTS		
Transitional Elongated To	oilet Seat	
Canvas White	5024A15G.415	147
Tank Cover		
Canvas White	735194-400.415	137
Plated Right-Hand Trip L	ever RHTL (optional component)	
Polished Chrome	7381847-200.0020A	49
Brushed Nickel	7381847-200.2950A	82
Polished Nickel	7381847-200.0080A	137

TWO-PIECE TOILETS





EQUILITY*

Two-Piece Elongated Dual Flush Toilet



30-3/16" x 15-1/8" x 31-9/16" (767 x 384 x 802 mm)

Right Height®. Available in dual flush 1.28-1.0 gpf/4.8-3.8 Lpf. Vitreous china. Tank cover and durable slow-close seat made of polypropylene plastic included.

Canvas White	D2210AA200.415	794
COMPONENTS		
Dual Flush Toilet Tank Canvas White	D24434A200.415	242
Elongated Bowl Canvas White	D23226A000.415	552
Contemporary Elongated Canvas White	d Toilet Seat 5025A15G.415	147
Tank Cover Canvas White	735179-400.415	137
Plated Dual Flush Actuat	or (optional component)	
Polished Nickel	7381338-200.0020A	103
Brushed Nickel	7381338-200.2950A	148

7381338-200.2430A





EQUILITY

Matte Black

Two-Piece Elongated Toilet



DIMENSIONS Nominal

30-3/16" x 15-1/8" x 31-9/16" (767 x 384 x 802 mm)



Right Height. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Tank cover, durable slow-close seat made of polypropylene plastic, and polished chrome trip lever included.

Canvas White	D2210AA109.415 - LHTL D2210AA108.415 - RHTL	789 789
COMPONENTS		
Left-Hand Tollet Tank Canvas White	D24434A109.415	237
Right-Hand Toilet Tank Canvas White	D24434A108.415	237
Elongated Bowl Canvas White	D23226A000.415	552
Contemporary Elongated Toilet Canvas White	: Seat 5025A15G.415	147
Tank Cover Canvas White	735221-400.415	117
Plated Left-Hand Trip Lever LH	TL (optional component)	
Polished Nickel	7381887-200.0020A	90
Brushed Nickel	7381887-200.2950A	133
Polished Nickel Matte Black	7381887-200.0080A 7381887-200.2430A	133 192
Plated Right-Hand Trip Lever R	HTL (optional component)	
Polished Nickel	7381891-200.0020A	90
Brushed Nickel	7381891-200.2950A	133
Polished Nickel	7381891-200.0080A	133
Matte Black	7381891-200.2430A	243



LIST PRICE GUIDE 2022-4

TWO-PIECE





FITZGERALD*

Two-Piece Elongated Toilet



5

29-7/8" x 15-1/16" x 31-3/16" (758 x 383 x 792 mm)

Right Height*. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Tank cover, durable slow-close seat made of polypropylene plastic, and left-hand trip lever in polished chrome included.

Canvas White	D2205CA101.415	941
COMPONENTS		
Left-Hand Tank Canvas White	D24005A101.415	396
Elongated Bowl Canvas White	D23005C000.415	545
Traditional Elongated Toilet Seat Canvas White	5020A15G.415	147
Tank Cover Canvas White	735191-400.415	137
Left-Hand Plated Trip Lever (option Polished Chrome Brushed Nickel Polished Nickel Carbon Bronze	7381344-200.0020A 7381344-200.2950A 7381344-200.0080A 7381344-200.1100A	86 148 148





FITZGERALD

Two-Piece Elongated Toilet

DIMENSIONS Nominal



29-7/8" x 15-1/16" x 31-3/16" (758 x 383 x 792 mm)



Right Height. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Tank cover, durable slow-close seat made of polypropylene plastic, and right-hand trip lever in polished chrome included.

Canvas White	D2205CA102.415	941
COMPONENTS		
Right-Hand Tank Canvas White	D24005A102.415	396
Elongated Bowl Canvas White	D23005C000.415	545
Traditional Elongated Toilet Seat Canvas White	5020A15G.415	147
Tank Cover Canvas White	735191-400.415	137
Right-Hand Plated Trip Lever (or Polished Chrome Brushed Nickel Polished Nickel Carbon Bronze	otional component) 7381846-200.0020A 7381846-200.2950A 7381846-200.0080A 7381846-200.1100A	141 133 133 137

dxv.com





FITZGERALD*

Two-Piece Round Front Toilet



DIMENSIONS Nominal 29-7/8" x 15-1/16" x 31-3/16" (758 x 383 x 792 mm)

Right Height®. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Tank cover, durable slow-close seat made of polypropylene plastic, and polished chrome trip lever included.

COMPONENTS	
Left-Hand Tank	
Canvas White D24005A101.415	396
Round Front Bowl	
Canvas White D23005D000.415	509
Traditional Round Front Toilet Seat	
Canvas White 5020B15G.415	147
Tank Cover	
Canvas White 735191-400.415	137
Plated Trip Lever (optional component)	
Polished Chrome 7381344-200.0020A	86
Brushed Nickel 7381344-200.2950A	148
Polished Nickel 7381344-200.0080A	148
Carbon Bronze 7381344-200.1100A	148



OAK HILL®

Two-Piece Elongated Toilet

DIMENSIONS Nominal

30-13/16" x 18" x 32-15/16" (783 x 457 x 836 mm)

Right Height. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Exposed trapway design. Tank cover, durable slow-close seat made of polypropylene plastic, and polished chrome pull knob included.

Canvas White	D2203AA100.415	975
COMPONENTS		
Tank Canvas White	D24030A100.415	473
Elongated Bowl Canvas White	D23030A100.415	581
Traditional Elongated Toilet Seat Canvas White	5020A15G.415	147
Tank Cover Canvas White	735206-400.415	137
Pull Knob (optional component) Polished Chrome Brushed Nickel Platinum Nickel Satin Brass	7381646-200.1000A 7381646-200.1440A 7381646-200.1500A 7381646-200.4270A	178 183 178 178



LIST PRICE GUIDE 2022-4

TOILETS TWO-PIECE





ST. GEORGE®

Two-Piece Elongated Toilet

DIMENSIONS Nominal

30-13/16" x 17-9/16" x 31-1/2" (783 x 446 x 800 mm)

Right Height®. Available in 1.28 gpf/4.8 Lpf. Vitreous china. Exposed trapway design. Tank cover, durable slow-close seat made of polypropylene plastic, and polished chrome trip lever included.

Canvas White	D2215AA104.415	942
COMPONENTS		
Tank Canvas White	D24000A104.415	406
Elongated Bowl Canvas White	D23015A100.415	536
Traditional Elongated Toile Canvas White	t Seat 5020A15G.415	147
Tank Cover Canvas White	735196-400.415	137
Plated Trip Lever (optional	component)	
Polished Chrome	738835-0002A	88
Brushed Nickel	738835-2950A	143
Polished Nickel	738835-0080A	143





WYATT*

Two-Piece Elongated Toilet

DIMENSIONS Nominal



30-3/16" x 17-5/8" x 30-3/4" (767 x 448 x 781 mm)

Canvas White

Right Height. Available in 1.28 gpf/4.8 Lpf. Vitreous china. VorMax® flushing technology. CleanCurve® rim. Tank cover, durable slow-close seat made of polypropylene plastic, and polished chrome trip lever included.

D2220AA121.415 - LHTL

D2220AA122.415 - RHTL	730
eat	
5024A15G.415	147
735220-400.415	137
D24370A121.415	233
D24370A122.415	233
D23363A104.415	497
ptional component)	
7381740-200.0020A	66
7381740-200.2950A	78
7381740-200.0080A	93
(optional component)	
7381799-200.0020A	65
7381799-200.2950A	78
7381799-200.0080A	100
	5024A15G.415 735220-400.415 D24370A121.415 D24370A122.415 D23363A104.415 ptional component)



LIST PRICE GUIDE 2022-4

730

WALL-HUNG TOILETS



BELSHIRE"

Wall-Hung Elongated Toilet



DIMENSIONS Nominal

21-15/16" x 13-7/8" x 11-13/16" (560 x 353 x 300 mm)

Available in dual flush 1.6-0.8 gpf/6.0-3.0 Lpf water consumption. Vitreous china. Slow-close seat included.

Canvas White	D23050A000.415	751
COMPONENTS		
Traditional Elongated To	oilet Seat	
Canvas White	5020A15G.415	147
REQUIRED / COMPONE	NTS	
RAPID SLX 2"x 6"		
For use with 6" x 7" (156)	(197 mm) flush plates, please order shaf	ft

D29011000.000 No Finish 621 RAPID SL SLIM 2"x 4" D29010000.000 625 No Finish RAPID SL 2"x 4"

D29012000.000 700 No Finish Skate Cosmopolitan Actuator for Single, Dual and Start and Stop Functions Polished Chrome D28015000.100 176 Brushed Nickel D28015000.144 205 Platinum Nickel D28015000.150 205 Matte Black D28015000.243 328



COSSU*

Wall-Hung Elongated Toilet

66 791 000 (sold separately).

DIMENSIONS Nominal

14-3/8" x 21" x 15-19" (365 x 533 x 381-483 mm)

Available in dual flush 1.6-0.8 gpf/6.0-3.0 Lpf. Vitreous china. Durable seat made of polypropylene plastic included.



COMPONENTS

Wall Mounted Bowl		
Canvas White	D23010S000.415	402
Cossu Wall Mounted Toi	let Seat	
Canvas White	5035A10G.415	144

REQUIRED COMPONENTS

RAPID SLX 2"x 6"

DADID SI SI IM 2" v 4"

For use with 6" x 7" (156 x 197 mm) flush plates, please order shaft 66 791 000 (sold separately). No Finish D29011000.000

KALID OF OFILE X 4		
No Finish	D29010000.000	625
RAPID SL 2"x 4"		
No Finish	D29012000.000	700

Skate Cosmopolitan Actuator for Single, Dual and Start and Stop Functions			
Polished Chrome	D28015000.100	176	
Brushed Nickel	D28015000.144	205	
Platinum Nickel	D28015000.150	205	
Matte Black	D28015000.243	328	



The connecting pipe is 260 mm and can be cut to size. The tailpiece included with the DXV carrier is 6". This connection pipe allows for thicker wall materials to be used.

No Finish D14917000.191 75



621

TOILETS WALL-HUNG





DXV MODULUS*

Wall-Hung Elongated Toilet

DIMENSIONS Nominal

22" x 14-1/2" x 11-7/8"

(560 x 370 x 300 mm)

COMPONENTS		
Wall Mounted Bowl		
Canvas White	D23040A000.415	745
DXV Modulus Elongated	Toilet Seat	
Canvas White	5026A15G.415	147
REQUIRED COMPONENT	S	
RAPID SLX 2"x 6"		
For use with 6" x 7"(156 x	197 mm) flush plates, please order shaft	
66 791 000 (sold separate	ely).	
No Finish	D29011000.000	621
RAPID SL SLIM 2"x 4"		
No Finish	D29010000.000	625
RAPID SL 2"x 4"		
No Finish	D29012000.000	700
Skate Cosmopolitan Actu	lator for Single, Dual and Start and Sto	p Functions
Polished Chrome	D28015000.100	176
Brushed Nickel	D28015000.144	205
Platinum Nickel	D28015000.150	205
Matte Black	D28015000.243	328

LIST PRICE GUIDE 2022-4 dxv.com







AT200* LS SPALET Integrated Electronic Bidet Toilet

DIMENSIONS Nominal

14-3/4" x 15-3/4" x 25-13/16" (375 x 400 x 655 mm)

Canvas White


D29030CS416-415


5.606


FEATURES

- Sleek and simple with full skirt and low height design
- WaterSense® dual flush 1.32-0.92 gpf/4.9-3.4 Lpf
- · Automatic open/slow-close lid and seat
- Adjustable, automatic flush setting (off, 2, 6, 10, 15 second delay options)
- Heated seat (5 temperature levels)
- Warm air dryer (3 temperature levels)
- Dual, adjustable, self-cleaning water sprays for independent front and back cleansing
- · Nozzle Shutter to conceal the water sprays
- Adjustable water control settings; pressure (6 levels), temperature (5 levels), massage and oscillation
- Room Refresh and Air Shield technology to deodorize the air in and around the bowl
- Air deodorizer with blue light (Bowl operates when the SpaLet is being used)
- Hyper Clean Surface to reduce scratches
- Prewash to help prevent buildup (on/off option)
- Power Stream Flush: double vortex flush with siphon jet
- · External manual flush button
- · Innovative seat sensor technology
- · One-touch power save (8 hours)
- · In-line easy to access water strainer
- Soft night light Bowl + Seat (on/off on all the time option)
- · Remote control with LED screen
- · Vitreous china compact elongated bowl

ROUGH-IN









AT100° SPALET° **Electronic Bidet Seat**

DIMENSIONS Nominal

6-3/8" x 16-3/4" x 21-1/2" (162 x 426 x 547 mm)

Canvas White


D28005ARS141-415

1.140

FEATURES

- · Sleek simple design for use with most elongated bowls
- · Slow-close seat and lid
- · One-click detachable seat lever
- · One-touch power save (8 hours)
- · Heated seat (3 temperature levels)
- · Deodorizer with easy to access and clean charcoal filter cartridge (approximately 6-year life)
- Two independent self-cleaning water spray nozzles for front and back cleansing
- Water control settings; pressure (5 levels), temperature (3 levels) and pulsation cleansing
- · Warm air dryer (3 temperature levels)
- · Easy to clean seat and nozzles
- · Color-matched remote control included

ROUGH-IN



NOTES:

Dimensions shown for location of supply are suggested only.

Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation.

147

TOILET SEATS TOILETS



CONTEMPORARY Elongated Toilet Seat

Polypropylene, slow-close, top mount, easy lift off, telescoping.

Canvas White 5025A15G.415 147



COSSU*

Wal-Hung Toilet Seat

Polypropylene, slow-close, top mount.

Canvas White 5035A10G.415 144



DXV MODULUS* Elongated Toilet Seat

Duroplast™, slow-close, top mount, easy lift off.

Canvas White 5026A15G.415 147



TRADITIONAL

Elongated Toilet Seat

Polypropylene, slow-close, top mount, easy lift off.

Canvas White 5020A15G.415



TRADITIONAL

Round Front Toilet Seat

Polypropylene, slow-close, top mount, easy lift off.

Canvas White 5020B15G.415 147



TRANSITIONAL

Elongated Toilet Seat

Polypropylene, slow-close, top mount, easy lift off.

Canvas White 5024A15G.415

dxv.com LIST PRICE GUIDE 2022-4

KITCHEN



ETRE

30" Apron Sink

DIMENSIONS Nominal

29-3/4" x 20" x 10" (755 x 508 x 254 mm)

DIMENSIONS Bowl Inside

28-3/16" (716 mm) wide

18-7/16" (468 mm) front to back

8-3/4" (223 mm) depth

Fine fire clay. Offset drain. Sink rack and strainer included.

Canvas White

D21180SB3020.415

1,430



ETRE

33" Apron Sink

DIMENSIONS Nominal

32-3/4" x 20" x 10" (832 x 508 x 254 mm)

DIMENSIONS Bowl Inside

31-3/16" (792 mm) wide

18-7/16" (468 mm) front to back

8-3/4" (223 mm) depth

Fine fire clay. Offset drain. Sink rack and strainer included.

Canvas White

D21180SB3320.415

1.565



ETRE

36" Apron Sink

DIMENSIONS Nominal

35-3/4" x 20" x 10" (908 x 508 x 254 mm)

DIMENSIONS Bowl Inside

34" (864 mm) wide

18-1/4" (464 mm) front to back

9" (229 mm) depth

Fine fire clay. Offset drain. Sink rack and strainer included.

Canvas White

D21180SB3620.415

1,675



ETRE

36" Apron Double Bowl Sink

DIMENSIONS Nominal

35-3/4" x 20" x 10" (908 x 508 x 254 mm)

DIMENSIONS Bowl Inside

16-11/16" (424 mm) wide

18-1/4" (464 mm) front to back

8-3/4" (223 mm) depth

Fine fire clay. Offset drain. Sink rack and strainer included.

Canvas White

D21180DB3620.415

1,785



HILLSIDE*

20" Apron Sink

DIMENSIONS Nominal

20-1/8" x 18" x 10-1/8" (511 x 456 x 257 mm)

DIMENSIONS Bowl Inside

18-1/2" (471 mm) wide

16-1/2" (419 mm) front to back

8-1/2" (215 mm) depth

Fine fire clay. Reversible front with smooth or designed apron. Center drain.

Sink rack and strainer included.

Canvas White

D20100000.415

974



HILLSIDE

24" Apron Sink

DIMENSIONS Nominal

24" x 18-1/16" x 10-1/8" (612 x 460 x 257 mm)

DIMENSIONS Bowl Inside

22-1/2" (572 mm) wide

16-1/2" (419 mm) front to back

8-1/2" (215 mm) depth

Fine fire clay. Reversible front with smooth or designed apron. Center drain. Sink rack and strainer included.

 Canvas White
 D20101000.415
 1,028

 Chenille Gray
 D20101000.425
 1,071



HILLSIDE

30" Apron Sink

DIMENSIONS Nominal

30" x 18-1/16" x 10-1/8" (762 x 460 x 257 mm)

DIMENSIONS Bowl Inside

28-1/2" (724 mm) wide

16-1/2" (419 mm) front to back

8-1/2" (215 mm) depth

Fine fire clay. Reversible front with smooth or designed apron. Center drain.

Sink rack and strainer included.

Canvas White D20102000.415



HILLSIDE

33" Apron Double Bowl Sink

DIMENSIONS Nominal

33-3/8" x 18-1/16" x 10-1/8" (847 x 460 x 257 mm)

DIMENSIONS Double Bowl Inside

15-3/8" (391 mm) wide (each bowl)

16-1/2" (419 mm) front to back

8-1/2" (215 mm) depth

Fine fire clay. Reversible front with smooth or designed apron. Center drain. Sink racks and strainers included.

Canvas White

D20103000.415

1,407

1,299

KITCHEN



HILLSIDE® 30" Sink

DIMENSIONS Nominal

30" x 18-1/16" x 9-7/8" (762 x 460 x 250 mm)

DIMENSIONS Bowl Inside

26-3/4" (679 mm) wide

15" (380 mm) front to back

8-1/4" (210 mm) depth

Fine fire clay. Offset drain. Sink rack and strainer included.

Canvas White

D20066230.415

1,361



HILLSIDE

36" Sink

DIMENSIONS Nominal

36" x 18-1/16" x 9-7/8" (914 x 460 x 250 mm)

DIMENSIONS Bowl Inside

32-3/4" (831 mm) wide

15" (379 mm) front to back

8-1/4" (210 mm) depth

Fine fire clay. Offset drain. Sink rack and strainer included.

Canvas White

D20066236.415

1,471

134 LIST PRICE GUIDE 2022-4 dxv.com

FAUCETS KITCHEN



CONTEMPORARY

Pot Filler

.

Ceramic disc valve cartridge.

 Polished Chrome
 D35401900.100
 1,125

 Ultra Steel
 D35401900.355
 1,294



CONTEMPORARY Soap Dispenser

Polished Chrome D35401720.100 98
Ultra Steel D35401720.355 113



ETRE™

Pull-Down Kitchen Faucet

Ceramic disc valve cartridge. Cover plate not included.

Polished Chrome	D35404300.100	895
Matte Black	D35404300.243	1,343
Ultra Steel	D35404300.355	1,245
Satin Brass	D35404300.427	1,029
Matte Black / Satin Brass	D35404300.249	1,343

COMPONENTS

Cover Plate Polished Chrome M964990-1000A 41 Matte Black M964990-2430A 154 Ultra Steel M964990-3550A 48 Satin Brass M964990-4270A 154



ETRE

Pull-Down Bar Faucet

Ceramic disc valve cartridge. Cover plate not included.

Polished Chrome	D35404410.100	557
Matte Black	D35404410.243	803
Ultra Steel	D35404410.355	663
Satin Brass	D35404410.427	873
Matte Black / Satin Brass	D35404410.249	873



Carray Blata		
Cover Plate Polished Chrome	M964990-1000A	41
	M964990-2430A	154
	M964990-3550A	48
Satin Brass	M964990-4270A	154
Matte Black Ultra Steel Satin Brass	M964990-3550A	48



ETRE™ Soap Dispenser

Polished Chrome	D35405720.100	102
Matte Black	D35405720.243	127
Ultra Steel	D35405720.355	125
Satin Brass	D35405720.427	127



LIST PRICE GUIDE 2022-4

KITCHEN FAUCETS



FRESNO*



Polished Chrome



Ceramic disc valve cartridge. Cover plate not included.

Ultra Steel	D35403350.355	706
COMPONENTS		
Cover Plate		
Polished Chrome	M964990-1000A	41
Ultra Steel	M964990-3550A	48

D35403350.100

613





FRESNO

Pull-Down Kitchen Faucet

Ceramic disc valve cartridge. Cover plate not included.

D35403300.100 Polished Chrome 511 589 Ultra Steel D35403300.355 COMPONENTS







FRESNO*

Single Lever Kitchen Faucet

Ceramic disc valve cartridge. Cover plate not included.

Polished Chrome D35403000.100 415 475 Ultra Steel D35403000.355

COMPONENTS

Cover Plate

Polished Chrome M964990-1000A 41 Ultra Steel M964990-3550A 48



LIST PRICE GUIDE 2022-4



FRESNO

Pull-Out Kitchen Faucet



Ceramic disc valve cartridge. Cover plate not included.

Polished Chrome D35403150.100 399 Ultra Steel D35403150.355 458

COMPONENTS

Cover Plate		
Polished Chrome	M964990-1000A	41
Ultra Steel	M964990-3550A	48

dxv.com

FAUCETS

FRESNO
Bar Faucet

Ceramic disc valve cartridge. Cover plate not included.





 Polished Chrome
 D35403410.100
 386

 Ultra Steel
 D35403410.355
 443





TRADITIONAL Pot Filler

Ceramic disc valve cartridge.

 Polished Chrome
 D35402900.100
 1,125

 Ultra Steel
 D35402900.355
 1,294

 Carbon Bronze
 D35402900.110
 1,294



TRADITIONAL Soap Dispenser

Polished Chrome	D35402720.100	144
Ultra Steel	D35402720.355	165
Carbon Bronze	D35402720.110	183

KITCHEN FAUCETS





VICTORIAN

Single Lever Kitchen Faucet with Side Spray

Ceramic disc valve cartridge. Cover plate not included.

 Polished Chrome
 D35402001.100
 539

 Ultra Steel
 D35402001.355
 622

 Carbon Bronze
 D35402001.110
 622

COMPONENTS		
Side Spray		
Polished Chrome	M964743-1000A	223
Ultra Steel	M964743-3550A	289
Carbon Bronze	M964743-1100A	300
Cover Plate		
Polished Chrome	M907587-1000A	41
Ultra Steel	M907587-3550A	49
Carbon Bronze	M907587-1100A	49





VICTORIAN

Widespread Bridge Faucet with Side Spray

Ceramic disc valve cartridge. Cover plate not included.

 Polished Chrome
 D35402250.100
 899

 Ultra Steel
 D35402250.355
 1,037

 Carbon Bronze
 D35402250.110
 1,037

COMPONENTS

Side Spray		
Polished Chrome	M964743-1000A	223
Ultra Steel	M964743-3550A	289
Carbon Bronze	M964743-1100A	300

Cover Plate

Polished Chrome M907587-1000A 41
Ultra Steel M907587-3550A 49
Carbon Bronze M907587-1100A 49





VICTORIAN

Pull-Out Kitchen Faucet



Ceramic disc valve cartridge. Cover plate not included.

 Polished Chrome
 D35402150.100
 511

 Ultra Steel
 D35402150.355
 589

 Carbon Bronze
 D35402150.110
 589

COMPONENTS

41
49
49



FAUCETS KITCHEN





VICTORIAN

Pull-Down Kitchen Faucet



Ceramic disc valve cartridge. Cover plate not included.

Polished Chrome	D35402300.100	512
Ultra Steel	D35402300.355	592
Carbon Bronze	D35402300.110	557
COMPONENTS		
Cover Plate		
Polished Chrome	M907587-1000A	41
Ultra Steel	M907587-3550A	49
Carbon Bronze	M907587-1100A	49





VICTORIAN

Bar Faucet

Carbon Bronze



Ceramic disc valve cartridge. Cover plate not included.

D35402400.100	386
D35402400.355	443
D35402400.110	443
M907587-1000A	41
M907587-3550A	49
	D35402400.355 D35402400.110 M907587-1000A

M907587-1100A

COMMERCIAL

PROJECT

PORTFOLIO

---- GUIDE -----

140 BATHROOM FAUCETS www.dxv.com





EQUILITY®

22" Lavatory with Overflow



DIMENSIONS Nominal

22" x 18" x 8-9/16" (558 x 457 x 217 mm)

DIMENSIONS Bowl Inside

19-3/4" (501 mm) wide

12-3/8" (315 mm) front to back

5-1/2" (140 mm) depth

Fine fire clay. Works with any standard drain (drain not included). Rear overflow. Must meet MOQ and lead time requirements. Please see chart on pages 202-203 for more information.

Canvas White

D20175001.415

632





EQUILITY

33" Single-Hole Lavatory



DIMENSIONS Nominal

33" x 18" x 8-9/16" (838 x 457 x 217 mm)

DIMENSIONS Bowl Inside

19-1/4" (489 mm) wide

12" (306 mm) front to back

5-1/2" (140 mm) depth

Fine fire clay. Works with any standard drain (drain not included). Rear overflow. Must meet MOQ and lead time requirements. Please see chart on pages 202-203 for more information.

Canvas White

D20176001.415

789



EQUILITY

47" Trough Lavatory



DIMENSIONS Nominal

46-3/4" x 17-7/16" x 8-9/16" (1187 x 443 x 217 mm)



DIMENSIONS Bowl Inside

44-1/2" (1130 mm) wide

11-13/16" (300 mm) front to back

5-1/2" (140 mm) depth

Fine fire clay. Works with any standard drain (drain not included). Rear overflow. Must meet MOQ and lead time requirements. Please see chart on pages 202-203 for more information.

47" Two Single-Hole Lavatory

Canvas White

D20177002.415

1,157





EQUILITY

Single Lever Lavatory Faucet

Cast brass spout. Ceramic disc valve cartridge. Red and Blue indicator markings on handle. **Must meet MOQ and lead time requirements.** Please see charts at the end of section for more information.



P

Maximum flow rate: 1.2 gpm (4.5 L/min).

 Polished Chrome
 D35109100RB.100
 644

 Brushed Nickel
 D35109100RB.144
 774

 Matte Black
 D35109100RB.243
 903





EQUILITY

Vessel Faucet

Cast brass spout. Ceramic disc valve cartridge. Red and Blue indicator markings on handle. **Must meet MOQ and lead time requirements.** Please see charts at the end of section for more information.



Maximum flow rate: 1.2 gpm (4.5 L/min).

 Polished Chrome
 D35109150RB.100

 Brushed Nickel
 D35109150RB.144

 Matte Black
 D35109150RB243

657 787

3243 918





EQUILITY

Wall Mount Faucet

Cast brass spout. Ceramic disc valve cartridge. Rough valve is included.

Red and Blue indicator markings on handle. **Must meet MOQ and lead time requirements.** Please see charts at the end of section for more information.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35109400RB.100 718
Brushed Nickel D35109400RB.144 863
Matte Black D35109400RB.243 1,006





P

EQUILITY

Pressure Balance Shower Valve Trim

Please see charts at the end of section for more information.





Flash Shower Rough-In Valve (required component)

DZR brass valve. Ceramic disc valve cartridge.

Unfinished D35101SS0.191 97

LIST PRICE GUIDE 2022-4



EQUILITY

18" Towel Bar



Concealed mounting. **Must meet MOQ and lead time requirements.** Please see Please see charts at the end of section for more information.

Polished Chrome	D35109180.100	206
Brushed Nickel	D35109180.144	257
Matte Black	D35109180.243	312



EQUILITY

12" Towel Bar



Concealed mounting. **Must meet MOQ and lead time requirements.** Please see charts at the end of section for more information.

Brushed Nickel D35109120.144	252
Matte Black D35109120.243	306






Widespread Lavatory Faucet

Cast brass spout and body. Ceramic disc valve cartridges. Red and Blue indicator markings on handles. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.





Polished Chrome D35120802RB.100 Brushed Nickel D35120802RB.144 Platinum Nickel

858 D35120802RB.150 858





DXV MODULUS

High Spout Widespread Lavatory Faucet

Cast brass spout and body. Ceramic disc valve cartridges. Red and Blue indicator markings on handles. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35120822RB.100 913 Brushed Nickel D35120822RB.144 1.187 Platinum Nickel D35120822RB.150 1,187





DXV MODULUS

Single Lever Lavatory Faucet

Cast brass spout and body. Ceramic disc valve cartridge. Red and Blue indicator markings on handle. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.





Maximum flow rate: 1.2 gpm (4.5 L/min). Polished Chrome

D35120102RB.100 644 Brushed Nickel D35120102RB.144 742 Platinum Nickel 742 D35120102RB.150





DXV MODULUS Vessel Faucet

Cast brass spout and body. Ceramic disc valve cartridge. Red and Blue indicator markings on handle. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.



Polished Chrome D35120152RB.100 657 Brushed Nickel D35120152RB.144 754 Platinum Nickel D35120152RB.150 754





DXV MODULUS **Bidet Faucet**

Ceramic disc valve cartridge. Red and Blue indicator markings on handle. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.









DXV MODULUS

Wall Mount Widespread Faucet

Cast brass spout and body. Ceramic disc valve cartridges. Red and Blue indicator markings on handles. Must meet MOQ and lead time requirements.

Please see charts at the end of section for more information.





Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35120450RB.100 718 Brushed Nickel D35120450RB.144 827 Platinum Nickel D35120450RB.150 827





DXV MODULUS

Pressure Balance Shower Valve Trim

Cast brass valve with built-in check stops. Ceramic disc valve cartridge. Red and Blue indicator markings. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

Polished Chrome D35120F00RB.100 316 Brushed Nickel D35120F00RB.144 364 Platinum Nickel D35120F00RB.150 364

Flash Shower Rough-In Valve (required component) DZR brass valve. Ceramic disc valve cartridge.

Unfinished D35101SS0.191





DXV MODULUS

1/2" or 3/4" Thermostatic Valve Trim

Cast brass valve with built-in check stops. Ceramic disc valve cartridge. Red and Blue indicator markings. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.





Cast brass valve body with built-in check stops. Ceramic disc valve cartridge.

D35000510.191 305



Cast brass valve body with built-in check stops. Ceramic disc valve cartridge.

Unfinished D35000530.191 419







97





Single Lever Lavatory Faucet with Loop Handle

Cast brass spout. Ceramic disc valve cartridge. Red and Blue indicator markings on handle. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

Maximum flow rate: 1.2 gpm (4.5 L/min).

594 Polished Chrome D35105104RB.100 Brushed Nickel D35105104RB.144 594





PERCY

Single Lever Lavatory Faucet with Stem Handle

Cast brass spout. Ceramic disc valve cartridge. Red and Blue indicator markings on handle. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35105100RB.100 682 Brushed Nickel D35105100RB.144 682





P

Vessel Faucet with Loop Handle

Cast brass spout. Ceramic disc valve cartridge. Red and Blue indicator markings on handle. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35105154RB.100 657 Brushed Nickel D35105154RB.144 754





P

PERCY

Vessel Faucet with Stem Handle

Cast brass spout. Ceramic disc valve cartridge. Red and Blue indicator markings on handle. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35105150RB.100 657 **Brushed Nickel** D35105150RB.144 754





Widespread Lavatory Faucet with Cross Handle

Cast brass spout and side valves. Ceramic disc valve cartridges. Red and Blue indicator rings at base of handles. Must meet MOQ and lead time requirements. v

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35105840RB.100 747 Brushed Nickel 858 D35105840RB.144





PERCY

Widespread Lavatory Faucet with Lever Handles

Cast brass spout and side valves. Ceramic disc valve cartridges. Red and Blue indicator rings at base of handles. Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35105800RB.100 747 Brushed Nickel D35105800RB.144 858





PERCY

Wall Mount Faucet with Cross Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Rough valve sold separately. Red and Blue indicator rings at base of handles.

Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

Maximum flow rate: 1.2 gpm (4.5 L/min).

Polished Chrome D35105454RB.100 702 Brushed Nickel D35105454RB.144 807

Dual Control Wall Mount Faucet Rough Valve (required component)

Unfinished D35000450.191 349





PERCY

Wall Mount Faucet with Lever Handles

Cast brass spout and side valves. Ceramic disc valve cartridges.

Rough valve sold separately. Red and Blue indicator rings at base of handles.

Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.



Polished Chrome D35105450RB.100 702 Brushed Nickel D35105450RB.144 807

Dual Control Wall Mount Faucet Rough Valve (required component)

Unfinished D35000450.191 349











PERCY

Pressure Balance Shower Valve Trim with Cross Handle

Red and Blue indicator markings. **Must meet MOQ and lead time requirements.**Please see charts at the end of section for more information.

 Polished Chrome
 D35105F40RB.100
 261

 Brushed Nickel
 D35105F40RB.144
 299

Pressure Balance Shower Rough Valve (required component)

Cast brass valve with built-in check stops. Ceramic disc valve cartridge.

Unfinished D35101SS0.191 97





PERCY

Pressure Balance Shower Valve Trim with Lever Handle

P Red and Blue indicator markings. Must meet MOQ and lead time requirements.

 Polished Chrome
 D35105F00RB.100
 261

 Brushed Nickel
 D35105F00RB.144
 299

Flash Shower Rough-In Valve (required component)
DZR brass valve. Ceramic disc valve cartridge.

Unfinished D35101SS0.191

Please see charts at the end of section for more information.





PERCY 18" Towel Bar

Solid brass. Concealed mounting. **Must meet MOQ and lead time requirements.** Please see charts at the end of section for more information.

 Polished Chrome
 D35105180.100
 200

 Brushed Nickel
 D35105180.144
 242





PERCY

12" Towel Bar

Solid brass. Concealed mounting. **Must meet MOQ and lead time requirements.**Please see charts at the end of section for more information.

 Polished Chrome
 D35105120.100
 194

 Brushed Nickel
 D35105120.144
 235



PROJECT MODEL

97



CONTEMPORARY

Towel Rack

Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

 Polished Chrome
 D35104260.100
 389

 Brushed Nickel
 D35104260.144
 448



P

CORNER BASKET

Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

Polished Chrome D35703080.100 109



P

TRADITIONAL

Towel Rack

Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

Polished Chrome	D35102260.100	423
Carbon Bronze	D35102260.110	592
Brushed Nickel	D35102260.144	487
Platinum Nickel	D35102260.150	487





TRANSITIONAL

ADA Grab Bar



Must meet MOQ and lead time requirements. Please see charts at the end of section for more information.

24" Grab Bar

Polished Chrome D35703324.100 133

18" Grab Bar

Polished Chrome D35703318.100 74

12" Grab Bar

Polished Chrome D35703312.100 118

dxv.com

LIST PRICE GUIDE 2022-4



Lavatory (MOQ) 50 Fittings and Accessories (MOQ) 100

TIMING: Up to 6 months lead time for order fulfillment.

Reserve stock and spare parts should be accounted for when placing an order. Components are not held in inventory.

									(E)	
SKU NUMBER	DESCRIPTION	MOQ	Canvas White 415 - CWH	Polished Chrome 100 - PC	Brushed Nickel 144 - BN	Platinum Nickel 150 - PN	Carbon Bronze 110 - CB	Matte Black 243 - MB	CEC	ADA
D12460002	Hawkins* Bath LHO 5'	1	1,210							•
D12461002	Hawkins Bath RHO 5'	1	1,210							•
D02390202	Byrdcliffe* Bath LHO 5'	1	762							•
D02391202	Byrdcliffe Bath RHO 5'	1	762							•
D00426000	Webster® UC Lavatory 13" x 13"	1	282							•
D00495221	Bowen* UC Lavatory 17-1/8" x 14-1/8"	1	137							•
D00496221	Bowen UC Lavatory 19-1/4" x 16-1/4"	1	137							•
D00614000	Webster UC Lavatory 18" x 12"	1	326						***************************************	•
D22005C102	Wyatt® 1-Piece Toilet RH 1.28	1	1,177						•	•
D22015F102	Cossu® 1-Piece Toilet RH 1.28	1	1,136						•	•
D2210AA108	Equility® 2-Piece RH EL HET Toilet RHTL	1	789						•	•
D2210AA109	Equility 2-Piece RH EL HET Toilet LHTL	1	789						•	•
D22690A108	Equility 1-Piece RH EL HET Toilet RHTL	1	1,159						•	•
D22690A109	Equility 1-Piece RH EL HET Toilet LHTL	1	1,159						•	•
D2205CA102	Fitzgerald* 2-Piece EL 1.28 TL RHTL	1	941						•	•
D20175001	Equility 22" Single-Hole Lavatory w/Overflow	1	632				***************************************			•
D20176001	Equility 33" Single-Hole Wall Hung Lavatory	1	789							•
D20177002	Equility 47" Two-Hole Wall Hung Lavatory	1	1,157							•
D35102260	Traditional Towel Rack	100		423	487	487	592			
D35104260	Contemporary Towel Rack	100		389	448					
D35105F00RB	Percy® PB Shower Trim Lever Handle	100		261	299					•
D35105F40RB	Percy PB Shower Trim Cross Handle	100		261	261					•
D35105100RB	Percy SL with Stem Handle	100		682	682				•	•
D35105104RB	Percy SL Faucet with Loop Handle	100		594	594				•	
D35105120	Percy 12" Towel Bar	100		194	235					
D35105150RB	Percy Vessel with Stem Handle	100		657	754				•	•
D35105154RB	Percy Vessel with Loop Handle	100		657	754				•	
D35105180	Percy 18" Towel Bar	100		200	242					
D35105450RB	Percy Wall Mount Lever Handle	100		702	807				•	•
D35105454RB	Percy® Wall Mount with Cross Handle	100		702	807				•	
D35105500RB	Percy Shower Trim Lever Handle	100		253H	290					•
D35105540RB	Percy Shower Trim Cross Handle	100		253	290					

150 LIST PRICE GUIDE 2022-4 dxv.com



Lavatory (MOQ) 50 Fittings and Accessories (MOQ) 100

TIMING: Up to 6 months lead time for order fulfillment.

Reserve stock and spare parts should be accounted for when placing an order. Components are not held in inventory.

SKU NUMBER	DESCRIPTION	MOQ	Canvas White 415 - CWH	Polished Chrome 100 - PC	Brushed Nickel 144 - BN	Platinum Nickel 150 - PN	Carbon Bronze 110 - CB	Matte Black 243 - MB	CEC	ADA
D35105800RB	Percy Widespread Lever Handle	100		747	858					•
D35105840RB	Percy Widespread Cross Handle	100		747	858					
D35109F00RB	Equility® PB Shower Valve Trim	100		316	380			442		•
D35109100RB	Equility SL Monoblock	100		644	774			903	•	
D35109120	Equility 12" Towel Bar	100		200	252			306		
D35109150RB	Equility SL Vessel Faucet	100		657	787			918	•	
D35109180	Equility 18" Towel Bar	100		206	257			312		
D35109400RB	Equility SL Wall Mount Lavatory Trim	100		718	863			1,006	•	
D35120F00RB	DXV Modulus* PB Shower Valve Trim	100		316	364	364				•
D35120012RB	DXV Modulus Bidet Faucet	100		1,010	1,161	1,161				
D35120102RB	DXV Modulus Monoblock Faucet	100		644	742	742			•	•
D35120152RB	DXV Modulus Vessel Faucet	100		657	754	754			•	
D35120450RB	DXV Modulus Wall Mount Widespread Faucet	100		718	827	827			•	•
D35120802RB	DXV Modulus Widespread Faucet	100		747	858	858			•	•
D35120822RB	DXV Modulus High Spout Widespread Faucet	100		913	1,187	1,187			•	•
D35703080	Corner Basket	100		109						
D35703312	ADA 12" Grab Bar	100		118				***************************************		•
D35703318	ADA 18" Grab Bar	100		74						•
D35703324	ADA 24" Grab Bar	100		133						•

dxv.com LIST PRICE GUIDE 2022-4

PARTS GUIDE

152 LIST PRICE GUIDE 2022-4 dxv.com

ASSORTED PARTS

CHINAWARE - DESCRIPTION AND FINISH	SKU NUMBER	LIST
Actuator Button Assembly - Equility* One-Piece Toilet - PC	7381338-201.0020A	103
Actuator Button Assembly - Equility Two-Piece Toilet - PC	7381338-200.0020A	103
AT Series Deodorizer Cartridge	7381445-201.0070A	74
AT100° Water Supply Hose (950 mm)	760181-201.0070A	61
AT100 Water Supply Hose (1350 mm)	760181-202.0070A	97
AT100 Water Supply Hose (2000 mm)	760181-203.0070A	116
AT200* LS SpaLet* Charcoal Odor Absorption Filter	760246-200.0070A	15
AT200 LS SpaLet Connection Hose and Clamp	760253-100.0070A	173
AT200 LS SpaLet Hose Clip	760261-200.0070A	16
AT200 LS SpaLet Nozzle Tip and Shutter	760245-200.4150A	60
AT200 LS SpaLet Remote Control	760244-200.4150A	254
AT200 LS SpaLet Shut-off Valve	760252-200.0070A	190
Bolt Cap Kit - Cossu*, St. George*, Wyatt* One-Piece Toilets and Fitzgerald* Two-Piece Toilet - CWH	7381073-4150A	26
Bolt Cap Kit - Cossu, St. George, Wyatt One-Piece Toilets and Fitzgerald Two-Piece Toilet - BIS	7381073-0710A	29
Bolt Cap Kit - Equility One-Piece and Two-Piece Toilet - CWH	7301540-200.4150A	24
Bolt Cap Kit - Lowell* Toilet - CWH	730835-100.4150A	21
Bolt Cap Kit - St. George Two-Piece Toilet - BIS	034783-0710A	28
Bolt Cap Kit - St. George Two-Piece Toilet - CWH	034783-4150A	20
Ceramic Drain Cap (No Logo) for Equility Lavatories – CWH	7381351-201.4150A	25
Ceramic Drain Cap (No Logo) for Pop* Vessel - BK	7381350-201.1780A	26
Ceramic Drain Cap (No Logo) for Pop Vessel - CG	7381350-201.4250A	28
Ceramic Drain Cap (No Logo) for Pop Vessel - CWH	7381350-201.4150A	28
Ceramic Drain Cap (No Logo) for Pop Vessel - MBK	7381350-201.0590A	26
Ceramic Drain Cap for Equility Lavatories - CWH	7381351-200.4150A	24
Ceramic Drain Cap for Pop Vessel - BK	7381350-200.1780A	29
Ceramic Drain Cap for Pop Vessel - CG	7381350-200.4250A	29
Ceramic Drain Cap for Pop Vessel - CWH	7381350-200.4150A	29
Ceramic Drain Cap for Pop Vessel - MBK	7381350-200.0590A	27
Ceramic Drain Cap for Pop Vessel - PW	7381350-201.4050A	53
Oual Flush Valve Assembly - Equility Two-Piece Toilet	7381337-400.0070A	29
Oual Flush Valve Assembly - Equility One-Piece Toilet	7381403-400.0070A	32
Fill Valve Universal	7381125-400.0070A	41
Flapper Assembly - 1.28 gpf - Cossu, St. George and Wyatt One-Piece Toilets	7381043-402.0070A	21
lush Valve Assembly - 1.28 gpf - Cossu One-Piece Toilet	738942-106.0070A	44
lush Valve Assembly - 1.28 gpf - Fitzgerald Two-Piece Toilet	738921-104.0070A	42
lush Valve Assembly - 1.28 gpf - Lowell One-Piece Toilet	3280.140-0070A	38
lush Valve Assembly - 1.28 gpf - St. George and Wyatt One-Piece Toilets	738942-104.0070A	41
lush Valve Seal Kit - Lowell One-Piece Toilet	7301111-0070A	10
Mounting Kit for Lavatories K2 Hanger	047058-0070A	6
dounting Kit for Equility Lavatories	7302080-100.0070A	8
Mounting Kit for Under Mount Sinks	7302054-100.0070A	29
Pedestal Lavatory Mounting Kit 159	047523-0070A	13
Plated Trip Lever - Fitzgerald Toilet - PC	7381344-200.0020A	86
Plated Trip Lever - Cossu Toilet - PC	7381345-200.0020A	86
Plated Trip Lever - Lowell Toilet - PC	738797-100.0020A	86
Plated Trip Lever - Lowell Toilet - PN	7381875-200.0080A	125

Finishes: BK-Black BN-Brushed Nickel CB-Carbon Bronze CAM-Carrara Marble CG-Chenille Gray CWH-Canvas White MB-Matte Black (Faucets) MB/SB-Matte Black/Satin Brass MBK-Matte Black (Chinaware) MW-Merino White NB-Nubuck NO-Natural Oak PC-Polished Chrome PN-Platinum Nickel PON-Polished Nickel SB-Satin Brass SC-Smoke Concrete SS-Stainless Steel UN-Unfinished US-Ultra Steel WC-White Carrara WHO-White Oak WO-Weathered Oak WWA-Warm Walnut

PARTS ASSORTED

	SKU NUMBER	LIST
Plated Trip Lever - Lowell* Toilet - SN	7381875-200.2950A	125
Plated Trip Lever - St. George® One-Piece and Two-Piece Toilets - PC	738835-0020A	88
Pull Knob - Oak Hill® Two-Piece Elongated Toilet - PC	7381646-200.1000A	178
ank Coupling Kit	7301494-101.0070A	22
AUCETS - DESCRIPTION AND FINISH	SKU NUMBER	LIST
/2" Valve Cartridge with Standard Stem (Cold) for Two-Handle Lavatory and Bidet Faucet	H960136.191	51
/2" Valve Cartridge with Standard Stem (Hot) for Two-Handle Lavatory and Bidet Faucet	H960104.191	51
/2" Wall Valve Cartridge with Standard Stem (Cold) for 1/2" Wall Valves	H960521.191	50
/2" Wall Valve Cartridge with Standard Stem (Hot) for 1/2" Wall Valves	H960520.191	50
5/4" Valve Cartridge with Standard Stem (Cold) for Two-Handle Deck Mount Tub Filler	H960170.191	65
/4" Valve Cartridge with Standard Stem (Hot) for Two-Handle Deck Mount Tub Filler	H960001.191	65
/4" Wall Valve Cartridge with Extended Stem (Counter Clockwise - Comes with Product)	H960935.191	78
Cartridge - Contemporary Floor Mount Tub Filler	M964703-0070A	39
Cartridge – Equility® Monoblock	M964774-0070A	50
Cartridge - Equility Wall Mount Lavatory Faucet and Deck Mount Tub Filler	M964834-0070A	50
Cartridge - Pressure Balance Tub/Shower Diverter	H960684.191	16
Cartridge - Square Floor Mount Tub Filler	M964572-0070A	30
Cartridge - Thermostatic Valve	954040-0070A	106
artridge Kit - Keefe® Monoblock	M964501-0070A	55
Cartridge Kit – Percy® Monoblock	M964633-0070A	96
iverter Valve Rough Extension - PC Rem and Randall	M964961-1000A	70
ixtension - Wall Valve - Rem* Series	H960808.191	98
ixtension - Wall Valve Stem (Must Also Purchase Cover)	H960764.191	43
ixtension - Wall Valve Stem Cover - BN	H960202.144	81
ixtension - Wall Valve Stem Cover - PC	H960202.100	54
ixtension – Wall Valve Stem Cover – PN	H960202.150	81
land Shower Hose for Deck Mount Tub Fillers - BN	H960440.144	94
land Shower Hose for Deck Mount Tub Fillers – MB	H960440.243	113
land Shower Hose for Deck Mount Tub Fillers - PC	H960440.100	81
land Shower Hose for Deck Mount Tub Fillers – PN	H960440.150	94
land Shower Hose for Deck Mount Tub Fillers - SB	H960440.427	113
lylon Hose for Pull-Down Kitchen Faucet	M964967-1000A	48
lylon Hose for Pull-Out Kitchen Faucet	M964954-1000A	49
ressure Balance Unit for Thermostatic Rough Valve	A962434.191	57
ressure Balance Valve Cartridge for Shower and Tub/Shower Pressure Balance Rough Valves	A954440-0070A	38
ide Spray for Victorian Single Lever Kitchen Faucet - CB	M964743-1100A	300
ide Spray for Victorian Single Lever Kitchen Faucet - PC	M964743-1000A	223
ide Spray for Victorian Single Lever Kitchen Faucet - US	M964743-3550A	289
ingle Lever Valve Cartridge for Randall Collection Single Lever Lavatory and Bidet Faucets	A860621.191	98
speed Connect* Cable Assembly	M952430-0070A	11
hermostatic Cartridge Adapter	A962443.191	25
hermostatic Temperature Control Adapter for Thermostatic Valve Rough	Н960618.191	15

Finishes: BK-Black BN-Brushed Nickel CB-Carbon Bronze CAM-Carrara Marble CG-Chenille Gray CWH-Canvas White MB-Matte Black (Faucets) MB/SB-Matte Black/Satin Brass MBK-Matte Black (Chinaware) MW-Merino White NB-Nubuck NO-Natural Oak PC-Polished Chrome PN-Platinum Nickel PON-Polished Nickel SB-Satin Brass SC-Smoke Concrete SS-Stainless Steel UN-Unfinished US-Ultra Steel WC-White Carrara WHO-White Oak WO-Weathered Oak WWA-Warm Walnut

ASSORTED PARTS

OTHER - DESCRIPTION AND FINISH	SKU NUMBER	LIST
Bumper and End Cap Kit for DXV Sink Racks	7381473-101.0070A	11
Fitzgerald* Console Hardware Kit	770216-201.0070A	37
eather Tab Handles for DXV Modulus® Vanity	770242-201.4370A	87
Dak Hill® Console Hardware Kit	770226-202.0070A	12
Seat Mounting Hardware - BIS	760234-100.0710A	20
Seat Mounting Hardware – CWH	760234-100.4150A	20
Sink Drain with Strainer for Hillside® Sinks - PC	7301839-201.0020A	59
Sink Rack - 20" Hillside Apron Sink - SS	7301838-402.0750A	137
Sink Rack - 24" Hillside Apron Sink - SS	7301774-402.0750A	164
Sink Rack - 30" Hillside Apron Sink - SS	7301775-402.0750A	173
Sink Rack - 30" Hillside Sink - Offset Drain Hole - SS	7381392-202.0750A	150
Sink Rack - 30" Hillside Sink - Offset Drain Hole - SS	791604-202.0750A	173
Sink Rack - 33" Hillside Apron Sink - SS	7301776-402.0750A	189
Sink Rack - 36" Hillside Sink - Offset Drain Hole - SS	7381393-202.0750A	181
Sink Rack - 36" Hillside Sink - Offset Drain Hole - SS	791605-202.0750A	185
Sink Rack - 30" Etre" Apron Sink - Offset Drain Hole - SS	7302389-401.0750A	133
Sink Rack - 33" Etre Apron Sink - Offset Drain Hole - SS	7302390-401.0750A	133
Sink Rack - 36" Etre Apron Sink - Offset Drain Hole - SS	7302392-401.0750A	133
Sink Rack - 36" Etre Apron Double Bowl Sink - Offset Drain Hole - SS	7302391-401.0750A	130
Sink Drain with Strainer for Etre Sinks - PC	7301839-201.0020A	59
ilide Bar Bracket for Rem®, Keefe® and Percy® – BN	M964561-1440A	50
Slide Bar Bracket for Rem, Keefe and Percy - PC	M964561-1000A	38
Slide Bar Bracket for Rem, Keefe and Percy - PN	M964561-1500A	49
St. George® Console Hardware Kit	770199-101.0070A	106
Wyatt [®] Console Hardware Kit	770214-201.0070A	58

Finishes: BK-Black BN-Brushed Nickel CB-Carbon Bronze CAM-Carrara Marble CG-Chenille Gray CWH-Canvas White MB-Matte Black (Faucets) MB/SB-Matte Black/Satin Brass MBK-Matte Black (Chinaware) MW-Merino White NB-Nubuck NO-Natural Oak PC-Polished Chrome PN-Platinum Nickel PON-Polished Nickel SB-Satin Brass SC-Smoke Concrete SS-Stainless Steel UN-Unfinished US-Ultra Steel WC-White Carrara WHO-White Oak WO-Weathered Oak WWA-Warm Walnut

dxv.com LIST PRICE GUIDE 2022-4 155

156 LIST PRICE GUIDE 2022-4 dxv.com



dxv.com LIST PRICE GUIDE 2022-4 157

3D PRINTED FAUCETS

LIMITED WARRANTY

AS America, Inc. dba American Standard Brands provides the following warranty for its 3D printed DXV faucets for a period of two-years from the date of initial purchase. This warranty only applies to original non-commercial owners and excludes all industrial, commercial and business usage. This warranty is non-transferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first property owner on whose behalf the product was purchased for installation.

Finishes

American Standard Brands will provide, free of charge, at its sole option, replacement part(s) or product (or if no longer available, a comparable product) to replace those which have proven defective in materials or workmanship.

Proof of purchase (your original sales receipt) from the original non-commercial owner must be made available to American Standard Brands for all warranty claims. For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions. It does not apply in the event of product damage due to the use of other than genuine American Standard Brands replacement parts, installation error, abuse, misuse, or improper care and maintenance (whether performed by a plumber, contractor, service provider or member of the purchaser's household). The warranty excludes damage due to aggressive air or water conditions, or harsh or abrasive cleaners and/or materials. This warranty does not cover labor charges incurred and/or damages sustained in installation, repair or replacement, nor incidental or consequential damages, all of which are expressly disclaimed. This warranty does not cover deterioration through normal wear and tear and the expense of normal maintenance.

Because American Standard Brands cannot control the quality of products sold by unauthorized sellers, this warranty applies only to DXV by American Standard products which were purchased from American Standard Brands or an American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized Internet sites.

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State. This warranty does not cover any liability for consequential or incidental damages, all of which are hereby expressly disclaimed. Some States do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you. Any implied warranties, including those of merchantability or fitness for an intended purpose, are limited in duration to the duration of this warranty. Some States do not allow limitations on how long an implied warranty lasts, so this limitation may not apply to you.

Mechanics

MECHANICAL WARRANTY: A TWO-YEAR WARRANTY from initial purchase is provided to the original non-commercial owner on parts to be free from failure related to defects in materials and workmanship but not installation.

Conditions to Warranties

American Standard Brands places the following conditions on its finish and mechanical warranties to the first non-commercial owner only. If parts are not available, American Standard Brands will offer a replacement of comparable value, color and configuration.

American Standard Brands finish and mechanical warranties are limited to products correctly installed and used in a non-commercial environment. A commercial environment includes apartments and other rental units, non-residential facilities, hotels, commercial businesses and/or other public accommodations.

American Standard Brands warranties will not assume liability for damage due to abuse, mishandling, incorrect installation, improper maintenance, or deterioration due to normal use.

American Standard Brands will not be liable for labor or other costs relating to the sale, installation, or replacement of their products.

In the event of a defect in any American Standard Brands product covered by this warranty, the product must be returned to the dealer where originally purchased along with proof of purchase.

American Standard Brands' obligation under the warranty shall be limited to the repair or exchange of any product which has been determined by DXV by American Standard to be defective after appropriate examination.

American Standard Brands warranty replacement parts will be available for two years after product discontinuation date.

LIST PRICE GUIDE 2022-4 158 dxv.com

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301

Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734

www.dxv.com

In Canada

DXV

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3

Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara

Ecatepec 55540 Edo. Mexico Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

FAUCETS-CARE AND USE

When cleaning your faucet, rinse with clear water and wipe dry with a soft clean cloth. In the event of stubborn blemishes on the finish, we recommend use of Windex® window cleaner with a soft cloth but do not recommend that it be used daily.

It is important to note that it is normal to expect signs of usage over time. Do not clean your product with soaps, acid, polish, abrasives, harsh cleaners, or a cloth with a coarse surface.

Effective Date: July 1, 2020

Windex* is a registered trademark of S.C. Johnson and Son, Inc.

LIST PRICE GUIDE 2022-4 dxv.com



FAUCETS

LIMITED WARRANTY

AS America, Inc. dba American Standard Brands provides the following warranty only to the original non-commercial owner of our products.

Finishes

American Standard Brands warrants this product to be free from defects in materials or workmanship for as long as the original non-commercial owner owns the product.

American Standard Brands will provide, free of charge, at its sole option, replacement part(s) or product (or if no longer available, a comparable product) to replace those which have proven defective in materials or workmanship.

Proof of purchase (your original sales receipt) from the original non-commercial owner must be made available to American Standard Brands for all warranty claims. This warranty is non-transferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first property owner on whose behalf the product was purchased for installation. For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions. It does not apply in the event of product damage due to the use of other than genuine American Standard Brands replacement parts, installation error, abuse, misuse, or improper care and maintenance (whether performed by a plumber, contractor, service provider or member of the purchaser's household). This warranty does not cover deterioration through normal wear and tear and the expense of normal maintenance.

Because American Standard Brands cannot control the quality of products sold by unauthorized sellers, this warranty applies only to DXV by American Standard products which were purchased from American Standard Brands or an American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized Internet sites. The warranty excludes damage due to aggressive air or water conditions, or harsh or abrasive cleaners and/or materials.

This warranty does not cover labor charges incurred and/or damages sustained in installation, repair or replacement, nor incidental or consequential damages, all of which are expressly disclaimed. This warranty is applicable only to American Standard Brands faucets sold after July 1, 2020 and installed in the United States and/or Canada.

This warranty does not cover any liability for consequential or incidental damages, all of which are hereby expressly disclaimed. Some States do not allow the exclusion or

limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you. Any implied warranties, including those of merchantability or fitness for an intended purpose, are limited in duration to the duration of this warranty. Some States do not allow limitation on how long an implied warranty lasts, so this limitation may not apply to you.

For all commercial owner installations, the warranty period is two years from date of purchase (or one year from date of purchase for electronic components). A "commercial owner installation" includes use of the product in apartments and other rental units, non-residential facilities, hotels, commercial businesses and/or other public accommodations. Except for warranty duration, all other warranty terms apply to commercial owner installations.

Mechanics

MECHANICAL WARRANTY: A TWO-YEAR WARRANTY from initial purchase is provided to the first non-commercial owner on parts to be free from failure related to defects in materials and workmanship but not installation.

Conditions to Warranties

American Standard Brands places the following conditions on its finish and mechanical warranties to the first non-commercial owner only. If parts are not available, American Standard Brands will offer a replacement of comparable value, color and configuration.

American Standard Brands finish and mechanical warranties are limited to products correctly installed and used in a non-commercial environment. A commercial environment includes apartments and other rental units, non-residential facilities, hotels, commercial businesses and/or other public accommodations.

American Standard Brands warranties will not assume liability for damage due to abuse, mishandling, incorrect installation, improper maintenance, or deterioration due to normal use. American Standard Brands will not be liable for labor or other costs relating to the sale, installation, or replacement of their products.

In the event of a defect in any American Standard Brands product covered by this warranty, the product must be returned to the dealer where originally purchased along with proof of purchase.

American Standard Brands' obligation under the warranty shall be limited to the repair or exchange of any product which has been determined by American Standard Brands to be defective after appropriate examination.

American Standard Brands warranty replacement parts will be available for two years after product discontinuation date.

LIST PRICE GUIDE 2022-4 160 dxv.com

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301

Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734

www.dxv.com

In Canada

DXV

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3 Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara

Ecatepec 55540 Edo. Mexico Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

FAUCETS-CARE AND USE

When cleaning your faucet, rinse with clear water and wipe dry with a soft clean cloth. In the event of stubborn blemishes on the finish, we recommend use of Windex® window cleaner with a soft cloth but do not recommend it be used daily.

It is important to note that it is normal to expect signs of usage over time. Do not clean your product with soaps, acid, polish, abrasives, harsh cleaners, or a cloth with a coarse surface.

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Effective Date: July 1, 2020

Windex® is a registered trademark of S.C. Johnson and Son, Inc.

LIST PRICE GUIDE 2022-4 dxv.com



TOILETS

LIMITED WARRANTY

AS America, Inc. dba American Standard Brands provides the following warranty for its DXV toilets. This toilet comes with a limited warranty on chinaware for as long as the original non-commercial owner owns the product, a five-year warranty on all mechanical parts of the toilet from initial purchase, and a one-year warranty on the toilet seat from initial purchase. If inspection of this American Standard Brands plumbing product, inclusive of the chinaware and all mechanical parts, confirms that it is defective in materials or workmanship, American Standard Brands will repair or, at its option, exchange the product for the same or a similar model.

This warranty applies only to the original owner and the original installation of the products. In the event of a warranty claim, proof of purchase will be required - save your sales receipt. This warranty is non-transferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first property owner on whose behalf the product was purchased for installation.

For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions.

The warranty term for non-commercial owners does not apply to commercial owner installations. The warranty for commercial installations is one year on chinaware and mechanical parts from initial purchase, and one year on the toilet seat from initial purchase. A "commercial owner installation" includes use of the product in apartments and other rental units, non-residential facilities, hotels, commercial businesses and/or other public accommodations. Except for warranty duration, all other warranty terms apply to commercial owner installations.

Because American Standard Brands cannot control the quality of products sold by unauthorized sellers, this warranty applies only to American Standard Brands products which were purchased from American Standard Brands or an American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized Internet sites.

This warranty does not apply to local building code compliance. Since local building codes vary considerably, the purchaser of the product should check with a local building or plumbing contractor to ensure local code compliance before installation. This warranty does not cover deterioration through normal wear and tear and the expense of normal maintenance.

This warranty is void if the product has been moved from its initial place of installation; if it has been subjected to faulty maintenance, abuse, misuse, accident or other damage; if it was not installed in accordance with American Standard Brands' instructions: or if it has been modified in a manner inconsistent with the product as shipped by American Standard Brands.

WARNING: This warranty DOES NOT COVER any damages caused by the use of in-tank cleaners. These products can seriously corrode the fittings in the tank. This damage can cause leakage and property damage. American Standard Brands will not be responsible or liable for any damage caused by the use of in-tank cleaners.

American Standard Brands' option to repair or exchange the product under this warranty does not cover any labor or other costs of removal or installation including any costs of any surrounding material such as tile or marble. American Standard Brands is not responsible for any other incidental or consequential damages attributed to a product defect. Some States do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you. Any implied warranties, including those of merchantability or fitness for an intended purpose, are limited in duration to the duration of this warranty. Some States do not allow limitations on how long an implied warranty lasts, so this limitation may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

LIST PRICE GUIDE 2022-4 162 dxv com

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301

Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734 www.dxv.com

In Canada

DXV

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3 Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara

Ecatepec 55540 Edo. Mexico Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

TOILETS-CARE AND USE

When cleaning your toilet, wash it with mild, soapy water, rinse thoroughly with clear water and dry with a soft cloth.

Avoid detergents, disinfectants, or cleaning products in aerosol cans. NEVER use abrasive scouring powders or abrasive pads on your toilet seat. Some bathroom chemicals and cosmetics may damage the seat's finish.

WARNING: Do not use in-tank cleaners. Products containing chlorine (calcium hypochlorite) can seriously damage fittings in the tank. This damage can cause leakage and property damage.

American Standard Brands shall not be responsible or liable for any tank fitting damage caused by the use of cleaners containing chlorine (calcium hypochlorite).

Effective Date: July 1, 2020

LIST PRICE GUIDE 2022-4 dxv.com



LIMITED WARRANTY

AS America, Inc. dba American Standard Brands provides the following warranty for this DXV product. This toilet comes with a three-year warranty from initial purchase on all parts of the toilet. If inspection of this American Standard Brands plumbing product, inclusive of the chinaware and all mechanical parts, confirms that it is defective in materials or workmanship, American Standard Brands will repair or, at its option, exchange the product for the same or a similar model.

This warranty applies only to the original owner and the original installation of the products. This warranty is non-transferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first property owner on whose behalf the product was purchased for installation.

In the event of a warranty claim, proof of purchase will be required – save your sales receipt.

For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions.

The warranty duration for non-commercial owners does not apply to commercial owner installations. The warranty for commercial owner installations is two years from initial purchase on the toilet. A "commercial owner installation" includes use of the product in apartments and other rental units, non-residential facilities, hotels, commercial businesses and/or other public accommodations. Except for warranty duration, all other warranty terms apply to commercial owner installations

Because American Standard Brands cannot control the quality of products sold by unauthorized sellers, this warranty applies only to DXV by American Standard products which were purchased from American Standard Brands or a American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized Internet sites.

This warranty does not apply to local building code compliance. Since local building codes vary considerably, the purchaser of the product should check with a local building or plumbing contractor to ensure local code compliance before installation. This warranty does not cover deterioration through normal wear and tear and the expense of normal maintenance.

This warranty is void if the product has been moved from its initial place of installation; if it has been subjected to faulty maintenance, abuse, misuse, accident or other damage; if it was not installed in accordance with American Standard Brands' instructions; or if it has been modified in a manner inconsistent with the product as shipped by American Standard Brands. The warranty is void if the product has failed as a result of worn-out consumable parts such as packing, fuses, batteries.

American Standard Brands' option to repair or exchange the product under this warranty does not cover any labor or other costs of removal or installation including any costs of any surrounding material such as tile or marble. American Standard Brands is not responsible for any other incidental or consequential damages attributed to a product defect. Some States do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you. Any implied warranties, including those of merchantability or fitness for an intended purpose, are limited in duration to the duration of this warranty. Some States do not allow limitations on how long an implied warranty lasts, so this limitation may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

164 LIST PRICE GUIDE 2022-4 dxv.com

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301 Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734

www.dxv.com

In Canada

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3 Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara

Ecatepec 55540 Edo. Mexico Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

SPALETS-CARE AND USE

WARNING: This warranty DOES NOT COVER any damages caused by the use of harsh cleaners. These products can seriously corrode the product components. This damage can cause leakage and property damage. American Standard Brands will not be responsible or liable for any damage caused by the use of in-tank cleaners.

Effective Date: July 1, 2020

LIST PRICE GUIDE 2022-4 dxv.com

CHINAWARE, CONSOLES AND FURNITURE

LIMITED WARRANTY

If inspection of this DXV chinaware, console, or furniture product, within five years after its initial purchase, confirms that it is defective in materials or workmanship, AS America, Inc. dba American Standard Brands will repair or, at its option, exchange the product for a similar model. Wood furniture receives a two-year warranty from initial purchase and metal consoles receive a one-year warranty from initial purchase and use the same terms. This warranty is non-transferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first property owner on whose behalf the product was purchased for installation. For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions.

Because American Standard Brands cannot control the quality of products sold by unauthorized sellers, this warranty applies only to American Standard Brands products which were purchased from American Standard Brands or an American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized Internet sites.

This warranty does not apply to local building code compliance. Since local building codes vary considerably, the purchaser of this product should check with a local building or plumbing contractor to ensure local code compliance before installation. This warranty does not cover deterioration through normal wear and tear and the expense of normal maintenance.

This warranty shall be void if the product has been moved from its initial place of installation; if it has been subjected to faulty maintenance, abuse, misuse, accident or other damages; if it was not installed in accordance with American Standard Brands' instructions; or if it has been modified in a manner inconsistent with the product as shipped by American Standard Brands.

American Standard Brands' option to repair or exchange the product under this warranty does not cover any labor or other costs of removal or installation, nor shall American Standard Brands be responsible for any other incidental or consequential damages attributable to a product defect or to the repair or exchange of a defective product, all of which are expressly excluded from this warranty. Some States do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you. Any implied warranties, including those of merchantability or fitness for an intended purpose, are limited in duration to the duration of this warranty. Some States do not allow limitations on how long an implied warranty lasts, so this limitation may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301

Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734 www.dxv.com

In Canada

DXV

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3 Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara

Ecatepec 55540 Edo. Mexico Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

LIST PRICE GUIDE 2022-4 166 dxv com

CHINAWARE-CARE AND USE

When cleaning fixture surfaces, do not use harsh abrasives or caustic cleaners. A mild detergent, warm water, and a soft cloth will remove normal dirt and soap accumulations from surfaces. Rinse thoroughly after cleaning and polish with a soft dry cloth to restore original luster of material.

METAL CONSOLES-CARE AND USE

Clean the product by using a soft, slightly damp cloth. Buff the product by using a soft dry cloth. Avoid using silicone cleaners and waxes.

Clean up excess water and spills immediately. Use a blotting rather than a wiping action. Water left over a long period of time will cause white spots in the finish.

NOTE: Please note that some chemicals may damage the finish. Take care to avoid the following: iodine, hair dye, after shave lotion, shaving cream, alcohol, perfume, Lestoil*, Lysol* Tub and Tile Cleaner, Lysol* Spray Disinfectant, Dow* Disinfectant, acetone, paint remover, Formula 409*, Tilex*, and Nair*.

FURNITURE—CARE AND USE

American Standard Brands' furniture is built with tradition in mind. Variations in actual wood color and finishes which may result from natural characteristics of wood, such as grain patterns, mineral streaks and the like, are not considered defects. As wood continues to age you may notice these slight differences in color. Sound knots and slight surface cracks are true personality characteristics of a quality piece of wood furniture.

In order to maintain the finish you should clean with a soft, slightly damp cloth and then buff with a dry cloth. Wood furniture should never be dragged across the floor. The added stress from dragging the unit may cause the dragged edge to splinter or joints to loosen. Following these practices will help maintain the beauty and lustre of your furniture.

Effective Date: July 1, 2020

Lestoil* is a registered trademark of The Clorox Company. Lysol* is a registered trademark of Reckitt Benckiser LLC. Dow* is a registered trademark of The Dow Chemical Company. Formula 409* is a registered trademark of The Clorox Company. Tilex* is a registered trademark of The Clorox Company. Nair* is a registered trademark of Church & Dwight Co., Inc.

dxv.com LIST PRICE GUIDE 2022-4 167

™ ACRYLIC

LIMITED WARRANTY

AS America, Inc. dba American Standard Brands warrants to the original non-commercial owner that it will, at its option, repair or replace any of its DXV acrylic plumbing products found by it to be defective under normal use and maintenance within the following periods from date of initial purchase: Electronic Components-two (2) years; Pump Motors-two (2) years; Fittings and Plumbing-two (2) years; Shell—three (3) years. This warranty is non-transferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first property owner on whose behalf the product was purchased for installation. For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions.

This limited warranty DOES NOT COVER the following:

- · Defects or damage arising from shipping, installation, alterations, accidents, abuse, misuse, lack of proper maintenance and use of other than genuine American Standard Brands replacement parts, in all cases whether caused by a plumbing contractor, service company, the owner or any other person.
- · Because American Standard Brands cannot control the quality of products sold by unauthorized sellers, this warranty applies only to American Standard Brands products which were purchased from American Standard Brands or an American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized Internet sites.
- · Deterioration through normal wear and tear.
- · Expense of normal maintenance-periodic replacement of washers, seals, etc. is a normal maintenance requirement.
- · Postage or shipping costs for returning products for repairs or replacement under this warranty and labor or other costs incurred in connection with product removal or installation under this warranty.
- Use of the product in a commercial environment, A commercial environment includes apartments and other rental units, non-residential facilities, hotels, commercial businesses and/or other public accommodations.
- ANY LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, ALL OF WHICH ARE HEREBY EXPRESSLY DISCLAIMED. Some States do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you.

- · ANY IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR PURPOSE INTENDED, BEYOND THE DURATION OF THIS WARRANTY. Some States do not allow limitations on how long an implied warranty lasts, so this limitation may not apply to you.
- · Responsibility for compliance with local code requirements. (Since local code requirements vary greatly, distributors, dealers, installation contractors and users of plumbing products should determine whether there are any code restrictions on the installation or use of a specific product.)

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DYV

30 Knightsbridge Road, Suite 301

Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734 www.dxv.com

In Canada

DXV

5900 Avebury Road Mississauga, Ontario

Canada L5R 3M3

Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330

Col. Santa Clara

Ecatepec 55540 Edo. Mexico

Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

LIST PRICE GUIDE 2022-4 168 dxv com

ACRYLICS-CARE AND USE

Your new American Standard Brands acrylic bathtub is tough, durable and easy to care for. The high gloss surface will retain its lasting luster with proper care and maintenance

- Always fill the tub with temperate water. Excessively hot water (greater than 130° F) may cause surface damage.
- Remove bath mat after use and hang to dry. Allowing bath mat to dry in the tub may cause surface damage.
- Clean after use with a mild liquid household detergent cleaner. Do not turn on jets when such cleaners are present.
- Do not use: Lestoil* Cleaner; Lysol* Disinfectant (spray or concentrate); or Lysol* Basin, Tub and Tile Cleaner; Windex* Cleaner; Mr. Clean* Cleaner; Dow* Disinfectant Bathroom Cleaner; or other cleaning products in aerosol cans.
- HARSH CHEMICALS, SHARP AND ABRASIVE OBJECTS SHOULD NEVER BE USED ON ACRYLIC SURFACES.
- Do not use wire brushes, knives or sharp objects to remove stains or other surface blemishes.
- Use of abrasive cleaners or powders will dull the surface.
 If the glossy surface loses its sheen, dulled areas can be partially restored by rubbing with a white automotive body polishing compound and waxing with a liquid wax.
- · Do not wax surfaces where you walk or stand.
- Do not allow nail polish remover, acetone, dry-cleaning fluid, paint remover, or other solvents to come into contact with the surface.
- Clean the surrounding surface immediately after using caustic drain cleaners.
- Burning cigarettes will irreparably damage the surface of the tub.

Effective Date: July 1, 2020

Lestoil® is a registered trademark of The Clorox Company.

Lysol® is a registered trademark of Reckitt Benckiser LLC.

Windex® is a registered trademark of S.C. Johnson and Son, Inc.

Mr. Clean® is a registered trademark of The Procter and Gamble Company.

Dow® is a registered trademark of The Dow Chemical Company.

dxv.com LIST PRICE GUIDE 2022-4 169



STAINLESS STEEL PRODUCTS

LIMITED WARRANTY

AS America, Inc. dba American Standard Brands warrants to the original non-commercial owner of a DXV stainless steel sink that it will, at its option, repair or replace such product if it is found to be defective under normal non-commercial use, provided that it has been installed and maintained in accordance with American Standard Brands' instructions. For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions. This warranty is nontransferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first property owner on whose behalf the product was purchased for installation. In the event of a warranty claim, proof of purchase will be required - save your sales receipt.

This warranty DOES NOT COVER the following:

- Defects or damages arising from shipping, installation, alterations, accidents, abuse, misuse, environmental factors, lack of proper maintenance and use of other than genuine American Standard Brands replacement parts, in all cases whether caused by a plumbing contractor, service company, the owner or any other person.
- · Because American Standard Brands cannot control the quality of products sold by unauthorized sellers, this limited warranty applies only to American Standard Brands products which were purchased from American Standard Brands or an American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized
- · Deterioration through normal wear and tear and the expense of normal maintenance.
- · Commercial owner installation. "Commercial owner installation" includes use of the product in apartments or other rental units, non-residential facilities, hotels, commercial businesses and/or other public accommodations.
- · Options and accessories. American Standard Brands' warranty on these items is one year for parts only. This one year warranty covers accessories manufactured by American Standard Brands against defects of material or workmanship. Warranty coverage begins on the date the accessory was originally purchased by the non-commercial owner.
- · Postage or shipping costs for returning products for repairs or replacement under this warranty and labor or other costs incurred in connection with product removal or installation under this warranty.

- ANY LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, INCLUDING LABOR, ALL OF WHICH ARE HEREBY EXPRESSLY DISCLAIMED. Some States do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you.
- · ANY IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR AN INTENDED PURPOSE, BEYOND THE DURATION OF THIS WARRANTY. Some States do not allow limitations on how long an implied warranty lasts, so this limitation may not apply to you.
- IN NO EVENT WILL AMERICAN STANDARD BRANDS BE LIABLE FOR THE COST OF REPAIR OR REPLACEMENT OF ANY INSTALLATION MATERIALS INCLUDING BUT NOT LIMITED TO TILES, MARBLE ETC.
- · Responsibility for compliance with local code requirements. (Since local code requirements vary greatly, distributors, retailers, dealers, installation contractors and users of plumbing products should determine whether there are any code restrictions on the installation or use of a specific

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

LIST PRICE GUIDE 2022-4 170 dxv com

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301

Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734

www.dxv.com

In Canada

DXV

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3

Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara

Ecatepec 55540 Edo. Mexico Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

STAINLESS STEEL PRODUCTS—CARE AND USE

To keep the original quality of your American Standard Brands stainless steel sink, we recommend regular cleaning. Use a mild liquid dish detergent and water to clean the product after use. Rinse carefully and dry.

Please have the following in mind:

- Do not let water or other liquids dry on the product. Liquids that are left to dry leave a grey build-up stain on the steel.
- Stainless steel can stand hard treatment, but sharp objects can easily scratch the surface. These scratches are more visible when the product is new. After a period of use these marks will be smoothed out without the product losing its luster.
- Never use scouring powder or steel wool to clean the surface. Apart from the risk of scratches, there is also a risk that rust stains will attack the steel.
- Avoid Chlorine-based solutions from coming into contact with the stainless steel.
- · Silver polish leaves spots that cannot be removed.
- Acidic foods (e.g. juices, salt, mustard, mayonnaise, etc.) must be cleaned up immediately

Effective Date: July 1, 2020

dxv.com LIST PRICE GUIDE 2022-4

SOLID SURFACE PRODUCTS

LIMITED WARRANTY

AS America, Inc. dba American Standard Brands warrants to the original non-commercial owner that it will, at its option, repair or replace any of its DXV solid surface plumbing products found to be defective under normal use and maintenance within five (5) years from the date of initial purchase. The decision whether to repair or replace is determined by American Standard Brands in its sole discretion. Proof of purchase (your original sales receipt) must be provided with all warranty claims

This warranty is provided for the exclusive benefit of the original non-commercial owner. This warranty is non-transferable, with the sole exception of when a plumber, contractor, or other service provider purchases concrete plumbing products, in which case the warranty extends to the first property owner on whose behalf the products were purchased or installed. For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions.

The warranty DOES NOT COVER the following:

- · Defects or damage arising from shipping, installation, alterations, accidents, abuse, misuse, lack of proper maintenance and use of other than genuine American Standard Brands replacement parts, in all cases whether caused by a plumbing contractor, service company, the owner or any other person.
- Because American Standard Brands cannot control the quality of products sold by unauthorized sellers, this warranty applies only to DXV by American Standard products which were purchased from American Standard Brands or an American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized Internet sites.
- · Deterioration through normal wear and tear
- · Expense of normal maintenance-periodic replacement of washers, seals, etc. is a normal maintenance requirement.
- · Postage or shipping costs for returning products for repairs or replacement under the warranty and labor or other costs incurred in connection with product removal or installation under the warranty.
- · Use of the product in a commercial environment. A commercial environment includes apartments and other rental units, non-residential facilities, hotels, commercial businesses and/or other public accommodations.
- ANY LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, ALL OF WHICH ARE HEREBY EXPRESSLY DISCLAMED. Some States do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you.

- ANY IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR PURPOSE INTENDED. BEYODN THE DURATION OF THIS WARRANTY. Some States do not allow limitations on how long an implied warranty lasts, so this limitation may not apply to you.
- · Responsibility for compliance with local code requirements. (Since local code requirements vary greatly, distributors, dealers, installation contractors and users of plumbing products should determine whether there are any code restrictions on the installation or use of a specific product.)

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301 Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734 www.dxv.com

In Canada

DXV

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3 Toll Free: (855) 837-4601 www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara

Ecatepec 55540 Edo, Mexico Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States): (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

LIST PRICE GUIDE 2022-4 172 dxv com

SOLID SURFACE—CARE AND USE

DAILY CLEANING INSTRUCTIONS

Use soapy water, or liquid detergents to remove most basic residues and stains. To prevent hard water marks or dull surfaces, always rinse and dry the surface thoroughly after cleaning. Do not use strong acid or alkaline drain cleaners.

STUBBORN STAINS AND MINOR SCRATCHES

To remove stubborn stains and minor scratches, different cleaning techniques are required, depending on the finish types.

MATTE WHITE FINISH is low or no-sheen finish offered on one side of the countertops. Apply abrasive cleaner to your hand pad or a damp sponge, and then scrub in a small circular motion.

GLOSSY WHITE FINISH is higher and reflective sheen found on countertops, top/basins and vessels. To remove stubborn stains, spray a non-abrasive cleaner over the stain and wait for a couple of minutes. Then scrub in a small and overlapping circular motion with a wet sponge. Do not use abrasive cleansers, pads or steel wool. To enhance the visual color clarity and hide minor scuffs, apply Countertop cleanser available at any hardware stores. Wipe away excess cleanser with a soft cloth or paper towel. To remove scratches, polish the surface sequentially with 800/1500/2000 grit sandpaper and water, using small and overlapping circular motions. Dry the water off with a clean and dry soft cloth. Then polish the area using a microfiber auto or soft cloth. Then complete the procedure by applying a commercially available car wax. Should there be a variation with the surface finish, proceed with waxing over the entire surface. For a final touch, you may apply Countertop cleanser available at any hardware store or supermarket.

PREVENT DAMAGES

DXV solid surface is durable, tough, and easy to care for. The high gloss and matte surface will retain its lasting luster with proper care and maintenance.

- Harsh chemicals, sharps, and abrasive objects should never be used on solid surfaces. Accidental spills or splatters from harsh materials should be wiped off immediately and then rinsed with water. Harsh materials include drain or toilet bowl cleaners, rust, or varnish removers, paint solvents, lacquer thinner and products containing acetone like nail polish removers.
- Do not use wire brushes, knives or sharp objects to remove stains or other surface blemishes.
- While solid surface resists heat, it is still important to minimize direct heat exposure to protect the product. Do not place hot appliances such as hot curling irons directly on the surface.
- Do not allow nail polish remover, acetone, dry-cleaning fluid, paint remover, or other solvents to come into contact with the surface.
- Clean the surrounding surface immediately after using caustic drain cleaners.

Effective Date: July 1, 2020

dxv.com LIST PRICE GUIDE 2022-4 173



CONCRETE PRODUCTS

LIMITED WARRANTY

AS America, Inc. dba American Standard Brands warrants to the original non-commercial owner that it will, at its option, repair or replace DXV concrete plumbing products found to have manufacturing or structural defects within one (1) year from the date of first purchase. The decision whether to repair or replace is determined by American Standard Brands in its sole discretion. Proof of purchase (your original sales receipt) must be provided with all warranty claims.

This warranty is provided for the exclusive benefit of the original non-commercial owner. This warranty is nontransferable, with the sole exception of when a plumber, contractor, or other service provider purchases concrete plumbing products, in which case the warranty extends to the first property owner on whose behalf the products were purchased or installed. For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions.

This warranty is solely for integrity, function and structure of the concrete plumbing products. Staining and wetting are part of care and maintenance not the "function" of the concrete. As with many solid surfaces, there may be a level of care and maintenance required. The care and maintenance is the end user responsibility.

The warranty DOES NOT COVER the following:

- · Defects or damage arising from shipping, installation, alterations, accidents, abuse, misuse, lack of proper maintenance and use of other than genuine American Standard Brands replacement parts, in all cases whether caused by a plumbing contractor, service company, the owner or any other person.
- · Because American Standard Brands cannot control the quality of products sold by unauthorized sellers, this warranty applies only to American Standard Brands products which were purchased from American Standard Brands or an American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized Internet sites.
- · Deterioration through normal wear and tear
- · Commercial owner installation, "Commercial owner installation" includes use of the product in apartments or other rental units, non-residential facilities, hotels, commercial businesses and/or other public accommodations.

- · Expense of normal maintenance-periodic replacement of washers, seals, etc. is a normal maintenance requirement.
- Postage or shipping costs for returning products for repairs or replacement under the warranty and labor or other costs incurred in connection with product removal or installation under the warranty.
- ANY LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, ALL OF WHICH ARE HEREBY EXPRESSLY DISCLAMED. Some States do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you.
- ANY IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR PURPOSE INTENDED. BEYOND THE DURATION OF THIS WARRANTY. Some States do not allow limitations on how long an implied warranty lasts, so this limitation may not apply to you.
- · Responsibility for compliance with local code requirements. (Since local code requirements vary greatly, distributors, dealers, installation contractors and users of plumbing products should determine whether there are any code restrictions on the installation or use of a specific product.)

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

LIST PRICE GUIDE 2022-4 174 dxv com

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301 Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734 www.dxv.com

In Canada

DXV

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3 Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara

Ecatepec 55540 Edo. Mexico Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

CONCRETE-CARE AND USE

This concrete lavatory is sealed to protect the surface finish with a very stain resistant sealer. Although it resists acidic liquids, spills should be cleaned up promptly. Harsh cleaners with bleach and ammonia will not hurt the surface with infrequent use, but they may degrade the sealer overtime. This may result in resealing the surface quicker than would have been required.

- Avoid placing hot items on the surface that are above the temperature of boiling water. Although concrete is very heat resistant, you may damage your sealer.
- Do not leave tape on the surface of your concrete lavatory.
 The resins in the tape can bond to the sealer and damage the sealer when removed.
- · Avoid abrasive cleaners as they will slowly remove the sealer.
- Dragging objects across the surface that are sharp or abrasive may scratch the sealer.

Effective Date: July 1, 2020

dxv.com LIST PRICE GUIDE 2022-4 175



W NATURAL STONE

LIMITED WARRANTY

If inspection of this DXV chinaware product, within five years after its initial purchase, confirms that it is defective in materials or workmanship, DXV will repair or, at its option, exchange the product for a similar model. Wood furniture and Marble surfaces receive a limited two-year warranty and metal consoles receive a limited one-year warranty and use the same terms.

This limited warranty does not apply to local building code compliance. Since local building codes vary considerably, the purchaser of this product should check with a local building or plumbing contractor to insure local co de compliance before installation.

This warranty shall be void if the product has been moved from its initial place of installation; if it has been subjected to faulty maintenance, abuse, misuse, accident or other damages; if it was not installed in accordance with DXV's instructions; or if it has been modified in a manner inconsistent with the product as shipped by DXV. DXV's option to repair or exchange the product under this warranty does not cover any labor or other costs of removal or installation, nor shall DXV be responsible for any other incidental or consequential damages attributable to a product defect or to the repair or exchange of a defective product, all of which are expressly excluded from this warranty. (Some states or provinces do not allow the exclusion or limitation of implied warranties, so this exclusion may not apply to you.)

This warranty gives you specific legal rights. You may have other statutory rights that vary from state to state or from province to province, in which case this warranty does not affect such statutory rights.

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301 Piscataway, NJ 08855 Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734

In Canada

www.dxv.com

DXV

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3 Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara

Ecatepec 55540 Edo. Mexico Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

NATURAL STONE-CARE AND USE

Natural stones, as the name implies, are products of nature and any variations in texture, color, veining, and patterns are part of what makes the stone beautiful and should not be considered as flaws. tln addition, all natural stones are subject to some wearing or scratching over time and adds to the beautiful patina can time only generate.

Clean the marble with warm water and detergent; don't use soap, as it is fat based and can cause the stone to darken. You can use a cleaner specifically meant for marble or storebought detergent. Rinse the stone with clean water and then thoroughly dry it with soft cloth.

LIST PRICE GUIDE 2022-4 176 dxv com

[™] LIGHTING

LIMITED WARRANTY

AS America, Inc. dba American Standard Brands warrants that its DXV lighting products are free from imperfections in materials and workmanship with a one-year warranty from the date of initial purchase. This warranty is non-transferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first property owner on whose behalf the product was purchased for installation. For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions.

This warranty DOES NOT COVER the following:

- Defects or damage arising from shipping, installation, alterations, accidents, abuse, misuse, lack of proper maintenance and use of other than genuine American Standard Brands replacement parts, in all cases whether caused by a plumbing contractor, service company, the owner or any other person.
- Because American Standard Brands cannot control the quality of products sold by unauthorized sellers, this warranty applies only to American Standard Brands products which were purchased from American Standard Brands or an American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized Internet sites.
- · Deterioration through normal wear and tear.
- Expense of normal maintenance
- Postage or shipping costs for returning products for repairs or replacement under this warranty and labor or other costs incurred in connection with product removal or installation under this warranty.
- ANY LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, ALL OF WHICH ARE HEREBY EXPRESSLY DISCLAIMED. Some States do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you.
- ANY IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR PURPOSE INTENDED BEYOND THE DURATION OF THIS WARRANTY. Some States do not allow limitations on how long an implied warranty lasts, so this limitation may not apply to you.
- Responsibility for compliance with local code requirements.
 (Since local code requirements vary greatly, distributors, dealers, installation contractors and users of plumbing products should determine whether there are any code restrictions on the installation or use of a specific product.)

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301 Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 227-2734

www.dxv.com

In Canada

DXV

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3

Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara Ecatepec 55540 Edo. Mexico

Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

LIGHTING-CARE AND USE

Wipe with a soft cloth only. Always avoid using harsh chemicals and/or cleaners.

Effective Date: July 1, 2020

dxv.com LIST PRICE GUIDE 2022-4 1

AMERICAST® TUBS

LIMITED WARRANTY FOR COMMERCIAL USE

AS America, Inc. dba American Standard Brands warrants this product against defects in materials and workmanship under normal commercial use for a period of TEN (10) years from the date of initial purchase. The TEN (10) year warranty period does not apply to this product's textured bottom surface. American Standard Brands warrants the textured bottom surface against defects in materials and workmanship under normal commercial use for a period of ONE (1) year from the date of initial purchase.

Commercial use is defined as installations in apartments and other rental units, non-residential facilities, hotels, commercial businesses and/or other public accommodations.

This warranty is provided for the exclusive benefit of the original commercial owner. This warranty is non transferable to subsequent purchasers or owners. The sole exception to the non-transferability of this warranty is that if this product is purchased by a plumber, contractor or other service provider, this warranty extends to the first property owner on whose behalf the product was purchased for installation. For this warranty to become effective, the warranty registration process must be completed via the internet or telephone per the warranty registration instructions. This warranty applies only to tubs installed in the United States of America, Canada or Mexico.

If a defect arises and a valid claim is received, American Standard Brands will, at its option, either repair or replace the defective product free of charge. The decision whether to repair or replace is determined by American Standard Brands. Proof of purchase (your original sales receipt) must be provided to American Standard Brands with all warranty claims.

This warranty only applies to DXV Americast® tubs.

EXCLUSIONS AND LIMITATIONS

- 1. This warranty does not apply to non-commercial owner installations.
- 2. his warranty only applies to products purchased after July 1, 2020.
- 3. Because American Standard cannot control the quality of products sold by unauthorized sellers, this warranty only applies to products which were purchased from American Standard Brands or an American Standard Brands authorized seller, unless otherwise prohibited by law. American Standard Brands reserves the right to reject warranty claims from purchasers for products purchased from unauthorized sellers, including unauthorized Internet sites.

- 4. This warranty does not apply to defects or damage caused by non-genuine American Standard Brands parts, installation error, product abuse, product misuse, improper maintenance. improper care or cleaning, improper repair or installation, and/or movement or transfer of the tub from its original installation location (whether performed by you, a plumber, a contractor or a service company). Because improper care and cleaning can cause significant damage to the tub, it is strongly recommended that you follow the Care and Cleaning Instructions (as well as the other instructions) that accompanied the tub.
- 5. This warranty does not cover deterioration through normal wear and tear and the expense of normal maintenance.
- 6. American Standard Brands is not responsible for labor charges and/or damage incurred during installation, repair or replacement.
- 7. American Standard Brands does not warrant that this product and/or its installation comply with local code requirements. American Standard recommends that you consult with a plumbing contractor about local code requirements.

AMERICAN STANDARD BRANDS HEREBY EXCLUDES SPECIAL, INCIDENTAL AND CONSEQUENTIAL DAMAGES FOR ANY BREACH OF ANY EXPRESS OR IMPLIED WARRANTY APPLICABLE TO THIS PRODUCT. Some States do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you.

ANY IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR AN INTENDED PURPOSE, ARE LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. Some States do not allow limitations on how long an implied warranty lasts, so this limitation may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

LIST PRICE GUIDE 2022-4 178 dxv com

Obtaining Warranty Service

If you believe that you have a warranty claim, contact American Standard Brands, either through an authorized AS America, Inc. dealer or re-seller, by writing to the addresses below, or visiting the website below:

In the United States

DXV

30 Knightsbridge Road, Suite 301

Piscataway, NJ 08855

Attn: Director of Consumer Affairs

For residents of the United States, warranty information may also be obtained by calling the following toll free

number: (800) 227-2734 www.dxv.com

In Canada

DXV

5900 Avebury Road Mississauga, Ontario Canada L5R 3M3 Toll Free: (855) 837-4601

www.dxv.ca

In Mexico

DXV

Via Morelos #330 Col. Santa Clara

Ecatepec 55540 Edo. Mexico Toll Free: 800-839-1200

www.dxv.mx

Please be sure to provide all pertinent information regarding your claim, including your sales receipt, a complete description of the problem, the product, model number, color, finish, purchase date, and from whom the product was purchased.

For other information, or to obtain the name and address of the service and repair facility nearest you, call (800) 227-2734 (in the United States); (855) 837-4601 (in Canada) and 800-839-1200 (in Mexico).

CARE AND USE

This bathtub should be cleaned with hot soapy water using a soft cloth or sponge. Liquid dishwashing detergents work guite well. In areas where the water is hard, a heavy duty liquid laundry detergent will work better.

Under normal conditions, this bathtub should be cleaned with a mild detergent of soap and water however, use powdered detergents for best results on stubborn stains on the StanSure® slip resistant surface.

- 1) Wet tub surface
- 2) Sprinkle powdered cleaner onto a soft, wet sponge or cloth
- 3) Apply thoroughly to the stain
- 4) Rinse with water

DO NOT use any type of scouring pad or abrasive cleansers: wire brushes or steel wool on the StanSure slip resistant surface and bathtub. The use of abrasive products may result in damage or the removal of the slip resistant surface.

Effective Date: July 1, 2020

LIST PRICE GUIDE 2022-4 dxv.com

NUMERICAL INDEX

____ GUIDE ____

180 LIST PRICE GUIDE 2022-4 dxv.com

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
5020A15G.415		Traditional Elongated Toilet Seat - CWH	131	147
5020A15G.415	BELSHIRE™	Traditional Elongated Toilet Seat - CWH	118, 127	147
5020A15G.415	FITZGERALD*	Traditional Elongated Toilet Seat - CWH	124	147
5020A15G.415	OAK HILL'	Traditional Elongated Toilet Seat - CWH	125	147
5020A15G.415	ST. GEORGE®	Traditional Elongated Toilet Seat - CWH	121, 126	147
5020B15G.415		Traditional Round Front Toilet Seat - CWH	131	147
5020B15G.415	FITZGERALD	Traditional Round Front Toilet Seat - CWH	124	147
5024A15G.415		Transitional Elongated Toilet Seat - CWH	131	147
5024A15G.415	WYATT [°]	Transitional Elongated Toilet Seat - CWH	122, 131	147
5025A15G.415		Contemporary Elongated Toilet Seat - CWH	131	147
5025A15G.415	COSSU'	Contemporary Elongated Toilet Seat - CWH	118, 119	147
5025A15G.415	EQUILITY°	Contemporary Elongated Toilet Seat - CWH	119, 120, 131	147
5026A15G.415	DXV MODULUS°	DXV Modulus Elongated Toilet Seat - CHW	128, 131	147
5035A10G.415	COSSU	Wall-Hung Toilet Seat - CWH	127, 131	144
735179-400.415	EQUILITY	Tank Cover for Two-Piece Elongated Dual Flush Toilet - CWH	123	137
735188-400.415	EQUILITY	Tank Cover for One-Piece Elongated Dual Flush Toilet - CWH	119	137
735191-400.415	FITZGERALD	Tank Cover - CWH	124, 125	137
735192-400.415	COSSU	Tank Cover - CWH	118, 119	137
735193-400.415	ST. GEORGE	Tank Cover for One-Piece Elongated Toilet - CWH	121	137
735194-400.415	WYATT	Tank Cover for One-Piece Elongated Toilet - CWH	122	137
735196-400.415	ST. GEORGE	Tank Cover for Two-Piece Elongated Toilet - CWH	126	137
735206-400.415	OAK HILL	Tank Cover for Two-Piece Elongated Toilet- CWH	125	137
735217-400.415	DXV MODULUS	Tank cover - CWH	120	124
735220-400.415	WYATT	Tank cover - CWH	126	137
735221-400.415	EQUILITY	Tank cover - CWH	123	117
735222-400.415	EQUILITY	Tank cover - CWH	120	117
735225-400.415	BELSHIRE	Tank cover - CWH	118	133
7381331-200.0020A	WYATT	Plated Left-Hand Trip Lever - PC	122	86
7381331-200.0080A	WYATT	Plated Left-Hand Trip Lever - PON	122	143
7381331-200.2950A	WYATT	Plated Left-Hand Trip Lever - BN	122	143
7381338-201.0020A	EQUILITY	Plated Dual Flush Actuator - One-Piece Toilet - PC	119	103
7381338-200.0020A	EQUILITY	Plated Dual Flush Actuator - Two-Piece Toilet - PC	123	103
7381338-201.2430A	EQUILITY	Plated Dual Flush Actuator - One-Piece Toilet - MB	119	165
7381338-200.2430A	EQUILITY	Plated Dual Flush Actuator - Two-Piece Toilet - MK	123	165
7381338-201.2950A	EQUILITY	Plated Dual Flush Actuator - One-Piece Toilet - BN	119	143
7381338-200.2950A	EQUILITY	Plated Dual Flush Actuator - Two-Piece Toilet - BN	123	148
7381344-200.0020A	FITZGERALD	Plated Trip Lever - PC	124, 125	86
7381344-200.0080A	FITZGERALD	Plated Trip Lever - PON	124, 125	148
7381344-200.1100A	FITZGERALD	Plated Trip Lever - CB	124, 125	148
7381344-200.2950A	FITZGERALD	Plated Trip Lever - BN	124, 125	148
7381345-200.0020A	COSSU	Plated Left-Hand Trip Lever - PC	118	86
7381345-200.0020A	COSSU	Plated Left-Hand Trip Lever - PON	118	144
7381345-200.0080A	COSSU	Plated Left-Hand Trip Lever - BN	118	144
7381646-200.1000A	OAK HILL	Pull Knob - PC	125	178
7381646-200.1000A 7381646-200.1440A	OAK HILL	Pull Knob - BN	125	183
7301040-200.1440A	OAK HILL	Full KIIOU = DIN	125	103

dxv.com LIST PRICE GUIDE 2022-4

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST \$
7381646-200.4270A	OAK HILL*	Pull Knob - SB	125	178
7381740-200.2950A	WYATT**	Plated Left-Hand Trip Lever - BN	126	78
7381799-200.0080A	WYATT	Plated Right-Hand Trip Lever - PON	126	100
7381799-200.2950A	WYATT	Plated Right-Hand Trip Lever - BN	126	78
7381846-200.0020A	COSSU®	Plated Right-Hand Trip Lever - PC	119	141
7381846-200.0020A	FITZGERALD°	Plated Right-Hand Trip Lever - PC	124	141
7381846-200.0080A	COSSU®	Plated Right-Hand Trip Lever - PON	119	133
7381846-200.0080A	FITZGERALD	Plated Right-Hand Trip Lever - PON	124	133
7381846-200.1100A	FITZGERALD	Plated Right-Hand Trip Lever - CB	124	137
7381846-200.2950A	COSSU	Plated Right-Hand Trip Lever - BN	119	133
7381846-200.2950A	FITZGERALD	Plated Right-Hand Trip Lever - BN	124	133
7381847-200.0020A	WYATT	Plated Right-Hand Trip Lever - PC	122	49
7381847-200.0080A	WYATT	Plated Right-Hand Trip Lever - PON	122	137
7381847-200.2950A	WYATT	Plated Right-Hand Trip Lever - BC	122	82
7381887-200.0020A	EQUILITY"	Plated Left-Hand Trip Lever - PC	120, 123	90
7381887-200.0080A	EQUILITY	Plated Left-Hand Trip Lever - PON	120, 123	133
7381887-200.2950A	EQUILITY	Plated Left-Hand Trip Lever - BN	120, 123	133
7381887-200.2430A	EQUILITY	Plated Left-Hand Trip Lever - MB	120, 123	192
7381891-200.0020A	EQUILITY	Plated Right-Hand Trip Lever - PC	120, 123	90
7381891-200.0080A	EQUILITY	Plated Right-Hand Trip Lever - PON	120, 123	133
7381891-200.2950A	EQUILITY	Plated Right-Hand Trip Lever - BN	120, 123	133
7381891-200.2430A	EQUILITY	Plated Right-Hand Trip Lever - MB	120, 123	192
7381903-200.0020A	DXV MODULUS	Single Flush Actuator - PC	120	64
7381903-200.0080A	DXV MODULUS	Single Flush Actuator - PON	120	70
7381903-200.2430A	DXV MODULUS	Single Flush Actuator - MB	120	262
7381903-200.2950A	DXV MODULUS	Single Flush Actuator - BN	120	83
7381914-200.0020A	BELSHIRE"	Left Hand Trip Lever - PC	118	129
7381914-200.2950A	BELSHIRE	Left Hand Trip Lever - BN	118	149
7381914-200.0080A	BELSHIRE	Left Hand Trip Lever - PN	118	149
7381914-200.4270A	BELSHIRE	Left Hand Trip Lever - SB	118	181
738835-0020A	ST. GEORGE	Plated Trip Lever - PC	121	88
738835-0080A	ST. GEORGE	Plated Trip Lever - PON	121	143
738835-2950A	ST. GEORGE	Plated Trip Lever - BN	121	143
754990-201.002	COSSU	Tub Drain - PC	112	315
754990-201.002	FITZGERALD	Tub Drain - PC	112	315
754990-201.002	ST. GEORGE	Tub Drain - PC	115	315
754990-201.008	COSSU	Tub Drain - PON	112	364
754990-201.008	FITZGERALD	Tub Drain - PON	112	364
754990-201.008	ST. GEORGE	Tub Drain - PON	115	364
754990-201.110	COSSU	Tub Drain - CB	112	364
754990-201.110	FITZGERALD	Tub Drain - CB	112	364
754990-201.110	ST. GEORGE	Tub Drain - CB	115	364
754990-201.243	COSSU	Tub Drain - MB	112	397
754990-201.243	FITZGERALD	Tub Drain - MB	112	397
754990-201.243	ST. GEORGE	Tub Drain - MB	115	397
754990-201.295	COSSU	Tub Drain - BN	112	364

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST \$
754990-201.295	FITZGERALD'	Tub Drain - BN	112	364
754990-201.295	ST. GEORGE	Tub Drain - BN	115	364
754990-201.427	COSSU°	Tub Drain - SB	112	397
754990-201.427	FITZGERALD	Tub Drain - SB	112	397
754990-201.427	ST. GEORGE	Tub Drain - SB	115	397
755189-401.4170A	DXV MODULUS	48" x 36" - Drain Plate - MW	108	160
755491-201.0020A	BELSHIRE™	Drain Cap and Plug - PC	112	146
755491-201.0080A	BELSHIRE	Drain Cap and Plug - PN	112	155
755491-201.0080A	DXV MODULUS	Drain Cap and Plug - PN	113	155
755491-201.2430A	DXV MODULUS	Drain Cap and Plug - MB	113	255
755491-201.2950A	BELSHIRE	Drain Cap and Plug - BN	112	155
755491-201.2950A	DXV MODULUS	Drain Cap and Plug - BN	113	155
755491-201.4270A	BELSHIRE	Drain Cap and Plug - SB	112	248
770217-201.1000A	OAK HILL*	Vanity Door Handles - PC	47, 48	43
770217-201.1440A	OAK HILL	Vanity Door Handles - BN	47, 48	49
770217-201.1500A	OAK HILL	Vanity Door Handles - PN	47, 48	49
770217-201.4270A	OAK HILL	Vanity Door Handles - SB	47, 48	58
D00426000.415	WEBSTER*	Square Under Counter Lavatory – CWH	36	282
D00495221.415	BOWEN*	Under Counter Lavatory - CWH	32	137
D00496221.415	BOWEN	Under Counter Lavatory - CWH	32	137
D00614000.415	WEBSTER	Rectangle Under Counter Lavatory – CWH	36	326
D02390202.415	BYRDCLIFFE"	Alcove Tub - Left-Hand Outlet - CWH	117	762
D02391202.415	BYRDCLIFFE	Alcove Tub - Right-Hand Outlet - CWH	117	762
D11000000.100	OAK HILL	Tub Drain and Overflow Kit - PC	114	331
D11000000.144	OAK HILL	Tub Drain and Overflow Kit - BN	114	381
D11000000.150	OAK HILL	Tub Drain and Overflow Kit - PN	114	381
D11000000.243	OAK HILL	Tub Drain and Overflow Kit - MB	114	414
D11000000.427	OAK HILL	Tub Drain and Overflow Kit - SB	114	414
D12015328.415	DXV AQUA MOMENT"	Drop-In Air Bath with Waterfall - CWH	116	7,722
D12025004.415	OAK HILL	Freestanding Soaking Tub – CWH	114	5,295
D12025014.239	OAK HILL	Freestanding Soaking Tub with Feet - CWH	114	4,964
D12031000.415	DXV MODULUS	Freestanding Soaking Tub - CWH	113	4,302
D12040004.415	BELSHIRE	Freestanding Soaking Tub - CWH	112	4,725
D12460002.415	HAWKINS*	Alcove Tub - Left-Hand Outlet - CWH	117	1,210
D12461002.415	HAWKINS	Alcove Tub - Right-Hand Outlet - CWH	117	1,210
D12536004.415	EQUILITY"	Slim Freestanding Soaking Tub - CWH	113	3,530
D12536014.415	EQUILITY	Freestanding Soaking Tub - CWH	113	4,081
D14836STC.417	DXV MODULUS	48" x 36" Solid Surface Shower Base - Center Drain - MW	108	1,324
D14917000.191	cossu	Connecting Pipe IGS 260 mm	127	75
D1583470.002	DXV AQUA MOMENT	Universal Drain - PC	116	168
D1583470.002	HAWKINS	Universal Drain - PC	117	168
D1583470.295	HAWKINS	Universal Drain - BN	117	286
D1640305.002	BYRDCLIFFE	Deep Soak Drain - PC	117	144
D1640305.295	BYRDCLIFFE	Deep Soak Drain - BN	117	266
D19000024.002	ST. GEORGE	Console - PC	44	1,488
D19000024.008	ST. GEORGE	Console - PON	44	1,785

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D19005000.239	OAK HILL°	Mirror - WO	49	623
D19005000.620	OAK HILL	Mirror - WHO	49	569
D19006000.550	OAK HILL	Marble Shelf - WC	41, 47, 48, 49	324
D19010030.239	OAK HILL	Lavatory with Vanity - WO	47	1,78
D19010030.620	OAK HILL	Lavatory with Vanity - WHO	48	1,62
D19025036.414	DXV MODULUS ³	36" Wall Mounted Drawer Unit - NO	46	1,37
D19035075SS.414	DXV MODULUS	Countertop Slab - Single - NO	46	90
D19040090DS.414	DXV MODULUS	Countertop Slab - Double - NO	46	1,06
D19050036.191	DXV MODULUS	Mirror - Single	49	1,27
D19055049.191	DXV MODULUS	Mirror - Double	49	1,59
D1906000.415	DXV MODULUS	Vanity Tray - CWH	46, 49	26
D19070000.100	DXV MODULUS	LED Pendant Light - PC	49	45
D19070000.144	DXV MODULUS	LED Pendant Light - BN	49	59
D19070000.150	DXV MODULUS	LED Pendant Light - PN	49	59
D19070000.243	DXV MODULUS	LED Pendant Light - MB	49	70
D19075036LH.414	DXV MODULUS	36" Lavatory with Vanity - NO	46	1,69
D19076000.100	DXV MODULUS	Vanity Legs - PC	46	41
D19080000.550	BELSHIRE™	Marble Top Console - No Hole - CAM	39	1,13
D19080003.550	BELSHIRE	Marble Top Console - Three Hole - CAM	39	1,13
D19086030.329	BELSHIRE	Walnut Vanity - WWA	45	2,26
D19085030.414	BELSHIRE	Oak Vanity - NO	45	2,05
D19087000.150	BELSHIRE	Vanity Legs – PN	45	76
D19087000.427	BELSHIRE	Vanity Legs - SB	45	85
D19090000.550	BELSHIRE	30" Marble Vanity Top - No Hole - CAM	45	87
D19090003.550	BELSHIRE	30" Marble Vanity Top - Three Hole - CAM	45	87
D20005008.415	ST. GEORGE	Three-Hole Lavatory - CWH	26, 32	45
D20010008.415	WYATT ^o	24" Three-Hole Lavatory - CWH	26, 32, 44	31
D20015001.415	FITZGERALD°	28" Single-Hole Lavatory - CWH	25, 31, 40	39
D20015008.415	FITZGERALD	28" Three-Hole Lavatory - CWH	25, 31, 40	39
D20030001.415	FITZGERALD	24" Single-Hole Lavatory - CWH	25, 31	31
D20030008.415	FITZGERALD	24" Three-Hole Lavatory - CWH	31	3
D20040001.415	COSSU*	Small Corner Wall Mounted Lavatory - CWH	27	48
D20045000.178	POP°	Oval Under Counter Lavatory – BK	34	38
D20045000.415	POP	Oval Under Counter Lavatory - CWH	34	35
D20050000.178	POP	Rectangle Under Counter Lavatory - BK	34	38
D20050000.415	POP	Rectangle Under Counter Lavatory - CWH	34	35
D20055000.178	POP	Round Under Counter Lavatory - BK	35	38
D20055000.415	POP	Round Under Counter Lavatory - CWH	35	35
D20060000.178	POP	Square Under Counter Lavatory - BK	36	38
D20060000.415	POP	Square Under Counter Lavatory - CWH	36	35
D20066230.415	HILLSIDE"	30" Kitchen Sink - CWH	134	1,40
D20066236.415	HILLSIDE	36" Kitchen Sink - CWH	134	1,51
D20075001.415	EQUILITY°	22" Lavatory - CWH	28	70
D20076001.415	EQUILITY	33" Single-Hole Lavatory - CWH	28	87
D20076008.415	EQUILITY	33" Three-Hole Lavatory - CWH	28	87
D20077002.415	EQUILITY	47" Two Single-Hole Lavatory – CWH	28	1,28

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST \$
D20080022.059	POP°	Rectangle Vessel Lavatory - MBK	37	556
D20080022.178	POP	Rectangle Vessel Lavatory - BK	37	556
D20080022.415	POP	Rectangle Vessel Lavatory - CWH	37	526
D20080022.425	POP	Rectangle Vessel Lavatory - CG	37	556
D20085015.059	POP	Square Vessel Lavatory - MBK	37	556
D20085015.178	POP	Square Vessel Lavatory - BK	37	556
D20085015.415	POP	Square Vessel Lavatory - CWH	37	497
D20085015.425	POP	Square Vessel Lavatory - CG	37	556
D20090015.059	POP	Round Vessel Lavatory - MBK	37	556
D20090015.178	POP	Round Vessel Lavatory - BK	37	556
D20090015.415	POP	Round Vessel Lavatory - CWH	37	497
D20090015.425	POP	Round Vessel Lavatory - CG	37	556
D20095001.415	COSSU°	Single-Hole Lavatory - CWH	24, 27	701
D20100000.415	HILLSIDE°	20" Apron Kitchen Sink – CWH	133	974
D20101000.415	HILLSIDE	24" Apron Kitchen Sink - CWH	133	1,028
D20101000.425	HILLSIDE	24" Apron Kitchen Sink - CG	133	1,071
D20102000.415	HILLSIDE	30" Apron Kitchen Sink - CWH	133	1,299
D20103000.415	HILLSIDE	33" Apron Double Bowl Kitchen Sink - CWH	133	1,407
D20105000.415	POP	Petite Square Under Counter Lavatory - CWH	35	322
D20110000.415	POP	Petite Rectangle Under Counter Lavatory - CWH	34	322
D20115000.415	POP	Petite Oval Under Counter Lavatory - CWH	33	322
D20120000.415	POP	Petite Round Under Counter Lavatory - CWH	35	322
D20125100.415	COSSU	Rectangle Wall Mounted Lavatory - Left Hand - CWH	27	602
D20126100.415	COSSU	Rectangle Wall Mounted Lavatory - Right Hand - CWH	27	602
D20130000.415	POP	Grande Square Under Counter Lavatory - CWH	36	380
D20135000.415	POP	Grande Round Under Counter Lavatory - CWH	35	380
D20140000.415	POP	Grande Rectangle Under Counter Lavatory - CWH	35	380
D20145000.415	POP	Grande Oval Under Counter Lavatory - CWH	34	380
D20150008.415	ST. GEORGE	Three-Hole Console Lavatory - CWH	44	450
D20155002.415	OAK HILL°	Two-Hole Lavatory - CWH	32, 41 ,47, 48	1,520
D20160008.415	OAK HILL	30" Three-Hole Lavatory with Deck - CWH	32, 41 ,47, 48	745
D20161008.415	OAK HILL	24" Three-Hole Lavatory with Deck - CWH	32, 43	458
D20175001.415	EQUILITY'	22" Lavatory with Overflow - CWH	141	632
D20176001.415	EQUILITY	33" Single-Hole Lavatory - CWH	141	789
D20177002.415	EQUILITY	47" Two-Hole Lavatory - CWH	141	1,157
D20205000.415	BELSHIRE"	Undercounter Sink - CWH	32, 39	432
D21005000.415	ST. GEORGE	Pedestal - CWH	26	233
D21010000.415	WYATT'	Pedestal - CWH	26	264
D21015000.415	FITZGERALD*	Pedestal - CWH	25	293
D21025000.415	cossu	Square Pedestal - CWH	24	233
D21035033.100	EQUILITY	Console - PC	39	1,136
D21040021.415	DXV MODULUS'	21" No-Hole Lavatory - CHW	29	688
D21040021001.415	DXV MODULUS	21" Single-Hole Lavatory - CHW	29	688
D21045036LH.415	DXV MODULUS	36" No-Hole Lavatory - CHW	29, 46	917
D21045036LH08.415	DXV MODULUS	36" Three-Hole Lavatory - CHW	29, 46	917
D21050036LH.409	DXV MODULUS	36" No-Hole Concrete Lavatory - SC	30, 46	2,063

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D21050036LH08.409	DXV MODULUS*	36" Three-Hole Concrete Lavatory - SC	30, 46	2,06
D21060055.415	DXV MODULUS	55" No-Hole Double Lavatory - CHW	30	1,48
D21060055012.415	DXV MODULUS	55" Two Single-Hole Double Lavatory - CHW	30	1,48
D21065000.150	BELSHIRE™	Console Frame - PN	39	1,42
D21065000.427	BELSHIRE	Console Frame - SB	39	1,73
D21180SB3020.415	ETRE™	30" Kitchen Sink - CW	132	1,43
D21180SB3320.415	ETRE	33" Kitchen Sink - CW	132	1,56
D21180SB3620.415	ETRE	36" Kitchen Sink - CW	132	1,67
D21180DB3620.415	ETRE	36" Double Bowl Kitchen Sink - CW	132	1,78
D21410128.002	FITZGERALD°	Console - PC	40	1,00
D21410128.008	FITZGERALD	Console - PON	40	1,19
D21410128.295	FITZGERALD	Console - BN	40	1,19
D21411024.100	OAK HILL°	Console - PC	43	97
D21411024.144	OAK HILL	Console - BN	43	1,1
D21411024.150	OAK HILL	Console - PN	43	1,1
D21411024.427	OAK HILL	Console - SB	43	1,39
D21411030.100	OAK HILL	Console - PC	41, 42	1,29
D21411030.144	OAK HILL	Console - BN	41, 42	1,49
D21411030.150	OAK HILL	Console - PN	41, 42	1,49
D21411030.427	OAK HILL	Console - SB	41, 42	1,86
D21460024.002	WYATT*	Console Table with Glass Shelf - PC	44	1,13
D21460024.295	WYATT	Console Table with Glass Shelf - BN	44	1,36
D22000C101.415	ST. GEORGE	One-Piece Elongated Toilet - CWH	121	1,20
D22005C101.415	WYATT	One-Piece Elongated Toilet - CWH	122	1,17
D22005C102.415	WYATT	One-Piece Right Height® Toilet - CWH	122	1,17
D22015F101.415	COSSU°	One-Piece Elongated Toilet - CWH	118	1,15
D22015F102.415	COSSU	One-Piece Right Height Toilet - CWH	119	1,13
D22020A100.415	DXV MODULUS	One-Piece Elongated Toilet - CWH	120	1,56
D22025A101.415	BELSHIRE	One-Piece Elongated Toilet – CWH	118	1,06
D2203AA100.415	OAK HILL	Two-Piece Elongated Toilet - CWH	125	97
D2205CA101.415	FITZGERALD	Two-Piece Elongated Toilet - CWH	124	9
D2205CA102.415	FITZGERALD	Two-Piece Elongated Toilet - CWH	124	9
D2205DA101.415	FITZGERALD	Two-Piece Round Front Toilet - CWH	125	90
D2210AA108.415	EQUILITY"	Two-Piece RH, Elongated, HET Toilet - Right-Hand Trip Lever - CWH	123	78
D2210AA109.415	EQUILITY	Two-Piece RH, Elongated, HET Toilet - Left-Hand Trip Lever - CWH	123	78
D2210AA200.415	EQUILITY	Two-Piece Elongated Dual Flush Toilet - CWH	123	79
D2215AA104.415	ST. GEORGE	Two-Piece Elongated Toilet - CWH	126	94
D2220AA121.415	WYATT	Two-Piece Elongated Toilet - Left-Hand Trip Lever - CWH	126	73
D2220AA122.415	WYATT	Two-Piece Elongated Toilet - Right-Hand Trip Lever - CWH	126	73
D22690A108.415	EQUILITY	One-Piece RH, Elongated, HET Toilet - Right-Hand Trip Lever - CWH	120	1,15
D22690A109.415	EQUILITY	One-Piece RH, Elongated, HET Toilet - Left-Hand Trip Lever - CWH	120	1,15
D22690A200.415	EQUILITY	One-Piece Elongated Dual Flush Toilet - CWH	119	1,15
D23005C000.415	FITZGERALD	Elongated Bowl - CWH	124	54
D23005D000.415	FITZGERALD	Round Front Bowl - CWH	125	50
D23010S000.415	cossu	Wall Mounted Bowl - CWH	127	40
D23015A100.415	ST. GEORGE	Elongated Bowl - CWH	126	53

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D23030A100.415	OAK HILL®	Elongated Bowl - CWH	125	581
D23040A000.415	DXV MODULUS'	Wall Mounted Elongated Toilet	128	745
D23226A000.415	EQUILITY"	Elongated Bowl - CWH	123	552
D23363A104.415	WYATT'	Elongated Bowl - CWH	126	497
D24000A104.415	ST. GEORGE	Tank - CWH	126	406
D24005A101.415	FITZGERALD°	Left-Hand Tank - CWH	124, 125	396
D24005A102.415	FITZGERALD	Right-Hand Tank - CWH	124	396
D24030A100.415	OAK HILL	Tank - CWH	125	473
D24370A121.415	WYATT	Tank - Left-Hand Trip Lever - CWH	126	233
D24370A122.415	WYATT	Tank - Right-Hand Trip Lever - CWH	126	233
D24434A108.415	EQUILITY	Right-Hand Toilet Tank - CWH	123	237
D24434A109.415	EQUILITY	Left-Hand Toilet Tank - CWH	123	237
D24434A200.415	EQUILITY	Dual Flush Toilet Tank - CWH	123	242
D28005ARS141-415	AT100° SPALET°	Electronic Bidet Seat - CWH	130	1,140
D28015000.100	BELSHIRE"	Skate Cosmopolitan Dual Flush Actuator - PC	127	176
D28015000.100	COSSU°	Skate Cosmopolitan Dual Flush Actuator - PC	127	176
D28015000.100	DXV MODULUS	Skate Cosmopolitan Dual Flush Actuator - PC	128	176
D28015000.144	BELSHIRE	Skate Cosmopolitan Dual Flush Actuator - BN	127	205
D28015000.144	COSSU	Skate Cosmopolitan Dual Flush Actuator - BN	127	205
D28015000.144	DXV MODULUS	Skate Cosmopolitan Dual Flush Actuator - BN	128	205
D28015000.150	BELSHIRE	Skate Cosmopolitan Dual Flush Actuator - PN	127	205
D28015000.150	COSSU	Skate Cosmopolitan Dual Flush Actuator - PN	127	205
D28015000.150	DXV MODULUS	Skate Cosmopolitan Dual Flush Actuator - PN	128	205
D28015000.243	BELSHIRE	Skate Cosmopolitan Dual Flush Actuator - MB	127	328
D28015000.243	COSSU	Skate Cosmopolitan Dual Flush Actuator - MB	127	328
D28015000.243	DXV MODULUS	Skate Cosmopolitan Dual Flush Actuator - MB	128	328
D29005000.415	DXV MODULUS	Drain Plate - CWH	29, 30	98
D29010000.000	BELSHIRE	GROHE In-Wall Carrier RAPID SL SLIM 2"x 4"	127	625
D29010000.000	COSSU	GROHE In-Wall Carrier RAPID SL SLIM 2"x 4"	127	625
D29010000.000	DXV MODULUS	GROHE In-Wall Carrier RAPID SL SLIM 2"x 4"	128	625
D29011000.000	COSSU	GROHE In-Wall Carrier RAPID SLX 2"x 6"	127	621
D29011000.000	BELSHIRE	GROHE In-Wall Carrier RAPID SLX 2"x 6"	127	621
D29011000.000	DXV MODULUS	GROHE In-Wall Carrier RAPID SLX 2"x 6"	128	621
D29012000.000	COSSU	GROHE In-Wall Carrier RAPID SL 2"x 4"	127	700
D29012000.000	BELSHIRE	GROHE In-Wall Carrier RAPID SL 2"x 4"	127	700
D29012000.000	DXV MODULUS	GROHE In-Wall Carrier RAPID SL 2"x 4"	128	700
D29030CS416-415	AT200° LS SPALET°	Integrated Electronic Bidet Toilet - CWH	129	5,606
D35000420.191	BELSHIRE	3/2 Port Diverter Rough Valve - UN	58	222
D35000420.191	DXV MODULUS	3/2 Port Diverter Rough Valve - UN	79	222
D35000420.191	FITZGERALD	3/2 Port Diverter Rough Valve - UN	71	222
D35000420.191	EQUILITY	3/2 Port Diverter Rough Valve - UN	67	222
D35000420.191	OAK HILL	3/2 Port Diverter Rough Valve - UN	86	222
D35000420.191	PERCY"	3/2 Port Diverter Rough Valve - UN	91	222
D35000430.191	BELSHIRE	4/3 Port Diverter Rough Valve - UN	58	252
D35000430.191	DXV MODULUS	4/3 Port Diverter Rough Valve - UN	79	252
D35000430.191	EQUILITY	4/3 Port Diverter Rough Valve - UN	67	252

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST :
D35000430.191	FITZGERALD	4/3 Port Diverter Rough Valve - UN	71	252
D35000430.191	OAK HILL*	4/3 Port Diverter Rough Valve - UN	86	252
D35000430.191	PERCY*	4/3 Port Diverter Rough Valve - UN	91	252
D35000450.191	PERCY	Dual Control Wall Mount Faucet Rough Valve - UN	89, 147	349
D35000510.191	DXV MODULUS	1/2" Thermostatic Roughl - UN	145	305
D35000530.191	DXV MODULUS	3/4" Thermostatic Roughl - UN	145	419
D35000910.191	FITZGERALD	Deck Mount Tub Filler Rough Valve - UN	69	296
D35000981.191	BELSHIRE™	Wall Mount Tub Filler Rough Valve - UN	57	1,078
D35000981.191	DXV MODULUS	Wall Mount Tub Filler Rough Valve - UN	77	1,078
D35005511.191	BELSHIRE	2-Handle Thermostatic Rough Valve with Volume Control - UN	59	410
D35005511.191	DXV MODULUS	2-Handle Thermostatic Rough Valve with Volume Control - UN	78	410
D35005511.191	FITZGERALD	2-Handle Thermostatic Rough Valve with Volume Control - UN	71	410
D35005511.191	OAK HILL	2-Handle Thermostatic Rough Valve with Volume Control - UN	84	410
D35005522.191	BELSHIRE	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete) - UN	59	432
D35005522.191	DXV MODULUS	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete) - UN	78	432
D35005522.191	FITZGERALD	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete) - UN	71	432
D35005522.191	OAK HILL	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete) - UN	84	432
D35005522S.191	BELSHIRE	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared) - UN	59	432
D35005522S.191	DXV MODULUS	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared) - UN	78	432
D35005522S.191	FITZGERALD	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared) - UN	71	432
D35005522S.191	OAK HILL	2-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared) – UN	84	432
D35005523.191	BELSHIRE	2-Handle Thermostatic Rough Valve with 3-Way Diverter (Discrete) - UN	59	456
D35005523.191	DXV MODULUS	2-Handle Thermostatic Rough Valve with 3-Way Diverter (Discrete) – UN	78	456
D35005523.191	FITZGERALD	2-Handle Thermostatic Rough Valve with 3-Way Diverter (Discrete) - UN	71	456
D35005523.191	OAK HILL	2-Handle Thermostatic Rough Valve with 3-Way Diverter (Discrete) – UN	84	456
D35005523S.191	BELSHIRE	2-Handle Thermostatic Rough Valve with 3-Way Diverter (Shared) - UN	59	456
D35005523S.191	DXV MODULUS	2-Handle Thermostatic Rough Valve with 3-Way Diverter (Shared) - UN	78	456
D35005523S.191	FITZGERALD	2-Handle Thermostatic Rough Valve with 3-Way Diverter (Shared) - UN	71	456
D35005523S.191	OAK HILL	2-Handle Thermostatic Rough Valve with 3-Way Diverter (Shared) - UN	84	456
D35005532.191	BELSHIRE	3-Handle Thermostatic Rough Valve with 2 Volume Control - UN	60	862
D35005532.191	DXV MODULUS	3-Handle Thermostatic Rough Valve with 2 Volume Control - UN	78	862
D35005532.191	FITZGERALD	3-Handle Thermostatic Rough Valve with 2 Volume Control - UN	72	862
D35005532.191	OAK HILL	3-Handle Thermostatic Rough Valve with 2 Volume Control - UN	85	862
D35005533.191	BELSHIRE	3-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete) - UN	60	873
D35005533.191	DXV MODULUS	3-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete) - UN	78	873
D35005533.191	FITZGERALD	3-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete) - UN	72	873
D35005533.191	OAK HILL	3-Handle Thermostatic Rough Valve with 2-Way Diverter (Discrete) - UN	85	873
D35005533S.191	BELSHIRE	3-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared) - UN	60	873
D35005533S.191	DXV MODULUS	3-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared) - UN	78	873
D35005533S.191	FITZGERALD	3-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared) - UN	72	873
D35005533S.191	OAK HILL	3-Handle Thermostatic Rough Valve with 2-Way Diverter (Shared) - UN	85	873
D35100100.100	REM°	Single Lever Lavatory Faucet - PC	98	563
D35100100.144	REM	Single Lever Lavatory Faucet - BN	98	668
D3510010C.100	REM	Single Lever Lavatory Faucet - PC	98	598
D3510010C.144	REM	Single Lever Lavatory Faucet - BN	98	688

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D35100150.144	REM [®]	Vessel Faucet - BN	98	711
D35100152.100	REM	Vessel Faucet with Grid Drain - PC	98	637
D35100152.144	REM	Vessel Faucet with Grid Drain - BN	98	733
D3510015C.100	REM	Vessel Faucet - PC	98	637
D3510015C.144	REM	Vessel Faucet - BN	98	733
D35100210.100	REM	Robe Hook - PC	100	92
D35100210.144	REM	Robe Hook - BN	100	105
D35100235.100	REM	Tissue Holder - PC	100	140
D35100235.144	REM	Tissue Holder - BN	100	161
D35100240.100	REM	24" Towel Bar - PC	100	257
D35100240.144	REM	24" Towel Bar - BN	100	297
D35100330.100	REM	Three-Hole Bidet Faucet - PC	99	876
D35100450.100	REM	Wall Mount Lavatory Faucet – PC	96	660
D35100450.144	REM	Wall Mount Lavatory Faucet – BN	98	759
D3510045C.100	REM	Wall Mount Lavatory Faucet – PC	98	660
D3510045C.144	REM	Wall Mount Lavatory Faucet - BN	98	759
D35100760.100	REM	Wall Tub Spout - PC	100	216
D35100760.144	REM	Wall Tub Spout - BN	100	249
D35100775.100	REM	Multifunction Showerhead - PC	99, 102	267
D35100775.144	REM	Multifunction Showerhead - BN	99, 102	316
D3510077C.100	REM	Multifunction Showerhead - PC	99, 102	284
D3510077C.144	REM	Multifunction Showerhead - BN	99, 102	325
D35100781.100	REM	Multifunction 3-Function Hand Shower - PC	99	322
D35100781.144	REM	Multifunction 3-Function Hand Shower - BN	99	334
D3510078C.100		Multifunction 3-Function Hand Shower - PC	105	331
D3510078C.100	REM	Multifunction 3-Function Hand Shower - PC	99	331
D3510078C.144		Multifunction 3-Function Hand Shower - BN	105	345
D3510078C.144	REM	Multifunction 3-Function Hand Shower - BN	99	345
D3510079C.100	REM	Personal Shower Set with Hand Shower - PC	99	668
D3510079C.144	REM	Personal Shower Set with Hand Shower - BN	99	770
D35100800.100	REM	Widespread Lavatory Faucet - PC	98	668
D35100800.144	REM	Widespread Lavatory Faucet - BN	98	769
D3510080C.100	REM	Widespread Lavatory Faucet - PC	98	709
D3510080C.144	REM	Widespread Lavatory Faucet - BN	98	816
D35100900.100	REM	Deck Mount Tub Filler with Hand Shower - PC	99	1,119
D35100900.144	REM	Deck Mount Tub Filler with Hand Shower - BN	99	1,296
D3510090C.100	REM	Deck Mount Tub Filler with Hand Shower - PC	99	1,153
D3510090C.144	REM	Deck Mount Tub Filler with Hand Shower - BN	99	1,335
D35101F00.100	ASHBEE*	Pressure Balance Shower Valve Trim with Lever Handle - PC	52	329
D35101F00.144	ASHBEE	Pressure Balance Shower Valve Trim with Lever Handle - BN	52	379
D35101F00.150	ASHBEE	Pressure Balance Shower Valve Trim with Lever Handle - PN	52	379
D35101F40.100	ASHBEE	Pressure Balance Shower Valve Trim with Cross Handle - PC	52	329
D35101F40.144	ASHBEE	Pressure Balance Shower Valve Trim with Cross Handle - BN	52	379
D35101F40.150	ASHBEE	Pressure Balance Shower Valve Trim with Cross Handle - PN	52	379
D35101SS0.191	ASHBEE	Flash Shower Rough-In Valve - UN	52	97
D35101SS0.191	BELSHIRE"	Flash Shower Rough-In Valve - UN	58	97

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D35101SS0.191	DXV MODULUS*	Flash Shower Rough-In Valve - UN	79, 145	97
D35101SS0.191	FITZGERALD*	Flash Shower Rough-In Valve - UN	71	97
D35101SS0.191	OAK HILL°	Flash Shower Rough-In Valve - UN	85	97
D35101SS0.191	EQUILITY"	Flash Shower Rough-In Valve - UN	67, 142	97
D35101SS0.191	PERCY*	Flash Shower Rough-In Valve - UN	91, 148	97
D35101190.100	ASHBEE'	6" Towel Ring - PC	55	129
D35101190.144	ASHBEE	6" Towel Ring - BN	55	149
D35101190.150	ASHBEE	6" Towel Ring - PN	55	149
D35101210.100	ASHBEE	Robe Hock - PC	55	77
D35101210.144	ASHBEE	Robe Hock - BN	55	88
D35101210.150	ASHBEE	Robe Hock - PN	55	88
D35101230.100	ASHBEE	2-Post Tissue Holder - PC	55	129
D35101230.144	ASHBEE	2-Post Tissue Holder - BN	55	149
D35101230.150	ASHBEE	2-Post Tissue Holder - PN	55	149
D35101235.100	ASHBEE	Tissue Holder – PC	55	129
D35101235.144	ASHBEE	Tissue Holder - BN	55	149
D35101235.150	ASHBEE	Tissue Holder - PN	55	149
D35101240.100	ASHBEE	24" Towel Bar - PC	55	16
D35101240.144	ASHBEE	24" Towel Bar - BN	55	189
D35101240.150	ASHBEE	24" Towel Bar - PN	55	189
035101330.100	ASHBEE	Three-Hole Bidet Faucet - Lever Handles - PC	50	84
035101330.144	ASHBEE	Three-Hole Bidet Faucet - Lever Handles - BN	50	91
D35101330.150	ASHBEE	Three-Hole Bidet Faucet - Lever Handles - PN	50	97
D35101334.100	ASHBEE	Three-Hole Bidet Faucet - Cross Handles - PC	50	84
D35101334.144	ASHBEE	Three-Hole Bidet Faucet - Cross Handles - BN	50	970
D35101334.150	ASHBEE	Three-Hole Bidet Faucet - Cross Handles - PN	50	97
D35101430.100	ASHBEE	3/2 or 4/3 Diverter Valve Trim - Cross Handle - PC	52	19
D35101430.144	ASHBEE	3/2 or 4/3 Diverter Valve Trim - Cross Handle - BN	52	22
D35101430.150	ASHBEE	3/2 or 4/3 Diverter Valve Trim - Cross Handle - PN	52	22
D35101434.100	ASHBEE	3/2 or 4/3 Diverter Valve Trim - Lever Handle - PC	52	19
D35101434.144	ASHBEE	3/2 or 4/3 Diverter Valve Trim - Lever Handle - BN	52	22
D35101434.150	ASHBEE	3/2 or 4/3 Diverter Valve Trim - Lever Handle - PN	52	22
D35101760.100	ASHBEE	Wall Tub Spout - PC	54	196
035101760.144	ASHBEE	Wall Tub Spout - BN	54	220
D35101760.150	ASHBEE	Wall Tub Spout - PN	54	22
D3510177C.100	ASHBEE	Multifunction Showerhead - PC	54, 101	23
D3510177C.144	ASHBEE	Multifunction Showerhead - BN	54, 101	27
O3510177C.150	ASHBEE	Multifunction Showerhead - PN	54, 101	27
D3510178C.100	ASHBEE	Personal Shower Set with Hand Shower- PC	53	44
O3510178C.144	ASHBEE	Personal Shower Set with Hand Shower- BN	53	50
D3510178C.150	ASHBEE	Personal Shower Set with Hand Shower- PN	53	500
D3510180C.100	ASHBEE	Widespread Lavatory Faucet - Lever Handles - PC	50	68
D3510180C.144	ASHBEE	Widespread Lavatory Faucet - Lever Handles - BN	50	78
D3510180C.150	ASHBEE	Widespread Lavatory Faucet - Lever Handles - PN	50	786
D3510184C.100	ASHBEE	Widespread Lavatory Faucet - Cross Handles - PC	50	68
D3510184C.144	ASHBEE	Widespread Lavatory Faucet - Cross Handles - BN	50	786

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST \$
D3510184C.150	ASHBEE°	Widespread Lavatory Faucet - Cross Handles - PN	50	786
D3510190C.100	ASHBEE	Hand Shower – Lever Handles – PC	51	924
D3510190C.144	ASHBEE*	Hand Shower - Lever Handles - BN	51	1,063
D3510190C.150	ASHBEE	Hand Shower - Lever Handles - PN	51	1,063
D3510194C.100	ASHBEE	Hand Shower - Cross Handles - PC	51	924
D3510194C.144	ASHBEE	Hand Shower - Cross Handles - BN	51	1,063
D3510194C.150	ASHBEE	Hand Shower - Cross Handles - PN	51	1,063
D3510195C.100	ASHBEE	Traditional Floor Mount Tub Filler with Ashbee Lever Handles - PC	51, 110	2,285
D3510195C.144	ASHBEE	Traditional Floor Mount Tub Filler with Ashbee Lever Handles - BN	51, 110	2,628
D3510195C.150	ASHBEE	Traditional Floor Mount Tub Filler with Ashbee Lever Handles - PN	51, 110	2,628
D3510196C.100	ASHBEE	Traditional Floor Mount Tub Filler with Ashbee Cross Handles - PC	51, 110	2,285
D3510196C.144	ASHBEE	Traditional Floor Mount Tub Filler with Ashbee Cross Handles - BN	51, 110	2,628
D3510196C.150	ASHBEE	Traditional Floor Mount Tub Filler with Ashbee Cross Handles - PN	51, 110	2,628
D3510210C.100	RANDALL°	Single Lever Lavatory Faucet - PC	94	602
D3510210C.144	RANDALL	Single Lever Lavatory Faucet - BN	94	692
D3510210C.150	RANDALL	Single Lever Lavatory Faucet - PN	94	692
D3510210C.427	RANDALL	Single Lever Lavatory Faucet - SB	94	933
D3510216C.100	RANDALL	Vessel Faucet - PC	94	623
D3510216C.144	RANDALL	Vessel Faucet - BN	94	703
D3510216C.150	RANDALL	Vessel Faucet - PN	94	703
D3510216C.427	RANDALL	Vessel Faucet - SB	94	948
D35102190.100	RANDALL	6" Towel Ring - PC	97	144
D35102190.144	RANDALL	6" Towel Ring - BN	97	166
D35102190.150	RANDALL	6" Towel Ring - PN	97	166
D35102190.427	RANDALL	6" Towel Ring - SB	97	206
D35102210.100	RANDALL	Robe Hook - PC	97	98
D35102210.144	RANDALL	Robe Hook - BN	97	113
D35102210.150	RANDALL	Robe Hook - PN	97	113
D35102210.427	RANDALL	Robe Hook - SB	97	152
D35102230.100	RANDALL	2-Post Tissue Holder - PC	97	144
D35102230.144	RANDALL	2-Post Tissue Holder - BN	97	166
D35102230.150	RANDALL	2-Post Tissue Holder - PN	97	166
D35102230.427	RANDALL	2-Post Tissue Holder - SB	97	224
D35102240.100	RANDALL	24" Towel Bar - PC	97	191
D35102240.144	RANDALL	24" Towel Bar - BN	97	219
D35102240.150	RANDALL	24" Towel Bar - PN	97	219
D35102240.427	RANDALL	24" Towel Bar - SB	97	268
D35102260.100	TRADITIONAL	Towel Rack - PC	149	423
D35102260.110	TRADITIONAL	Towel Rack - CB	149	592
D35102260.144	TRADITIONAL	Towel Rack - BN	149	487
D35102260.150	TRADITIONAL	Towel Rack - PN	149	487
D35102760.100	RANDALL	Wall Tub Spout - PC	97	237
D35102760.144	RANDALL°	Wall Tub Spout - BN	97	273
D35102760.150	RANDALL	Wall Tub Spout - PN	97	273
D35102760.427	RANDALL	Wall Tub Spout - SB	97	331
D3510278C.100	RANDALL	Personal Shower Set with Hand Shower - PC	96	551

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST \$
D3510278C.144	RANDALL	Personal Shower Set with Hand Shower - BN	96	633
D3510278C.150	RANDALL	Personal Shower Set with Hand Shower - PN	96	633
D3510278C.427	RANDALL	Personal Shower Set with Hand Shower - SB	96	660
D3510280C.100	RANDALL	Widespread Lavatory Faucet – Lever Handles – PC	94	718
D3510280C.144	RANDALL	Widespread Lavatory Faucet – Lever Handles – BN	94	827
D3510280C.150	RANDALL	Widespread Lavatory Faucet – Lever Handles – PN	94	827
D3510280C.427	RANDALL	Widespread Lavatory Faucet – Lever Handles – SB	94	1,116
D3510284C.100	RANDALL	Widespread Lavatory Faucet - Cross Handles - PC	94	718
D3510284C.144	RANDALL	Widespread Lavatory Faucet - Cross Handles - BN	94	827
D3510284C.150	RANDALL	Widespread Lavatory Faucet – Cross Handles – PN	94	827
D3510284C.427	RANDALL	Widespread Lavatory Faucet - Cross Handles - SB	94	1,116
D3510290C.100	RANDALL	Deck Mount Tub Filler with Hand Shower - Lever Handles - PC	95	1,078
D3510290C.144	RANDALL	Deck Mount Tub Filler with Hand Shower - Lever Handles - BN	95	1,242
D3510290C.150	RANDALL	Deck Mount Tub Filler with Hand Shower - Lever Handles - PN	95	1,242
D3510290C.427	RANDALL	Deck Mount Tub Filler with Hand Shower - Lever Handles - SB	95	1,674
D35102940.427	RANDALL	Deck Mount Tub Filler with Hand Shower - Cross Handles - SB	95	1,578
D3510294C.100	RANDALL	Deck Mount Tub Filler with Hand Shower - Cross Handles - PC	95	1,078
D3510294C.144	RANDALL	Deck Mount Tub Filler with Hand Shower - Cross Handles - BN	95	1,242
D3510294C.150	RANDALL	Deck Mount Tub Filler with Hand Shower - Cross Handles - PN	95	1,242
D3510294C.427	RANDALL	Deck Mount Tub Filler with Hand Shower - Cross Handles - SB	95	1,674
D3510295C.100	RANDALL	Transitional Floor Mount Tub Filler with Randall Lever Handles - PC	93, 109	2,285
D3510295C.144	RANDALL	Transitional Floor Mount Tub Filler with Randall Lever Handles - BN	93, 109	2,628
D3510295C.150	RANDALL	Transitional Floor Mount Tub Filler with Randall Lever Handles - PN	93, 109	2,628
D3510295C.427	RANDALL	Transitional Floor Mount Tub Filler with Randall Lever Handles - SB	93, 109	2,855
D3510296C.100	RANDALL	Transitional Floor Mount Tub Filler with Randall Cross Handles - PC	93, 109	2,285
D3510296C.144	RANDALL	Transitional Floor Mount Tub Filler with Randall Cross Handles - BN	93, 109	2,628
D3510296C.150	RANDALL	Transitional Floor Mount Tub Filler with Randall Cross Handles - PN	93, 109	2,628
D3510296C.427	RANDALL	Transitional Floor Mount Tub Filler with Randall Cross Handles - SB	93, 109	2,855
D3510298C.100	RANDALL	Wall Mount Tub Filler with Hand Shower - PC	96	1,089
D3510298C.144	RANDALL	Wall Mount Tub Filler with Hand Shower - BN	96	1,251
D3510298C.150	RANDALL	Wall Mount Tub Filler with Hand Shower - PN	96	1,251
D3510298C.427	RANDALL	Wall Mount Tub Filler with Hand Shower - SB	96	1,307
D35104260.100	CONTEMPORARY	Towel Rack - PC	149	389
D35104260.144	CONTEMPORARY	Towel Rack - BN	149	448
D3510478C.100		Contemporary Single Function Hand Shower - PC	105	110
D3510478C.144		Contemporary Single Function Hand Shower - BN	105	126
D35105F00.100	PERCY°	Pressure Balance Shower Valve Trim with Lever Handle - PC	91	298
D35105F00.144	PERCY	Pressure Balance Shower Valve Trim with Lever Handle - BN	91	343
D35105F00RB.100	PERCY*	Pressure Balance Shower Valve Trim with Lever Handle - PC	148	261
D35105F00RB.144	PERCY	Pressure Balance Shower Valve Trim with Lever Handle - BN	148	299
D35105F40.100	PERCY	Pressure Balance Shower Valve Trim with Cross Handle - PC	91	307
D35105F40.144	PERCY	Pressure Balance Shower Valve Trim with Cross Handle - BN	91	354
D35105F40RB.100	PERCY	Pressure Balance Shower Valve Trim with Cross Handle - PC	148	261
D35105F40RB.144	PERCY	Pressure Balance Shower Valve Trim with Cross Handle - BN	148	299
D35105100RB.100	PERCY	Single Lever Lavatory Faucet with Stem Handle - PC	146	682
D35105100RB.144	PERCY	Single Lever Lavatory Faucet with Stem Handle - BN	146	682

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST S
D35105104RB.100	PERCY	Single Lever Lavatory Faucet with Loop Handle - PC	146	594
D35105104RB.144	PERCY	Single Lever Lavatory Faucet with Loop Handle - BN	146	594
D3510510C.100	PERCY	Single Lever Lavatory Faucet with Stem Handle - PC	88	534
D3510510C.144	PERCY	Single Lever Lavatory Faucet with Stem Handle - BN	88	614
D35105120.100	PERCY	12" Towel Bar - PC	148	194
D35105120.144	PERCY	12" Towel Bar - BN	148	235
D3510512C.100	PERCY	Single Lever Lavatory Faucet with Loop Handle - PC	88	534
D3510512C.144	PERCY	Single Lever Lavatory Faucet with Loop Handle - BN	88	614
D35105150RB.100	PERCY	Vessel Faucet with Stem Handle - PC	146	657
D35105150RB.144	PERCY	Vessel Faucet with Stem Handle - BN	146	754
D35105152.100	PERCY	Vessel Faucet with Stem Handle and Grid Drain - PC	89	592
D35105152.144	PERCY	Vessel Faucet with Stem Handle and Grid Drain - BN	89	679
D35105154RB.100	PERCY	Vessel Faucet with Loop Handle - PC	146	657
D35105154RB.144	PERCY	Vessel Faucet with Loop Handle - BN	146	754
D35105157.100	PERCY	Vessel Faucet with Loop Handle and Grid Drain - PC	88	592
D35105157.144	PERCY	Vessel Faucet with Loop Handle and Grid Drain - BN	88	679
D3510515C.100	PERCY	Vessel Faucet with Stem Handle - PC	88	592
D3510515C.144	PERCY	Vessel Faucet with Stem Handle - BN	88	679
D35105160.100	PERCY	Small Towel Bar - PC	93	144
D35105160.144	PERCY	Small Towel Bar - BN	93	166
D3510517C.100	PERCY	Vessel Faucet with Loop Handle - PC	88	592
D3510517C.144	PERCY	Vessel Faucet with Loop Handle - BN	88	679
D35105180.100	PERCY	18" Towel Bar - PC	148	200
D35105180.144	PERCY	18" Towel Bar - BN	148	242
D35105210.100	PERCY	Robe Hook - PC	93	67
D35105210.144	PERCY	Robe Hook - BN	93	78
D35105235.100	PERCY	Tissue Holder - PC	93	123
D35105235.144	PERCY	Tissue Holder - BN	93	143
D35105240.100	PERCY	24" Towel Bar - PC	93	185
D35105240.144	PERCY	24" Towel Bar - BN	93	223
D35105430.100	PERCY	3/2 or 4/3 Diverter Valve Trim - Lever Handles - PC	91	216
D35105430.144	PERCY	3/2 or 4/3 Diverter Valve Trim - Lever Handles - BN	91	246
D35105434.100	PERCY	3/2 or 4/3 Diverter Valve Trim - Cross Handles - PC	91	216
D35105434.144	PERCY	3/2 or 4/3 Diverter Valve Trim - Cross Handles - BN	91	246
D35105450RB.100	PERCY	Wall Mount Faucet with Lever Handles - PC	147	702
D35105450RB.144	PERCY	Wall Mount Faucet with Lever Handles - PC Wall Mount Faucet with Lever Handles - BN	147	807
D35105450RB.144	PERCY	Wall Mount Faucet with Cross Handles - PC	147	702
D35105454RB.100	PERCY	Wall Mount Faucet with Cross Handles - PC Wall Mount Faucet with Cross Handles - BN	147	807
D35105454RB.144		Wall Mount Faucet - Lever Handles - PC	i	
	PERCY*		90	633
D3510545C.144 D3510546C.100	PERCY	Wall Mount Faucet - Lever Handles - BN Wall Mount Faucet - Cross Handles - PC	90	728 633
D3510546C.144	PERCY	Wall Mount Faucet - Cross Handles - BN	89	728
D35105760.100	PERCY	Wall Tub Spout - PC	92	191
D35105760.144	PERCY	Wall Tub Spout - BN	92	234
D3510577C.100	PERCY	Multifunction Showerhead - PC	91, 102	262

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D3510578C.100	PERCY	Single Function Hand Shower - PC	90, 105	23
D3510578C.144	PERCY	Single Function Hand Shower - BN	90, 105	26
D3510579C.100	PERCY	Personal Shower Set with Hand Shower - PC	90	59
D3510579C.144	PERCY	Personal Shower Set with Hand Shower - BN	90	67
D35105800RB.100	PERCY	Widespread Lavatory Faucet - Lever Handles - PC	147	74
D35105800RB.144	PERCY	Widespread Lavatory Faucet - Lever Handles - BN	147	85
D3510580C.100	PERCY	Widespread Lavatory Faucet - Lever Handles - PC	89	67
D3510580C.144	PERCY	Widespread Lavatory Faucet - Lever Handles - BN	89	77
D35105840RB.100	PERCY	Widespread Lavatory Faucet - Cross Handles - PC	147	74
D35105840RB.144	PERCY	Widespread Lavatory Faucet - Cross Handles - BN	147	85
D3510584C.100	PERCY	Widespread Lavatory Faucet - Cross Handles - PC	89	67
D3510584C.144	PERCY	Widespread Lavatory Faucet - Cross Handles - BN	89	7
D3510590C.100	PERCY	Deck Mount Tub Filler with Hand Shower - Lever Handles - PC	90	95
D3510590C.144	PERCY	Deck Mount Tub Filler with Hand Shower - Lever Handles - BN	90	1,09
D3510594C.100	PERCY	Deck Mount Tub Filler with Hand Shower - Cross Handles - PC	90	95
D3510594C.144	PERCY	Deck Mount Tub Filler with Hand Shower - Cross Handles - BN	90	1,09
D3510778C.100		Traditional 5-Function Hand Shower - PC	105	1
D3510778C.100	ASHBEE'	Traditional 5-Function Hand Shower - PC	53	1
D3510778C.100	FITZGERALD°	Traditional 5-Function Hand Shower - PC	70	1
D3510778C.100	RANDALL'	Traditional 5-Function Hand Shower - PC	96	1
D3510778C.110		Traditional 5-Function Hand Shower - CB	105	20
D3510778C.144		Traditional 5-Function Hand Shower - BN	105	20
D3510778C.144	ASHBEE	Traditional 5-Function Hand Shower - BN	53	20
D3510778C.144	FITZGERALD	Traditional 5-Function Hand Shower - BN	70	20
D3510778C.144	RANDALL	Traditional 5-Function Hand Shower - BN	96	20
D3510778C.150		Traditional 5-Function Hand Shower - PN	105	20
D3510778C.150	ASHBEE	Traditional 5-Function Hand Shower - PN	53	20
D3510778C.150	FITZGERALD	Traditional 5-Function Hand Shower - PN	70	20
D3510778C.150	RANDALL	Traditional 5-Function Hand Shower - PN	96	20
D3510778C.427		Traditional 5-Function Hand Shower - SB	105	2
D3510778C.427	RANDALL	Traditional 5-Function Hand Shower - SB	96	2
D35109F00.100	EQUILITY°	Pressure Balance Shower Valve Trim - PC	67	36
D35109F00.144	EQUILITY	Pressure Balance Shower Valve Trim - BN	67	4
D35109F00.243	EQUILITY	Pressure Balance Shower Valve Trim - MB	67	54
D35109F00RB.100	EQUILITY	Pressure Balance Shower Valve Trim - PC	142	3
D35109F00RB.144	EQUILITY	Pressure Balance Shower Valve Trim - BN	142	38
D35109F00RB.243	EQUILITY	Pressure Balance Shower Valve Trim - MB	142	44
D35109010.100	EQUILITY	Contemporary Bidet Faucet - PC	66	9
D35109010.144	EQUILITY°	Contemporary Bidet Faucet - BN	66	1,04
D35109010.243	EQUILITY	Contemporary Bidet Faucet - MB	66	1,22
D35109100RB.100	EQUILITY	Single Lever Lavatory Faucet - PC	142	64
D35109100RB.144	EQUILITY	Single Lever Lavatory Faucet - BN	142	7
D35109100RB.243	EQUILITY	Single Lever Lavatory Faucet - MB	142	90
D3510910C.100	EQUILITY	Single Lever Lavatory Faucet - PC	65	58
D3510910C.144	EQUILITY	Single Lever Lavatory Faucet - BN	65	69
D3510910C.243	EQUILITY	Single Lever Lavatory Faucet - MB	65	8

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST \$
D35109120.100	EQUILITY	12" Towel Bar - PC	143	200
D35109120.144	EQUILITY	12" Towel Bar - BN	143	252
D35109120.243	EQUILITY	12" Towel Bar - MB	143	306
D35109150RB.100	EQUILITY	Vessel Faucet - PC	142	657
D35109150RB.144	EQUILITY	Vessel Faucet - BN	142	787
D35109150RB.243	EQUILITY	Vessel Faucet - MB	142	918
D35109151.100	EQUILITY	Vessel Faucet with Grid Drain - PC	65	592
D35109151.144	EQUILITY	Vessel Faucet with Grid Drain - BN	65	710
D35109151.243	EQUILITY	Vessel Faucet with Grid Drain - MB	65	827
D35109152.100	EQUILITY	Single Lever Lavatory Faucet with Grid Drain - PC	65	580
D35109152.144	EQUILITY	Single Lever Lavatory Faucet with Grid Drain - BN	65	698
D35109152.243	EQUILITY	Single Lever Lavatory Faucet with Grid Drain - MB	65	812
D3510915C.100	EQUILITY	Vessel Faucet - PC	65	592
D3510915C.144	EQUILITY	Vessel Faucet - BN	65	710
D3510915C.243	EQUILITY	Vessel Faucet - MB	65	827
D35109180.100	EQUILITY	18" Towel Bar - PC	143	206
D35109180.144	EQUILITY	18" Towel Bar – BN	143	257
D35109180.243	EQUILITY	18" Towel Bar - MB	143	312
D35109210.100	EQUILITY	Robe Hook - PC	68	88
D35109210.144	EQUILITY	Robe Hook - BN	68	106
D35109210.243	EQUILITY	Robe Hook - MB	68	123
D35109230.100	EQUILITY	2-Post Tissue Holder - PC	68	156
D35109230.144	EQUILITY	2-Post Tissue Holder - BN	68	188
D35109230.243	EQUILITY	2-Post Tissue Holder - MB	68	225
D35109240.100	EQUILITY	24" Towel Bar - PC	68	191
D35109240.144	EQUILITY	24" Towel Bar – BN	68	237
D35109240.243	EQUILITY	24" Towel Bar – MB	68	287
D35109400RB.100	EQUILITY	Wall Mount Faucet - PC	142	718
D35109400RB.144	EQUILITY	Wall Mount Faucet - BN	142	863
D35109400RB.243	EQUILITY	Wall Mount Faucet - MB	142	1,006
D3510940C.100	EQUILITY	Wall Mount Faucet - PC	66	602
D3510940C.144	EQUILITY	Wall Mount Faucet - BN	66	723
D3510940C.243	EQUILITY	Wall Mount Faucet - MB	66	907
D35109430.100	EQUILITY	3/2 or 4/3 Diverter Valve Trim - PC	65	216
D35109430.144	EQUILITY	3/2 or 4/3 Diverter Valve Trim - BN	65	246
D35109430.243	EQUILITY	3/2 or 4/3 Diverter Valve Trim - MB	65	299
D35109760.100	EQUILITY	Wall Tub Spout - PC	68	411
D35109760.144	EQUILITY	Wall Tub Spout - BN	68	493
D35109760.243	EQUILITY'	Wall Tub Spout - MB	68	575
D3510977C.100	EQUILITY	Multifunction Showerhead - PC	68, 101	257
D3510977C.144	EQUILITY	Multifunction Showerhead - BN	68, 101	308
D3510977C.243	EQUILITY	Multifunction Showerhead - MB	68, 101	386
D3510977C.243	EQUILITY	Widespread Lavatory Faucet - PC	65	673
D35109800.144	EQUILITY	Widespread Lavatory Faucet - BN	65	808
D35109800.144	EQUILITY	Widespread Lavatory Faucet - PN Widespread Lavatory Faucet - PN	65	808
200100000.100	EQUILITY	Widespread Lavatory Faucet - MB	05	500

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D3510990C.100	EQUILITY	Deck Mount Tub Filler with Hand Shower - PC	66	1,02
D3510990C.144	EQUILITY	Deck Mount Tub Filler with Hand Shower - BN	66	1,22
D3510990C.243	EQUILITY	Deck Mount Tub Filler with Hand Shower - MB	79	1,53
D35120F00.100	DXV MODULUS	Pressure Balance Shower Valve Trim - PC	79	39
D35120F00.144	DXV MODULUS	Pressure Balance Shower Valve Trim - BN	79	45
D35120F00.150	DXV MODULUS	Pressure Balance Shower Valve Trim - PN	79	45
D35120F00.243	DXV MODULUS	Pressure Balance Shower Valve Trim - MB	145	59
D35120F00RB.100	DXV MODULUS	Pressure Balance Shower Valve Trim - PC	145	31
D35120F00RB.144	DXV MODULUS	Pressure Balance Shower Valve Trim - BN	145	36
D35120F00RB.150	DXV MODULUS	Pressure Balance Shower Valve Trim - PN	77	36
D35120012.100	DXV MODULUS	Bidet Faucet - PC	145	1,01
D35120012RB.100	DXV MODULUS	Bidet Faucet - PC	77	1,01
D35120012.144	DXV MODULUS	Bidet Faucet - BN	145	1,16
D35120012RB.144	DXV MODULUS	Bidet Faucet - BN	77	1,10
D35120012.150	DXV MODULUS	Bidet Faucet - PN	145	1,10
D35120012RB.150	DXV MODULUS	Bidet Faucet - PN	77	1,1
035120012.243	DXV MODULUS	Bidet Faucet - MB	76	1,55
035120102.100	DXV MODULUS	Single Lever Lavatory Faucet - PC	76	64
035120102.144	DXV MODULUS	Single Lever Lavatory Faucet - BN	76	74
035120102.150	DXV MODULUS	Single Lever Lavatory Faucet – PN	76	74
035120102.243	DXV MODULUS	Single Lever Lavatory Faucet - MB	144	99
035120102RB.100	DXV MODULUS	Single Lever Lavatory Faucet - PC	144	64
035120102RB.144	DXV MODULUS	Single Lever Lavatory Faucet - BN	144	74
035120102RB.150	DXV MODULUS	Single Lever Lavatory Faucet - PN	142	74
035120152.100	DXV MODULUS	Vessel Faucet - PC	76	6
035120152.144	DXV MODULUS	Vessel Faucet - BN	76	75
035120152.150	DXV MODULUS	Vessel Faucet - PN	76	75
035120152.243	DXV MODULUS	Vessel Faucet - MB	76	1,0
035120152RB.100	DXV MODULUS	Vessel Faucet - PC	144	65
035120152RB.144	DXV MODULUS	Vessel Faucet - BN	144	75
035120152RB.150	DXV MODULUS	Vessel Faucet - PN	144	75
035120180.100	DXV MODULUS	18" Towel Bar - PC	80	1
035120180.144	DXV MODULUS	18" Towel Bar - BN	80	19
035120180.150	DXV MODULUS	18" Towel Bar - PN	80	19
35120180.243	DXV MODULUS	18" Towel Bar - MB	80	26
035120210.100	DXV MODULUS	Robe Hook - PC	80	
035120210.144	DXV MODULUS	Robe Hock - BN	80	1
035120210.150	DXV MODULUS	Robe Hock - PN	80	1
035120210.243	DXV MODULUS	Robe Hock - MB	80	1
035120230.100	DXV MODULUS	Tissue Holder – PC	80	1
035120230.144	DXV MODULUS	Tissue Holder - BN	80	19
035120230.150	DXV MODULUS	Tissue Holder - PN	80	19
035120230.243	DXV MODULUS	Tissue Holder - MB	80	26
D35120240.100	DXV MODULUS	24" Towel Bar - PC	80	2
D35120240.144	DXV MODULUS	24" Towel Bar - BN	80	24
D35120240.150	DXV MODULUS	24" Towel Bar - PN	80	24

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D35120240.243	DXV MODULUS	24" Towel Bar - MB	80	326
D35120430.100	DXV MODULUS	3/2 or 4/3 Diverter Valve Trim - PC	79	238
D35120430.144	DXV MODULUS	3/2 or 4/3 Diverter Valve Trim - BN	79	274
D35120430.150	DXV MODULUS	3/2 or 4/3 Diverter Valve Trim - PN	79	274
D35120430.243	DXV MODULUS	3/2 or 4/3 Diverter Valve Trim - MB	79	368
D35120450.100	DXV MODULUS	Wall Mount Widespread Faucet - PC	76	718
D35120450.144	DXV MODULUS	Wall Mount Widespread Faucet - BN	76	827
D35120450.150	DXV MODULUS	Wall Mount Widespread Faucet - PN	76	827
D35120450.243	DXV MODULUS	Wall Mount Widespread Faucet - MB	76	1,006
D35120450RB.100	DXV MODULUS	Wall Mount Widespread Faucet - PC	145	718
D35120450RB.144	DXV MODULUS	Wall Mount Widespread Faucet - BN	145	827
D35120450RB.150	DXV MODULUS	Wall Mount Widespread Faucet - PN	145	827
D35120460.100	DXV MODULUS	DXV Modulus Grid Drain - PC	38	86
D35120460.144	DXV MODULUS	DXV Modulus Grid Drain - BN	38	112
D35120460.150	DXV MODULUS	DXV Modulus Grid Drain - PN	38	112
D35120460.243	DXV MODULUS	DXV Modulus Grid Drain - MB	38	133
D35120510RB.100	DXV MODULUS	1/2" or 3/4" Thermostatic Valve Trim - PC	145	339
D35120510RB.144	DXV MODULUS	1/2" or 3/4" Thermostatic Valve Trim - BN	145	389
D35120510RB.150	DXV MODULUS	1/2" or 3/4" Thermostatic Valve Trim - PN	145	389
D35120527.100	DXV MODULUS	2-Handle Thermostatic Valve Trim - PC	78	554
D35120527.144	DXV MODULUS	2-Handle Thermostatic Valve Trim - BN	78	63
D35120527.150	DXV MODULUS	2-Handle Thermostatic Valve Trim - PN	78	637
D35120527.243	DXV MODULUS	2-Handle Thermostatic Valve Trim - MB	78	786
D35120537.100	DXV MODULUS	3-Handle Thermostatic Valve Trim - PC	78	604
D35120537.144	DXV MODULUS	3-Handle Thermostatic Valve Trim - BN	78	695
D35120537.150	DXV MODULUS	3-Handle Thermostatic Valve Trim - PN	78	695
D35120537.243	DXV MODULUS	3-Handle Thermostatic Valve Trim - MB	78	868
D35120760.100	DXV MODULUS	Wall Tub Spout - PC	80	212
D35120760.144	DXV MODULUS	Wall Tub Spout - BN	80	276
D35120760.150	DXV MODULUS	Wall Tub Spout - PN	80	276
D35120760.243	DXV MODULUS	Wall Tub Spout - MB	80	326
D35120770.100	DXV MODULUS	Showerhead - PC	79, 102	404
D35120770.144	DXV MODULUS	Showerhead - BN	79, 102	526
D35120770.150	DXV MODULUS	Showerhead - PN	79, 102	526
D35120770.243	DXV MODULUS	Showerhead - MB	79, 102	623
D35120780.100	DXV MODULUS	Personal Shower Set with Hand Shower - PC	77	708
D35120780.144	DXV MODULUS	Personal Shower Set with Hand Shower - BN	77	919
D35120780.150	DXV MODULUS	Personal Shower Set with Hand Shower - PN	77	919
D35120780.243	DXV MODULUS	Personal Shower Set with Hand Shower - MB	77	990
D35120781.100	DXV MODULUS	Single Function Hand Shower - PC	77, 105	279
D35120781.144	DXV MODULUS	Single Function Hand Shower - BN	77, 105	363
D35120781.150	DXV MODULUS	Single Function Hand Shower - PN	77, 105	363
D35120781.243	DXV MODULUS	Single Function Hand Shower - MB	77, 105	377
D35120802.100	DXV MODULUS	Widespread Lavatory Faucet - PC	76	747
D35120802.144	DXV MODULUS	Widespread Lavatory Faucet - BN	76	858
D35120802.150	DXV MODULUS	Widespread Lavatory Faucet - PN	76	858

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH PAGE	LIST
D35120802.243	DXV MODULUS	Widespread Lavatory Faucet - MB 76	1,15
D35120802RB.100	DXV MODULUS	Widespread Lavatory Faucet - PC 144	74
D35120802RB.144	DXV MODULUS	Widespread Lavatory Faucet - BN 144	85
D35120802RB.150	DXV MODULUS	Widespread Lavatory Faucet - PN 144	85
D35120822.100	DXV MODULUS	High Spout Widespread Lavatory Faucet - PC 76	91
D35120822.144	DXV MODULUS	High Spout Widespread Lavatory Faucet - BN 76	1,18
D35120822.150	DXV MODULUS	High Spout Widespread Lavatory Faucet - PN 76	1,18
D35120822.243	DXV MODULUS	High Spout Widespread Lavatory Faucet - MB 76	1,40
D35120822RB.100	DXV MODULUS	High Spout Widespread Lavatory Faucet - PC 144	91
D35120822RB.144	DXV MODULUS	High Spout Widespread Lavatory Faucet - BN 144	1,18
D35120822RB.150	DXV MODULUS	High Spout Widespread Lavatory Faucet - PN 144	1,18
D35120951.100	DXV MODULUS	Floor Mount Tub Filler - PC 77, 109	2,39
D35120951.144	DXV MODULUS	Floor Mount Tub Filler - BN 77, 109	3,11
035120951.150	DXV MODULUS	Floor Mount Tub Filler - PN 77, 109	3,1
035120951.243	DXV MODULUS	Floor Mount Tub Filler - MB 77, 109	3,68
035120981.100	DXV MODULUS	Wall Mount Tub Filler with Hand Shower - PC 77	1,5
035120981.144	DXV MODULUS	Wall Mount Tub Filler with Hand Shower - BN 77	1,97
035120981.150	DXV MODULUS	Wall Mount Tub Filler with Hand Shower - PN 77	1,97
035120981.243	DXV MODULUS	Wall Mount Tub Filler with Hand Shower - MB 77	2,4
35155040.100	OAK HILL*	Decorative Grid Drain Assembly - PC 38, 41-43, 47, 48	2.
035155040.144	OAK HILL	Decorative Grid Drain Assembly - BN 38, 41-43, 47, 48	29
035155040.150	OAK HILL	Decorative Grid Drain Assembly - PN 38, 41-43, 47, 48	29
035155040.427	OAK HILL	Decorative Grid Drain Assembly - SB 38, 41-43, 47, 48	32
035155100.100	OAK HILL	Single Lever Lavatory Faucet- PC 83	54
035155100.144	OAK HILL	Single Lever Lavatory Faucet - BN 83	62
035155100.150	OAK HILL	Single Lever Lavatory Faucet - PN 83	62
035155100.427	OAK HILL	Single Lever Lavatory Faucet - SB 83	8
035155110.100	OAK HILL	10" Rain Can Showerhead - PC 86, 104	5
035155110.144	OAK HILL	10" Rain Can Showerhead - BN 86, 104	59
035155110.150	OAK HILL	10" Rain Can Showerhead - PN 86, 104	59
035155110.427	OAK HILL	10" Rain Can Showerhead - SB 86,104	7
035155180.100	OAK HILL	18" Towel Bar - PC 87	17
035155180.144	OAK HILL	18" Towel Bar - BN 87	20
035155180.150	OAK HILL	18" Towel Bar - PN 87	20
35155180.427	OAK HILL	18" Towel Bar - SB 87	26
35155190.100	OAK HILL	Towel Ring - PC 87	13
035155190.144	OAK HILL	Towel Ring - BN 87	15
035155190.150	OAK HILL	Towel Ring - PN 87	15
035155190.427	OAK HILL*	Towel Ring - SB 87	19
035155210.100	OAK HILL	Robe Hock - PC 87	8
035155210.144	OAK HILL	Robe Hock - BN 87	10
035155210.150	OAK HILL	Robe Hock - PN 87	10
035155210.427	OAK HILL	Robe Hock - SB 87	13
D35155235.100	OAK HILL	Tissue Holder - PC 87	16
D35155235.144	OAK HILL	Tissue Holder - BN 87	18
D35155235.150	OAK HILL	Tissue Holder - PN 87	18

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST \$
D35155235.427	OAK HILL	Tissue Holder - SB	87	247
D35155240.100	OAK HILL	24" Towel Bar - PC	87	205
D35155240.144	OAK HILL	24" Towel Bar – BN	87	236
D35155240.150	OAK HILL	24" Towel Bar – PN	87	236
D35155240.427	OAK HILL	24" Towel Bar - SB	87	308
D35155430.100	OAK HILL	3/2 or 4/3 Diverter Valve Trim - Lever Handle - PC	86	276
D35155430.144	OAK HILL	3/2 or 4/3 Diverter Valve Trim - Lever Handle - BN	86	317
D35155430.150	OAK HILL	3/2 or 4/3 Diverter Valve Trim - Lever Handle - PN	86	317
D35155430.427	OAK HILL	3/2 or 4/3 Diverter Valve Trim - Lever Handle - SB	86	415
D35155434.100	OAK HILL	3/2 or 4/3 Diverter Valve Trim - Cross Handle - PC	86	276
D35155434.144	OAK HILL	3/2 or 4/3 Diverter Valve Trim - Cross Handle - BN	86	317
D35155434.150	OAK HILL	3/2 or 4/3 Diverter Valve Trim - Cross Handle - PN	86	317
D35155434.427	OAK HILL	3/2 or 4/3 Diverter Valve Trim - Cross Handle - SB	86	415
D3515545C.100	OAK HILL	Lavatory/Wall Mount Faucet with Lever Handles - PC	83	714
D3515545C.144	OAK HILL	Lavatory/Wall Mount Faucet with Lever Handles - BN	83	821
D3515545C.150	OAK HILL	Lavatory/Wall Mount Faucet with Lever Handles - PN	83	821
D3515545C.427	OAK HILL	Lavatory/Wall Mount Faucet with Lever Handles - SB	83	894
D35155460.100	OAK HILL	Grid Drain - PC	87	124
D35155460.144	OAK HILL	Grid Drain - BN	87	143
D35155460.150	OAK HILL	Grid Drain - PN	87	143
035155460.427	OAK HILL	Grid Drain - SB	87	186
D35155470.100	OAK HILL	Lavatory/Wall Mount Faucet with Cross Handles - PC	83	714
D35155470.144	OAK HILL	Lavatory/Wall Mount Faucet with Cross Handles - BN	83	821
D35155470.150	OAK HILL	Lavatory/Wall Mount Faucet with Cross Handles - PN	83	821
D35155470.427	OAK HILL	Lavatory/Wall Mount Faucet with Cross Handles - SB	83	894
D35155500.100	OAK HILL	Pressure Balance Shower Valve Trim with Lever Handles - PC	85	279
D35155500.144	OAK HILL	Pressure Balance Shower Valve Trim with Lever Handles – BN	85	321
D35155500.150	OAK HILL	Pressure Balance Shower Valve Trim with Lever Handles - PN	85	321
D35155500.427	OAK HILL	Pressure Balance Shower Valve Trim with Lever Handles - SB	85	418
D35155527.100	OAK HILL	2-Handle Thermostatic Valve Trim with Lever Handles - PC	84	533
D35155527.144	OAK HILL	2-Handle Thermostatic Valve Trim with Lever Handles - BN	84	613
D35155527.150	OAK HILL	2-Handle Thermostatic Valve Trim with Lever Handles - PN	84	613
035155527.427	OAK HILL	2-Handle Thermostatic Valve Trim with Lever Handles - SB	84	800
D35155528.100	OAK HILL	2-Handle Thermostatic Valve Trim with Cross Handles - PC	84	533
035155528.144	OAK HILL	2-Handle Thermostatic Valve Trim with Cross Handles - BN	84	613
D35155528.150	OAK HILL	2-Handle Thermostatic Valve Trim with Cross Handles - PN	84	613
D35155528.427	OAK HILL	2-Handle Thermostatic Valve Trim with Cross Handles - SB	84	800
D35155537.100	OAK HILL	3-Handle Thermostatic Valve Trim with Lever Handles - PC	85	589
D35155537.144	OAK HILL°	3-Handle Thermostatic Valve Trim with Lever Handles - BN	85	677
D35155537.150	OAK HILL	3-Handle Thermostatic Valve Trim with Lever Handles - PN	85	677
D35155537.427	OAK HILL	3-Handle Thermostatic Valve Trim with Lever Handles - SB	85	883
D35155538.100	OAK HILL	3-Handle Thermostatic Valve Trim with Cross Handles - PC	85	589
D35155538.144	OAK HILL	3-Handle Thermostatic Valve Trim with Cross Handles - BN	85	677
D35155538.150	OAK HILL	3-Handle Thermostatic Valve Trim with Cross Handles - PN	85	677
D35155538.427	OAK HILL	3-Handle Thermostatic Valve Trim with Cross Handles - SB	85	883
D35155540.100	OAK HILL	Pressure Balance Shower Valve Trim with Cross Handles - PC	85	279

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D35155540.144	OAK HILL	Pressure Balance Shower Valve Trim with Cross Handles - BN	85	32
D35155540.150	OAK HILL	Pressure Balance Shower Valve Trim with Cross Handles - PN	85	32
D35155540.427	OAK HILL	Pressure Balance Shower Valve Trim with Cross Handles - SB	85	418
35155760.100	OAK HILL	Wall Tub Spout - PC	86	284
35155760.144	OAK HILL	Wall Tub Spout - BN	86	326
35155760.150	OAK HILL	Wall Tub Spout - PN	86	326
35155760.427	OAK HILL	Wall Tub Spout - SB	86	426
35155761.100	OAK HILL	Wall Diverter Tub Spout - PC	86	284
35155761.144	OAK HILL	Wall Diverter Tub Spout - BN	86	326
35155761.150	OAK HILL	Wall Diverter Tub Spout - PN	86	326
35155761.427	OAK HILL	Wall Diverter Tub Spout - SB	86	426
D35155780.100	OAK HILL	Personal Shower Set with Hand Shower - PC	84	63
D35155780.144	OAK HILL	Personal Shower Set with Hand Shower - BN	84	735
D35155780.150	OAK HILL	Personal Shower Set with Hand Shower - PN	84	73
D35155780.427	OAK HILL	Personal Shower Set with Hand Shower - SB	84	958
D35155800.100	OAK HILL	Widespread Lavatory Faucet with Lever Handles - PC	83	71
D35155800.144	OAK HILL	Widespread Lavatory Faucet with Lever Handles - BN	83	81
D35155800.150	OAK HILL	Widespread Lavatory Faucet with Lever Handles - PN	83	81
D35155800.427	OAK HILL	Widespread Lavatory Faucet with Lever Handles - SB	83	1,06
D35155840.100	OAK HILL	Widespread Lavatory Faucet with Cross Handles - PC	83	71
D35155840.144	OAK HILL	Widespread Lavatory Faucet with Cross Handles - BN	83	81
D35155840.150	OAK HILL	Widespread Lavatory Faucet with Cross Handles - PN	83	81
D35155840.427	OAK HILL	Widespread Lavatory Faucet with Cross Handles - SB	83	1,06
D35160F00.100	FITZGERALD°	Pressure Balance Shower Valve Trim - PC	71	45
D35160F00.144	FITZGERALD	Pressure Balance Shower Valve Trim - BN	71	51
D35160F00.150	FITZGERALD	Pressure Balance Shower Valve Trim - PN	71	51
D35160102.100	FITZGERALD	Monoblock Lavatory Faucet - PC	69	61
D35160102.144	FITZGERALD	Monoblock Lavatory Faucet - BN	69	70
D35160102.150	FITZGERALD	Monoblock Lavatory Faucet - PN	69	70
D35160152.100	FITZGERALD	Vessel Faucet - PC	69	69
D35160152.144	FITZGERALD	Vessel Faucet - BN	69	80
D35160152.150	FITZGERALD	Vessel Faucet - PN	69	80
D35160180.100	FITZGERALD	18" Towel Bar - PC	73	16
D35160180.144	FITZGERALD	18" Towel Bar - BN	73	19
D35160180.150	FITZGERALD	18" Towel Bar - PN	73	19
D35160190.100	FITZGERALD	Towel Ring - PC	73	15
D35160190.144	FITZGERALD	Towel Ring - BN	73	18
D35160190.150	FITZGERALD	Towel Ring - PN	73	18
D35160210.100	FITZGERALD*	Robe Hook - PC	73	10
D35160210.144	FITZGERALD	Robe Hook - BN	73	12
D35160210.150	FITZGERALD	Robe Hook – PN	73	12
D35160230.100	FITZGERALD	Pivoting Tissue Holder - PC	73	15
D35160230.144	FITZGERALD	Pivoting Tissue Holder - BN	73	17
D35160230.150	FITZGERALD	Pivoting Tissue Holder – PN	73	17
D35160240.100	FITZGERALD	24" Towel Bar - PC	73	204
D35160240.144	FITZGERALD	24" Towel Bar - BN	73	23

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST \$
D35160240.150	FITZGERALD	24" Towel Bar - PN	73	235
D35160430.100	FITZGERALD	3/2 or 4/3 Diverter Valve Trim - PC	71	296
D35160430.144	FITZGERALD	3/2 or 4/3 Diverter Valve Trim - BN	71	340
D35160430.150	FITZGERALD	3/2 or 4/3 Diverter Valve Trim - PN	71	340
D35160450.100	FITZGERALD	Wall Mount Faucet - PC	69	813
D35160450.144	FITZGERALD	Wall Mount Faucet - BN	69	935
D35160450.150	FITZGERALD	Wall Mount Faucet - PN	69	935
D35160527.100	FITZGERALD	2-Handle Thermostatic Valve Trim - PC	71	602
D35160527.144	FITZGERALD	2-Handle Thermostatic Valve Trim - BN	71	697
D35160527.150	FITZGERALD	2-Handle Thermostatic Valve Trim - PN	71	697
D35160537.100	FITZGERALD	3-Handle Thermostatic Valve Trim - PC	72	665
D35160537.144	FITZGERALD	3-Handle Thermostatic Valve Trim - BN	72	764
D35160537.150	FITZGERALD	3-Handle Thermostatic Valve Trim - PN	72	764
D35160760.100	FITZGERALD	Wall Tub Spout - PC	73	242
D35160760.144	FITZGERALD	Wall Tub Spout- BN	73	279
D35160760.150	FITZGERALD	Wall Tub Spout - PN	73	279
D35160780.100	FITZGERALD	Personal Shower Set with Slide Bar and Wall Elbow - PC	70	561
D35160780.144	FITZGERALD	Personal Shower Set with Slide Bar and Wall Elbow - BN	70	645
D35160780.150	FITZGERALD	Personal Shower Set with Slide Bar and Wall Elbow - PN	70	645
D35160802.100	FITZGERALD	Widespread Lavatory Faucet - PC	69	733
D35160802.144	FITZGERALD	Widespread Lavatory Faucet - BN	69	843
D35160802.150	FITZGERALD	Widespread Lavatory Faucet - PN	69	843
D35160900.100	FITZGERALD	Deck Mount Tub Filler with Hand Shower - PC	69	1,162
D35160900.144	FITZGERALD	Deck Mount Tub Filler with Hand Shower - BN	69	1,336
D35160900.150	FITZGERALD	Deck Mount Tub Filler with Hand Shower - PN	69	1,336
D35160950.100	FITZGERALD	Floor Mount Tub Filler with Lever Handles - PC	70, 111	2,329
D35160950.14	FITZGERALD	Floor Mount Tub Filler with Lever Handles - BN	70, 111	2,680
D35160950.150	FITZGERALD	Floor Mount Tub Filler with Lever Handles - PN	70, 111	2,680
D35160980.100	FITZGERALD	Wall Mount Tub Filler - PC	70	1,110
D35160980.144	FITZGERALD	Wall Mount Tub Filler - BN	70	1,276
D35160980.150	FITZGERALD	Wall Mount Tub Filler - PN	70	1,276
D35170106.100	BELSHIRE"	Traditional 6" Showerhead - PC	60, 96, 101	365
D35170106.144	BELSHIRE	Traditional 6" Showerhead - BN	60, 96, 101	420
D35170106.150	BELSHIRE	Traditional 6" Showerhead - PN	60, 96, 101	420
D35170106.427	BELSHIRE	Traditional 6" Showerhead - SB	60, 96, 101	547
D35170180.100	BELSHIRE	18" Towel Bar - PC	61	258
D35170180.144	BELSHIRE	18" Towel Bar - BN	61	297
D35170180.150	BELSHIRE	18" Towel Bar - PN	61	297
D35170180.427	BELSHIRE"	18" Towel Bar - SB	61	387
D35170190.100	BELSHIRE	Towel Arm - PC	61	205
D35170190.144	BELSHIRE	Towel Arm - BN	61	230
D35170190.150	BELSHIRE	Towel Arm - PN	61	230
D35170190.427	BELSHIRE	Towel Arm - SB	61	308
D35170210.100	BELSHIRE	Robe Hook - PC	62	140
D35170210.144	BELSHIRE	Robe Hook - BN	62	160
D35170210.150	BELSHIRE	Robe Hook - PN	62	160

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D35170210.427	BELSHIRE	Robe Hook - SB	62	210
D35170235.100	BELSHIRE	Tissue Holder – PC	61	205
D35170235.144	BELSHIRE	Tissue Holder – BN	61	236
D35170235.150	BELSHIRE	Tissue Holder – PN	61	236
D35170235.427	BELSHIRE	Tissue Holder – SB	61	308
D35170240.100	BELSHIRE	24" Towel Bar - PC	61	289
D35170240.144	BELSHIRE	24" Towel Bar - BN	61	332
D35170240.150	BELSHIRE	24" Towel Bar - PN	61	33
D35170240.427	BELSHIRE	24" Towel Bar - SB	61	43.
D35170430.100	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Lever Handle - PC	58	32
D35170430.144	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Lever Handle - BN	58	37
D35170430.150	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Lever Handle - PN	58	37
D35170430.427	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Lever Handle - SB	58	490
D35170434.100	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Cross Handle - PC	58	32
D35170434.144	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Cross Handle - BN	58	37
D35170434.150	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Cross Handle - PN	58	37
D35170434.427	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Cross Handle - SB	58	49
D35170437.100	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Cushion Handle - PC	58	32
D35170437.144	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Cushion Handle - BN	58	37
D35170437.150	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Cushion Handle - PN	58	37
D35170437.427	BELSHIRE	3/2 or 4/3 Diverter Valve Trim - Cushion Handle - SB	58	49
D35170460.100	BELSHIRE	Grid Drain - PC	38, 62	12
D35170460.144	BELSHIRE	Grid Drain - BN	38, 62	14
D35170460.150	BELSHIRE	Grid Drain - PN	38, 62	14
D35170460.427	BELSHIRE	Grid Drain - SB	38, 62	18
D35170760.100	BELSHIRE	Tub Spout - PC	61	30
D35170760.144	BELSHIRE	Tub Spout - BN	61	35
D35170760.150	BELSHIRE	Tub Spout - PN	61	35
D35170760.427	BELSHIRE	Tub Spout - SB	61	46
D35170761.100	BELSHIRE	Wall Diverter Tub Spout - PC	61	30
D35170761.144	BELSHIRE	Wall Diverter Tub Spout - BN	61	35
D35170761.150	BELSHIRE	Wall Diverter Tub Spout - PN	61	35
D35170761.427	BELSHIRE	Wall Diverter Tub Spout - SB	61	46
D35170780.100	BELSHIRE	Personal Hand Shower with Adjustable Wall Mounted Bar - PC	57	63
D35170780.144	BELSHIRE	Personal Hand Shower with Adjustable Wall Mounted Bar - BN	57	73
D35170780.150	BELSHIRE	Personal Hand Shower with Adjustable Wall Mounted Bar - PN	57	73
D35170780.427	BELSHIRE	Personal Hand Shower with Adjustable Wall Mounted Bar - SB	57	95
D35170781.100		Traditional Single Function Hand Shower - PC	105	20
D35170781.100	BELSHIRE™	Traditional Single Function Hand Shower - PC	57	20
D35170781.144		Traditional Single Function Hand Shower - BN	105	23
D35170781.144	BELSHIRE	Traditional Single Function Hand Shower - BN	57	23
D35170781.150		Traditional Single Function Hand Shower - PN	105	23
D35170781.150	BELSHIRE	Traditional Single Function Hand Shower - PN	57	23
D35170781.427		Traditional Single Function Hand Shower - SB	105	30
D35170781.427	BELSHIRE	Traditional Single Function Hand Shower - SB	57	30
D35170801.100	BELSHIRE	Lever Handles for Widespread Faucet - PC	56	30

202 LIST PRICE GUIDE 2022-4 dxv.com

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST \$
D35170801.144	BELSHIRE	Lever Handles for Widespread Faucet - BN	56	356
D35170801.150	BELSHIRE	Lever Handles for Widespread Faucet - PN	56	356
D35170801.427	BELSHIRE	Lever Handles for Widespread Faucet - SB	56	464
D35170802.100	BELSHIRE	Cross Handles for Widespread Faucet - PC	56	309
D35170802.144	BELSHIRE	Cross Handles for Widespread Faucet - BN	56	356
D35170802.150	BELSHIRE	Cross Handles for Widespread Faucet - PN	56	356
D35170802.427	BELSHIRE	Cross Handles for Widespread Faucet - SB	56	464
D35170803.100	BELSHIRE	Cushion Handles for Widespread Faucet - PC	56	309
D35170803.144	BELSHIRE	Cushion Handles for Widespread Faucet - BN	56	356
D35170803.150	BELSHIRE	Cushion Handles for Widespread Faucet - PN	56	356
D35170803.427	BELSHIRE	Cushion Handles for Widespread Faucet - SB	56	464
D35170810.100	BELSHIRE	Low Spout Widespread Faucet - PC	56	617
D35170810.144	BELSHIRE	Low Spout Widespread Faucet - BN	56	710
D35170810.150	BELSHIRE	Low Spout Widespread Faucet - PN	56	710
D35170810.427	BELSHIRE	Low Spout Widespread Faucet - SB	56	926
D35170820.100	BELSHIRE	High Spout Widespread Faucet - PC	56	720
D35170820.144	BELSHIRE	High Spout Widespread Faucet - BN	56	829
D35170820.150	BELSHIRE	High Spout Widespread Faucet - PN	56	829
D35170820.427	BELSHIRE	High Spout Widespread Faucet - SB	56	1,081
D35170980.100	BELSHIRE	Wall Mount Tub Filler - Lever Handles - PC	57	1,422
D35170980.144	BELSHIRE	Wall Mount Tub Filler - Lever Handles - BN	57	1,635
D35170980.150	BELSHIRE	Wall Mount Tub Filler - Lever Handles - PN	57	1,990
D35170980.427	BELSHIRE	Wall Mount Tub Filler - Lever Handles - SB	57	2,133
D35170500.100	BELSHIRE	Pressure Balance Shower Valve Trim - Lever Handles - PC	58	387
D35170500.144	BELSHIRE	Pressure Balance Shower Valve Trim - Lever Handles - BN	58	444
D35170500.150	BELSHIRE	Pressure Balance Shower Valve Trim - Lever Handles - PN	58	444
D35170500.427	BELSHIRE	Pressure Balance Shower Valve Trim - Lever Handles- SB	58	580
D35170520.100	BELSHIRE	Pressure Balance Shower Valve Trim - Cross Handles- PC	58	387
D35170520.144	BELSHIRE	Pressure Balance Shower Valve Trim - Cross Handles- BN	58	444
D35170520.150	BELSHIRE	Pressure Balance Shower Valve Trim - Cross Handles- PN	58	444
D35170520.427	BELSHIRE	Pressure Balance Shower Valve Trim - Cross Handles- SB	58	580
D35170527.100	BELSHIRE	2-Handle Thermostatic Valve Trim - Lever Handles - PC	59	500
D35170527.144	BELSHIRE	2-Handle Thermostatic Valve Trim - Lever Handles - BN	59	575
D35170527.150	BELSHIRE	2-Handle Thermostatic Valve Trim - Lever Handles - PN	59	575
D35170527.427	BELSHIRE	2-Handle Thermostatic Valve Trim - Lever Handles - SB	59	750
D35170528.100	BELSHIRE	2-Handle Thermostatic Valve Trim – Cross Handles – PC	59	500
D35170528.144	BELSHIRE	2-Handle Thermostatic Valve Trim - Cross Handles - BN	59	575
D35170528.150	BELSHIRE	2-Handle Thermostatic Valve Trim - Cross Handles - PN	59	575
D35170528.427	BELSHIRE"	2-Handle Thermostatic Valve Trim - Cross Handles - SB	59	750
D35170529.100	BELSHIRE	2-Handle Thermostatic Valve Trim - Cushion Handles - PC	59	500
D35170529.144	BELSHIRE	2-Handle Thermostatic Valve Trim - Cushion Handles - BN	59	575
D35170529.150	BELSHIRE	2-Handle Thermostatic Valve Trim - Cushion Handles - PN	59	575
D35170529.427	BELSHIRE	2-Handle Thermostatic Valve Trim - Cushion Handles - SB	59	750
D35170537.100	BELSHIRE	3-Handle Thermostatic Valve Trim - Lever Handles - PC	60	545
D35170537.144	BELSHIRE	3-Handle Thermostatic Valve Trim - Lever Handles - BN	60	627
D35170537.150	BELSHIRE	3-Handle Thermostatic Valve Trim - Lever Handles - PN	60	627

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D35170537.427	BELSHIRE	3-Handle Thermostatic Valve Trim - Lever Handles - SB	60	81
D35170538.100	BELSHIRE	3-Handle Thermostatic Valve Trim - Cross Handles - PC	60	54
D35170538.144	BELSHIRE	3-Handle Thermostatic Valve Trim - Cross Handles - BN	60	62
D35170538.150	BELSHIRE	3-Handle Thermostatic Valve Trim - Cross Handles - PN	60	62
D35170538.427	BELSHIRE	3-Handle Thermostatic Valve Trim - Cross Handles - SB	60	81
D35170539.100	BELSHIRE	3-Handle Thermostatic Valve Trim - Cushion Handles - PC	60	54
D35170539.144	BELSHIRE	3-Handle Thermostatic Valve Trim - Cushion Handles - BN	60	62
D35170539.150	BELSHIRE	3-Handle Thermostatic Valve Trim - Cushion Handles - PN	60	62
D35170539.427	BELSHIRE	3-Handle Thermostatic Valve Trim - Cushion Handles - SB	60	81
D35170540.100	BELSHIRE	Pressure Balance Shower Valve Trim - Cushion Handles - PC	58	38
D35170540.144	BELSHIRE	Pressure Balance Shower Valve Trim - Cushion Handles - BN	58	44
D35170540.150	BELSHIRE	Pressure Balance Shower Valve Trim - Cushion Handles - PN	58	44
D35170540.427	BELSHIRE	Pressure Balance Shower Valve Trim - Cushion Handles - SB	58	58
D35401720.100	CONTEMPORARY	Soap Dispenser - PC	135	9
D35401720.355	CONTEMPORARY	Soap Dispenser - US	135	11
D35401900.100	CONTEMPORARY	Pot Filler - PC	135	1,12
D35401900.355	CONTEMPORARY	Pot Filler - US	135	1,29
D35402001.100	VICTORIAN	Single Lever Kitchen Faucet with Side Spray - PC	138	53
D35402001.110	VICTORIAN	Single Lever Kitchen Faucet with Side Spray - CB	138	62
035402001.355	VICTORIAN	Single Lever Kitchen Faucet with Side Spray - US	138	62
035402150.100	VICTORIAN	Pull-Out Kitchen Faucet - PC	138	5
035402150.110	VICTORIAN	Pull-Out Kitchen Faucet - CB	138	58
035402150.355	VICTORIAN	Pull-Out Kitchen Faucet - US	138	58
035402250.100	VICTORIAN	Widespread Bridge Faucet with Side Spray - PC	138	89
D35402250.110	VICTORIAN	Widespread Bridge Faucet with Side Spray - CB	138	1,03
035402250.355	VICTORIAN	Widespread Bridge Faucet with Side Spray - US	138	1,03
D35402300.100	VICTORIAN	Pull-Down Kitchen Faucet - PC	139	5
035402300.110	VICTORIAN	Pull-Down Kitchen Faucet - CB	139	55
035402300.355	VICTORIAN	Pull-Down Kitchen Faucet - US	139	59
035402400.100	VICTORIAN	Bar Faucet - PC	139	38
035402400.110	VICTORIAN	Bar Faucet - CB	139	44
035402400.355	VICTORIAN	Bar Faucet - US	139	44
035402720.100	TRADITIONAL	Soap Dispenser - PC	137	14
035402720.110	TRADITIONAL	Soap Dispenser - CB	137	18
035402720.355	TRADITIONAL	Soap Dispenser - US	137	16
35402900.100	TRADITIONAL	Pot Filler - PC	137	1,12
035402900.110	TRADITIONAL	Pot Filler - CB	137	1,29
035402900.355	TRADITIONAL	Pot Filler - US	137	1,29
035403000.100	FRESNO°	Single Lever Kitchen Faucet - PC	136	4
035403000.355	FRESNO	Single Lever Kitchen Faucet – US	136	47
035403150.100	FRESNO°	Pull-Out Kitchen Faucet - PC	136	39
035403150.355	FRESNO	Pull-Out Kitchen Faucet - US	136	45
035403300.100	FRESNO	Pull-Down Kitchen Faucet - PC	136	5
D35403300.355	FRESNO	Pull-Down Kitchen Faucet - US	136	58
D35403350.100	FRESNO	Culinary Kitchen Faucet - PC	136	6
D35403350.355	FRESNO	Culinary Kitchen Faucet – US	136	70

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST \$
D35403410.100	FRESNO	Bar Faucet - PC	137	386
D35403410.355	FRESNO	Bar Faucet - US	137	443
D35404300.100	ETRE"	Pull-Down Kitchen Faucet - PC	135	895
D35404300.243	ETRE	Pull-Down Kitchen Faucet - MB	135	1,343
D35404300.249	ETRE	Pull-Down Kitchen Faucet - MB/SB	135	1,343
D35404300.355	ETRE	Pull-Down Kitchen Faucet - US	135	1,245
D35404300.427	ETRE	Pull-Down Kitchen Faucet - SB	135	1,029
D35404410.100	ETRE	Pull-Down Bar Faucet - PC	135	557
D35404410.243	ETRE	Pull-Down Bar Faucet - MB	135	803
D35404410.249	ETRE	Pull-Down Bar Faucet - MB/SB	135	0
D35404410.355	ETRE	Pull-Down Bar Faucet - US	135	663
D35404410.427	ETRE	Pull-Down Bar Faucet - SB	135	873
D35405720.100	ETRE	Soap Dispenser - PC	135	102
D35405720.243	ETRE	Soap Dispenser - MB	135	127
D35405720.355	ETRE	Soap Dispenser - US	135	125
D35405720.427	ETRE	Soap Dispenser - SB	135	127
D35700020.100		Traditional Decorative P-Trap - PC	38	257
D35700020.100	BELSHIRE"	Traditional Decorative P-Trap - PC	39	257
D35700020.100	FITZGERALD°	Traditional Decorative P-Trap - PC	40	257
D35700020.100	OAK HILL*	Traditional Decorative P-Trap - PC	41, 42, 43	257
D35700020.100	ST. GEORGE	Traditional Decorative P-Trap - PC	44	257
D35700020.110		Traditional Decorative P-Trap - CB	38	297
D35700020.110	OAK HILL	Traditional Decorative P-Trap - CB	41, 42, 43	297
D35700020.110	ST. GEORGE	Traditional Decorative P-Trap - CB	44	297
D35700020.144		Traditional Decorative P-Trap - BN	38	297
D35700020.144	FITZGERALD	Traditional Decorative P-Trap - BN	40	297
D35700020.144	OAK HILL	Traditional Decorative P-Trap - BN	41, 42, 43	297
D35700020.144	ST. GEORGE	Traditional Decorative P-Trap - BN	44	297
D35700020.150		Traditional Decorative P-Trap - PN	38	297
D35700020.150	BELSHIRE	Traditional Decorative P-Trap - PN	39	297
D35700020.150	FITZGERALD	Traditional Decorative P-Trap - PN	40	297
D35700020.150	OAK HILL	Traditional Decorative P-Trap - PN	41, 42, 43	297
D35700020.150	ST. GEORGE	Traditional Decorative P-Trap - PN	44	297
D35700020.427		Traditional Decorative P-Trap - SB	38	425
D35700020.427	BELSHIRE	Traditional Decorative P-Trap - SB	39	425
D35700020.427	OAK HILL	Traditional Decorative P-Trap - SB	41, 42, 43	425
D35700020.427	ST. GEORGE	Traditional Decorative P-Trap - SB	44	425
D35700030.100		Contemporary Decorative Bottle Trap - PC	38	203
D35700030.100	BELSHIRE"	Contemporary Decorative Bottle Trap - PC	39	203
D35700030.100	EQUILITY"	Contemporary Decorative Bottle Trap - PC	39	203
D35700030.100	WYATT'	Contemporary Decorative Bottle Trap - PC	44	203
D35700030.144		Contemporary Decorative Bottle Trap - BN	38	234
D35700030.144	BELSHIRE	Contemporary Decorative Bottle Trap - BN	39	234
D35700030.144	EQUILITY	Contemporary Decorative Bottle Trap - BN	39	234
D35700030.144	WYATT	Contemporary Decorative Bottle Trap - BN	44	234
D35700030.150		Contemporary Decorative Bottle Trap - PN	38	234

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D35700030.150	BELSHIRE	Contemporary Decorative Bottle Trap - PN	39	234
D35700030.150	EQUILITY	Contemporary Decorative Bottle Trap - PN	39	234
D35700030.150	WYATT	Contemporary Decorative Bottle Trap - PN	44	234
D35700030.243		Contemporary Decorative Bottle Trap - MB	38	263
D35700035.100		Round Wall Elbow for Hand Shower - PC	107	3
D35700035.144		Round Wall Elbow for Hand Shower - BN	107	37
D35700035.150		Round Wall Elbow for Hand Shower - PN	107	37
D35700045.100		Square Wall Elbow for Hand Shower - PC	107	3
D35700045.144		Square Wall Elbow for Hand Shower - BN	107	37
D35700045.243		Square Wall Elbow for Hand Shower - MB	107	43
D3570010C.100		Traditional - 8" Rain Can Showerhead - PC	104	406
D3570010C.100	ASHBEE'	Traditional - 8" Rain Can Showerhead - PC	53	406
D3570010C.100	FITZGERALD°	Traditional - 8" Rain Can Showerhead - PC	72	406
D3570010C.110		Traditional - 8" Rain Can Showerhead - CB	104	468
D3570010C.110	ASHBEE	Traditional - 8" Rain Can Showerhead - CB	53	468
D3570010C.110	FITZGERALD	Traditional - 8" Rain Can Showerhead - CB	72	468
D3570010C.144		Traditional - 8" Rain Can Showerhead - BN	104	46
D3570010C.144	ASHBEE	Traditional – 8" Rain Can Showerhead – BN	53	46
D3570010C.144	FITZGERALD	Traditional - 8" Rain Can Showerhead - BN	72	46
D3570010C.150		Traditional - 8" Rain Can Showerhead - PN	104	46
D3570010C.150	ASHBEE	Traditional - 8" Rain Can Showerhead - PN	53	46
D3570010C.150	FITZGERALD	Traditional - 8" Rain Can Showerhead - PN	72	46
D3570010C.427		Traditional - 8" Rain Can Showerhead - SB	104	56
D3570010C.427	ASHBEE	Traditional - 8" Rain Can Showerhead - SB	53	56
D3570010C.427	FITZGERALD	Traditional - 8" Rain Can Showerhead - SB	72	56
D35700110.100		Traditional - 10" Rain Can Showerhead - PC	104	6
D35700110.100	ASHBEE	Traditional - 10" Rain Can Showerhead - PC	53	6
D35700110.110		Traditional - 10" Rain Can Showerhead - CB	104	70
D35700110.110	ASHBEE	Traditional - 10" Rain Can Showerhead - CB	53	70
D35700110.144		Traditional - 10" Rain Can Showerhead - BN	104	70
D35700110.144	ASHBEE	Traditional - 10" Rain Can Showerhead - BN	53	70
D35700110.150		Traditional - 10" Rain Can Showerhead - PN	104	70
D35700110.150	ASHBEE	Traditional - 10" Rain Can Showerhead - PN	53	70
D3570020C.100		Contemporary 8" Round Showerhead - PC	101	36
D3570020C.100	PERCY°	Contemporary 8" Round Showerhead - PC	91	36
D3570020C.144		Contemporary 8" Round Showerhead - BN	101	42
D3570020C.144	PERCY	Contemporary 8" Round Showerhead - BN	91	42
D3570020C.150		Contemporary 8" Round Showerhead - PN	101	42
D3570020C.150	PERCY	Contemporary 8" Round Showerhead - PN	92	42
D35700210.100		Contemporary 10" Round Showerhead - PC	101	51
D35700210.100	PERCY	Contemporary 10" Round Showerhead - PC	92	51
D35700210.144	10 00 00 00 00 00 00 00 00 00 00 00 00 0	Contemporary 10" Round Showerhead - BN	101	59
D35700210.144	PERCY	Contemporary 10" Round Showerhead - BN	92	59
D35700210.150		Contemporary 10" Round Showerhead - PN	101	59
D35700210.150	PERCY	Contemporary 10" Round Showerhead - PN	91	596
D35700312.100		Right Angle - 12" Shower Arm - PC	106	10

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D35700312.100	PERCY	Right Angle - 12" Shower Arm - PC	92	109
D35700312.144		Right Angle - 12" Shower Arm - BN	106	125
D35700312.144	PERCY	Right Angle - 12" Shower Arm - BN	92	125
D35700312.150		Right Angle - 12" Shower Arm - PN	106	125
D35700312.150	PERCY	Right Angle - 12" Shower Arm - PN	92	125
D35700316.100		Right Angle - 16" Shower Arm - PC	106	125
D35700316.100	OAK HILL*	Right Angle - 16" Shower Arm - PC	86, 104	125
D35700316.100	PERCY	Right Angle - 16" Shower Arm - PC	92	125
D35700316.100	OAK HILL	Right Angle - 16" Shower Arm - BN	86, 104	125
D35700316.144		Right Angle - 16" Shower Arm - BN	106	149
D35700316.144	OAK HILL	Right Angle - 16" Shower Arm - BN	86, 104	149
D35700316.144	PERCY	Right Angle - 16" Shower Arm - BN	92	149
D35700316.150		Right Angle - 16" Shower Arm - PN	106	149
D35700316.150	OAK HILL	Right Angle - 16" Shower Arm - PN	86, 104	149
D35700316.150	PERCY	Right Angle - 16" Shower Arm - PN	92	149
D35700316.427		Right Angle - 16" Shower Arm - SB	106	188
D35700316.427	OAK HILL	Right Angle - 16" Shower Arm - SB	86, 104	188
D35700317.100	DXV MODULUS'	12" Shower Arm - PC	79, 106	143
D35700317.144	DXV MODULUS'	12" Shower Arm - BN	79, 106	186
D35700317.150	DXV MODULUS	12" Shower Arm - PN	79, 106	186
D35700317.243	DXV MODULUS	12" Shower Arm - MB	79, 106	220
D3570040C.100		Round Multifunction Body Spray - PC	107	150
D3570040C.144		Round Multifunction Body Spray - BN	107	173
D3570040C.150		Round Multifunction Body Spray - PN	107	173
D3570041C.100		Square Multifunction Body Spray - PC	107	165
D3570041C.144		Square Multifunction Body Spray - BN	107	189
D3570041C.150		Square Multifunction Body Spray - PN	107	189
D35700412.100		Slim Rectangle - 12" Showerhead - PC	103	514
D35700412.100	REM'	Slim Rectangle - 12" Showerhead - PC	100	514
D35700412.144		Slim Rectangle - 12" Showerhead - BN	103	592
D35700412.144	REM	Slim Rectangle - 12" Showerhead - BN	100	59:
D35700420.100		Square - 20" Shower Arm - PC	106	18
D35700420.100	REM	Square - 20" Shower Arm - PC	100	18
D35700420.144		Square - 20" Shower Arm - BN	106	208
035700420.144	REM	Square - 20" Shower Arm - BN	100	20
035700426.100		Square - 16" Shower Arm - PC	106	12
035700426.100	REM	Square - 16" Shower Arm - PC	100	129
035700426.144		Square - 16" Shower Arm - BN	106	149
035700426.144	REM'	Square - 16" Shower Arm - BN	100	14
03570043C.100	EQUILITY"	Square Personal Shower Set with Hand Shower – PC	67	59
D3570043C.144	EQUILITY'	Square Personal Shower Set with Hand Shower - BN	67	679
D3570043C.243	EQUILITY	Square Personal Shower Set with Hand Shower - MB	67	79
035700440.100		Slim Square - 10" Showerhead - PC	103	46
D35700440.100	REM	Slim Square - 10" Showerhead - PC	100	46
D35700440.144		Slim Square - 10" Showerhead - BN	103	530
D35700440.144	REM	Slim Square - 10" Showerhead - BN	100	530

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D35700442.100		Slim Square - 12" Showerhead - PC	103	56
D35700442.100	REM	Slim Square - 12" Showerhead - PC	100	56
D35700442.144		Slim Square - 12" Showerhead - BN	103	64
D35700442.144	REM	Slim Square - 12" Showerhead - BN	100	64
035700448.100		Slim Square - 8" Showerhead - PC	103	36
035700448.100	REM	Slim Square - 8" Showerhead - PC	100	36
035700448.144		Slim Square - 8" Showerhead - BN	103	42
035700448.144	REM	Slim Square - 8" Showerhead - BN	100	42
035701312.100		Shepherd's Hook - 12" Shower Arm - PC	106	10
035701312.100	ASHBEE ³	Shepherd's Hook - 12" Shower Arm - PC	54	1
35701312.100	FITZGERALD°	Shepherd's Hook - 12" Shower Arm - PC	72	1
35701312.110		Shepherd's Hook - 12" Shower Arm - CB	106	16
35701312.144		Shepherd's Hook - 12" Shower Arm - BN	106	18
35701312.144	ASHBEE	Shepherd's Hook - 12" Shower Arm - BN	54	18
035701312.144	FITZGERALD	Shepherd's Hook - 12" Shower Arm - BN	72	18
035701312.150		Shepherd's Hook - 12" Shower Arm - PN	106	18
035701312.150	ASHBEE	Shepherd's Hook - 12" Shower Arm - PN	54	18
35701312.150	FITZGERALD	Shepherd's Hook - 12" Shower Arm - PN	72	18
35701312.427		Shepherd's Hook - 12" Shower Arm - SB	106	22
35701312.427	ASHBEE	Shepherd's Hook - 12" Shower Arm - SB	54	22
35701312.427	FITZGERALD	Shepherd's Hook - 12" Shower Arm - SB	72	22
35701316.100		Shepherd's Hook - 16" Shower Arm - PC	106	1
35701316.100	ASHBEE	Shepherd's Hook - 16" Shower Arm - PC	54	1
35701316.100	FITZGERALD	Shepherd's Hook - 16" Shower Arm - PC	72	1
35701316.110		Shepherd's Hook - 16" Shower Arm - CB	106	20
35701316.110	ASHBEE	Shepherd's Hook - 16" Shower Arm - CB	54	20
035701316.110	FITZGERALD	Shepherd's Hook - 16" Shower Arm - CB	72	20
035701316.144		Shepherd's Hook - 16" Shower Arm - BN	106	20
035701316.144	ASHBEE	Shepherd's Hook - 16" Shower Arm - BN	54	20
035701316.144	FITZGERALD	Shepherd's Hook - 16" Shower Arm - BN	72	20
35701316.150		Shepherd's Hook - 16" Shower Arm - PN	106	20
35701316.150	ASHBEE	Shepherd's Hook - 16" Shower Arm - PN	54	20
35701316.150	FITZGERALD	Shepherd's Hook - 16" Shower Arm - PN	72	20
035701410.100		Slim Round - 10" Showerhead - PC	103	46
35701410.100	PERCY [°]	Slim Round - 10" Showerhead - PC	92	46
035701410.144		Slim Round - 10" Showerhead - BN	103	53
035701410.144	PERCY	Slim Round - 10" Showerhead - BN	92	53
035701418.100		Slim Round - 8" Showerhead - PC	103	36
035701418.100	PERCY'	Slim Round - 8" Showerhead - PC	92	36
035701418.100		Slim Round - 8" Showerhead - BN	103	42
035701418.144	PERCY	Slim Round - 8" Showerhead - BN	92	42
035702306.100	1 21101	Ceiling Mount - 6" Shower Arm - PC	106	42
035702306.100		Ceiling Mount - 6" Shower Arm - BN	106	10
035702306.144		Ceiling Mount - 6" Shower Arm - PN	106	10
		Ceiling Mount - 12" Shower Arm - PC		10
035702312.100		Centing Plount - 12 Shower Arm - PC	106	10

SKU NUMBER	COLLECTION	DESCRIPTION/FINISH	PAGE	LIST
D35702312.150		Ceiling Mount - 12" Shower Arm - PN	106	125
D35703080.100	CONTEMPORARY	Corner Basket - PC	149	109
D35703312.100		ADA 12" Grab Bar - PC	149	118
D35703318.100		ADA 18" Grab Bar - PC	149	7.
D35703324.100		ADA 24" Grab Bar - PC	149	13
D3590090C.100		Square Floor Mount Tub Filler with Hand Shower - PC	109	1,84
D3590090C.100	EQUILITY'	Square Floor Mount Tub Filler with Hand Shower - PC	66	1,84
D3590090C.144		Square Floor Mount Tub Filler with Hand Shower - BN	109	2,12
D3590090C.144	EQUILITY	Square Floor Mount Tub Filler with Hand Shower - BN	66	2,12
D3590090C.243		Square Floor Mount Tub Filler with Hand Shower - MB	109	2,58
D3590090C.243	EQUILITY	Square Floor Mount Tub Filler with Hand Shower - MB	66	2,58
D3590197C.100		Contemporary Floor Mount Tub Filler with Hand Shower - PC	109	1,33
D3590197C.100	EQUILITY	Contemporary Floor Mount Tub Filler with Hand Shower - PC	67	1,33
D3590197C.144		Contemporary Floor Mount Tub Filler with Hand Shower - BN	109	1,53
D3590197C.144	EQUILITY	Contemporary Floor Mount Tub Filler with Hand Shower - BN	67	1,53
D3590197C.150		Contemporary Floor Mount Tub Filler with Hand Shower - PN	109	1,53
D3590197C.150	EQUILITY	Contemporary Floor Mount Tub Filler with Hand Shower - PN	67	1,53
D60545004.415	COSSU°	Freestanding Soaking Tub with Deck - CWH	112	4,74
D62645004.415	FITZGERALD°	Freestanding Soaking Tub - CWH	112	6,12
D62745004.415	ST. GEORGE	Freestanding Soaking Tub - CWH	115	5,84
H960440.100		Decorative Metal Hose for Hand Shower - PC	107	8
H960440.144		Decorative Metal Hose for Hand Shower - BN	107	9
H960440.150		Decorative Metal Hose for Hand Shower - PN	107	9
H960440.243		Decorative Metal Hose for Hand Shower - MK	107	11
H960440.427		Decorative Metal Hose for Hand Shower - SB	107	11
M907587-1000A	VICTORIAN	Cover Plate - PC	138, 139	4
M907587-1100A	VICTORIAN	Cover Plate - CB	138, 139	4
M907587-3550A	VICTORIAN	Cover Plate - US	138, 139	4
M953456-0020A	BELSHIRE"	Pop-Up Drain - PC	57	7
M953456-0295A	BELSHIRE	Pop-Up Drain - BN	57	8
M953456-1500A	BELSHIRE	Pop-Up Drain - PN	57	19
M953456-4270A	BELSHIRE	Pop-Up Drain - SB	57	17
M953456-0020A	OAK HILL*	Pop-Up Drain - PC	83	7
M953456-0295A	OAK HILL	Pop-Up Drain - BN	83	8
M953456-1500A	OAK HILL	Pop-Up Drain - PN	83	19
M953456-4270A	OAK HILL	Pop-Up Drain - SB	83	17
M964743-1000A	VICTORIAN	Side Spray - PC	138	22
M964743-1100A	VICTORIAN	Side Spray - CB	138	30
M964743-3550A	VICTORIAN	Side Spray - US	138	28
M964990-1000A	ETRE"	Cover Plate - PC	135	4
M964990-1000A	FRESNO°	Cover Plate - PC	136	4
M964990-2430A	ETRE	Cover Plate - PC	135	15
M964990-3550A	ETRE	Cover Plate - US	135	4
M964990-3550A	FRESNO	Cover Plate - US	136	4
M964990-4270A	ETRE	Cover Plate - SB	135	15

210 LIST PRICE GUIDE 2022-4 dxv.com



TIMELESS DESIGN. REIMAGINED.



E EFFECTIVI

Ш

1

PRIL

GUID

1

J