



*Pure Freude
an Wasser*



GROHSAFE™ **PRESSURE BALANCE VALVES**




SHOWER

GROHSAFE™ PRESSURE BALANCE VALVES

GROHE now offers an updated range of Pressure Balance Valves that makes installation quicker and easier thanks to the following product enhancements: metal support brackets, optional PEX/direct sweat or thread connections and a one piece cartridge with QuickFix™ fastening nut.

The valves can be installed with a choice of shower trims to perfectly match any GROHE bathroom faucet.



INNOVATIVE



Blue Core Cartridge
Proof of GROHE Quality and allows plumbers to easily identify the cartridge



Solid Brass Inlet Connections (PEX, Sweat, NPT)
Fast and easy installation without adapters reducing leak points

BENEFICIAL



Integral Service Stops
Easy to service at the valve
(Available on 35 015 001, 35 064 001, 35 065 001)




Hot Limit Safety Stop
Mechanical stop that limits hot water providing anti-scald protection



Cartridge Fastening Nut
Quick, easy access to the cartridge



Metal Support Brackets
Quick, easy and secure installation



EASE OF USE



265° Comfort Range
Wider range to find the perfect water temperature

UNIVERSAL PRESSURE BALANCE ROUGH-IN VALVES

Flexible installation options – Universal, PEX, Direct Sweat and optional Service Stops.



35 015 001

1/2" Universal inlets[†]
 1/2" Universal outlets[†]
 Includes service stops
 Works with 1/2" copper pipe, 1/2" iron pipe,
 CPVC adapters and PEX adapters

Replaces (35 015 000)



35 064 001

1/2" PEX expansion (1960) inlets
 1/2" Universal outlets[†]
 Includes service stops
 Works with Type PEX A (Cold Expansion PEX)



35 065 001

1/2" PEX crimp/clamp (1807) inlets
 1/2" Universal outlets[†]
 Includes service stops
 Works with Type PEX B (crimp ring PEX)



35 066 001

1/2" Direct sweat inlets
 1/2" Universal outlets[†]
 No service stops
 Works with copper pipe



47 995 000

Replacement Cartridge



47 996 000



















Extension Kit

[†]Universal connection is 1/2" male threads by copper sweat

GROHSAFE™ PRESSURE BALANCE VALVES

TRIM OVERVIEW

Select from a variety of trims to coordinate with any style of bathroom

					
19 375 000 GROHE Allure	19 311 001/EN1 Arden®	19 312 001/EN1 Arden®	19 457 001/EN1 Concetto	29 100 001/EN1 Concetto	19 899 000 Eurocube®
					
19 458 002/EN2 Eurosmart®	19 411 000 Eurosmart® Cosmopolitan	19 989 003/EN3 Eurostyle	19 572 002 Eurostyle Cosmopolitan	19 725 000/BE0/EN0/ZB0 Geneva®	19 267 000/EN0 Kensington®
					
19 268 000/EN0 Kensington®	19 268 VPO Kensington®	19 921 000/EN0 Parkfield®	19 708 000/BE0/EN0/ZB0 Seabury®	19 707 000/BE0/EN0/ZB0 Seabury®	19 321 001/EN1 Somerset®

PART OF LIXIL

Follow us



GROHE America, Inc.
160 Fifth Avenue, 4th Floor
New York, NY 10010
Tel.: 1-800-444-7643
info@grohe.com
www.grohe.com/us

© 04/2017 GROHE America, Inc.
SAA17A189

GROHE